



**GCSE**

**Chemistry B (Twenty First Century)**

Unit **J258/03**: Higher Tier – Breadth in chemistry

General Certificate of Secondary Education

**Mark Scheme for June 2018**

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.















© OCR 2018

J258/03

Mark Scheme

June 2018

Annotations available in RM Assessor

Annotation	Meaning
	Correct response
	Incorrect response
	Omission mark
	Benefit of doubt given
	Contradiction
	Rounding error
	Error in number of significant figures
	Error carried forward
	Level 1
	Level 2
	Level 3
	Benefit of doubt not given
	Noted but no credit given
	Ignore

J258/03

Mark Scheme

June 2018

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

<b>Annotation</b>	<b>Meaning</b>
/	alternative and acceptable answers for the same marking point
✓	Separates marking points
<b>DO NOT ALLOW</b>	Answers which are not worthy of credit
<b>IGNORE</b>	Statements which are irrelevant
<b>ALLOW</b>	Answers that can be accepted
( )	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
<b>ECF</b>	Error carried forward
<b>AW</b>	Alternative wording
<b>ORA</b>	Or reverse argument

**Subject-specific Marking Instructions****INTRODUCTION**

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

J258/03

Mark scheme

June 2018

The breakdown of Assessment Objectives for GCSE (9-1) in Chemistry B:

	<b>Assessment Objective</b>
<b>AO1</b>	<b>Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.</b>
AO1.1	Demonstrate knowledge and understanding of scientific ideas.
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.
<b>AO2</b>	<b>Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.</b>
AO2.1	Apply knowledge and understanding of scientific ideas.
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
<b>AO3</b>	<b>Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.</b>
<b>AO3.1</b>	Analyse information and ideas to interpret and evaluate.
AO3.1a	Analyse information and ideas to interpret.
AO3.1b	Analyse information and ideas to evaluate.
<b>AO3.2</b>	Analyse information and ideas to make judgements and draw conclusions.
AO3.2a	Analyse information and ideas to make judgements.
AO3.2b	Analyse information and ideas to draw conclusions.
<b>AO3.3</b>	Analyse information and ideas to develop and improve experimental procedures.
AO3.3a	Analyse information and ideas to develop experimental procedures.
AO3.3b	Analyse information and ideas to improve experimental procedures.

J258/03

Mark scheme


June 2018

Question		Answer	Marks	AO element	Guidance
1	(a)	<p><b>FIRST CHECK ANSWER ON ANSWER LINE</b>  <b>If answer = <math>0.08 \pm 1</math> (cm<sup>3</sup>/s) award 2 marks</b></p> <p>Change in volume = <math>8 \pm 1</math> (cm<sup>3</sup>) ✓</p> <p>rate = <math>8 / 100 = 0.08</math> (cm<sup>3</sup>/s) ✓</p>	2	2.2 × 2	<p><b>ALLOW</b> use of any number 7- 9 anywhere in calculation (1)</p> <p><b>ALLOW ECF for 2<sup>nd</sup> mark:</b>  rate = change in volume / 100  <b>ALLOW</b> 0.07 – 0.09 (2)</p>
	(b)	<p>"Particle size" of carbonate / AW ✓</p> <p>Temperature ✓</p>	2	3.3a × 2	<p><b>ALLOW</b> take readings every 200s or less/ same time interval  <b>IGNORE</b> 'the same time'</p>
	(c)	<p>Particles closer/have less space / more particles in same volume / more (densely) packed ✓</p> <p>Collide more frequently / higher rate of collisions / more collisions per unit time/per second ✓</p>	2	2.1 × 2	<p><b>ALLOW</b> molecules for particles</p> <p><b>ALLOW</b> more chance of collisions</p> <p><b>IGNORE</b> more particles / more collisions / faster collisions / energy arguments / more successful collisions /</p>
	(d)	<p><b>FIRST CHECK ANSWER ON ANSWER LINE</b>  <b>If answer = 17 (cm<sup>3</sup>) award 3 marks</b></p> <p>0.07 / 0.10 or 0.10/0.07 ✓</p> <p>(uses 24)= 16.8 ✓</p> <p>= 17 (cm<sup>3</sup>) ✓</p>	3	<p>2.2 × 2</p> <p>1.2</p>	<p><b>IGNORE</b> 17.0  <b>ALLOW</b> MP3 for (incorrect) answer with working rounded to 2sf</p>

J258/03

Mark scheme

June 2018


Question		Answer	Marks	AO element	Guidance	
2	(a)	No overall loss (in mass) idea / No elements/mass/atoms/chemicals/particles/compounds lost / law states that matter is neither (created nor) destroyed in a chemical reaction / AW ✓  Carbon dioxide is a gas / Carbon dioxide leaves the test tube / a gas is given off / idea that all products are not in the test tube / AW ✓	2	3.1b × 2	<b>ALLOW</b> It is an open system	
	(b)	<b>FIRST CHECK ANSWER ON ANSWER LINE</b> <b>If answer = 52.2 / 52.4 / 52.3 (%) award 4 marks</b>  (formula mass of reactants or $\text{MgCO}_3$ ) = 84.3/84 ✓ (formula mass of product or $\text{CO}_2$ ) = 44 ✓  Correct substitution = $44/84.3 \times 100$ / $44/84 \times 100$ ✓  Ans+dec pl= 52.2 / 52.4 / 52.3 (%) (1 decimal place) ✓	4	2.2 × 3  1.2	If no marks awarded for MP3 and MP4 <b>ALLOW</b> correct working towards formula masses for max (2) $24(.3) + 12 + (3 \times 16) / 12 + (2 \times 16)$  <b>ALLOW</b> ecf  <b>ALLOW</b> 52.1(%) (Rounding assessed in previous question)	
	(c)	(i)	2.2 (g) ✓	1	2.2	<b>ALLOW</b> 2 or more sf
		(ii)	82(%) ✓	1	2.2	<b>ALLOW</b> 2 or more sf
	(d)	  Ions with correct electrons ✓ Charges ✓	2	1.2 × 2	<b>ALLOW (1)</b> for one correct ion  <b>ALLOW</b> eight electrons in outer shell of Mg <b>ALLOW</b> all oxygen electrons with same symbol <b>IGNORE</b> correct inner shells <b>DO NOT ALLOW</b> incorrect inner shells	



J258/03

Mark scheme

June 2018

Question		Answer	Marks	AO element	Guidance
3	(a)	<p><b>A</b> high breaking strength <u>is good</u> / is strong(er) / won't break / cup would not hold its shape / can hold boiling water / softens <u>above 100</u>/at higher temperature than B or C ✓</p> <p><b>B</b> low breaking strength <u>is not good</u> / weak(er) / breaks / would not hold its shape / could not hold boiling water /softens <u>below 100</u>/at lower temperature than A or C ✓</p> <p><b>C</b> low breaking strength <u>is not good</u> / weak(er) / breaks / would hold its shape / could hold boiling water / softens <u>above 100</u>/above B/below A ✓</p> <p>Breaking strength</p>	3	3 × 3.1a	<p><b>IGNORE</b> list of properties repeated from the table e.g. 'A has high breaking strength, is fairly flexible but softens at 250' = 0</p> <p><b>Answer must show some processing of information e.g. links properties to 'good' and 'bad' or interprets properties</b></p> <p>For (3) marks answer must discuss at least two properties</p>
	(b)	<p><b>B</b> ✓</p> <p>Lowest softening temperature ✓</p>	2	2 × 3.2a	<b>IGNORE</b> references to flexibility/strength
	(c)		1	2.1	<b>ALLOW</b> f

J258/03

Mark scheme

June 2018

Question			Answer	Marks	AO element	Guidance
4	(a)	(i)	No/very little/<1% oxygen until 2.5 billion years ago/for about (first) 1.5 billion years AW ✓  Fluctuations but overall increase / up and down but overall rise ✓	2	2 × 3.1a	<b>ALLOW</b> any number in range 2.8 – 2.5 for 'about 2.5 / 1.2-1.5 for 'about 1.5'  <b>IGNORE</b> 'increases and decreases' or 'up and down' alone
		(ii)	1.7 – 2(.0)	1	3.1a	
		(iii)	Plants/bacteria evolved / photosynthesis✓  plants/bacteria established / number of plants or bacteria stayed the same / animals evolved / animals use up oxygen / respiration AW ✓	2	2 × 1.1	
	(b)		$2\text{FeS}_2 + 7\text{O}_2 \rightarrow \text{Fe}_2(\text{SO}_4)_3 + \text{SO}_2$	1	1.2	

J258/03

Mark scheme

June 2018

Question		Answer	Marks	AO element	Guidance
5	(a)	<p>Bromine/Br<sub>2</sub> identified ✓</p> <p>displaced (by the chlorine) / chlorine is more reactive than bromine ✓</p> <p><math>Cl_2 + 2Br^- \rightarrow Br_2 + 2Cl^-</math> ✓</p>	3	3 × 1.1	<p><b>ALLOW</b> from equation</p> <p><b>IGNORE</b> 'replace'</p> <p><b>DO NOT ALLOW</b> '<u>chloride</u> displaces bromide'</p> <p><b>ALLOW</b> 'chlorine displaces bromide' for MP2</p> <p><b>IGNORE</b> K<sup>+</sup> ions</p>
	(b)	<p>Astatine reacts with sodium to form NaAt ✓</p> <p>Astatine is less reactive than iodine ✓</p>	1	2.1	

J258/03

Mark scheme

June 2018

Question		Answer	Marks	AO element	Guidance
6	(a)	large surface area to volume ratio / (very) small but have a large surface area ✓	1	1.1	
	(b)	<p><b>For:</b> (More complete combustion hence) less pollutants / less harmful gases / less incomplete combustion / less named pollutant: (carbon) particulates / carbon monoxide / CO, unburnt fuel/hydrocarbons AW ✓</p> <p>Carbon monoxide is toxic//blocks haemoglobin / CO or particulates or unburnt HCs cause breathing or respiratory difficulties / particulates cause asthma/breathing difficulties / may cause cancer etc ✓</p> <p><b>Against:</b> CeO<sub>2</sub>/nanoparticles (may be) harmful / toxic / risks not known ✓</p>	3	3.1b  1.1  3.1b	<p><b>IGNORE</b> 'more complete combustion' alone (repeats Q) <b>IGNORE</b> 'less pollution'</p> <p><b>ALLOW</b> idea of nanoparticles may harm humans, plants, animals or the environment <b>IGNORE</b> 'nanoparticles may be pollutants /cause pollution' (too vague)</p>
	(c)	Charges balance/neutral/cancel / oxygen gives an overall charge of 4- / there are two O <sup>2-</sup> ions AW ✓	1	1.2	<b>IGNORE</b> charges are equal
	(d)	<p><b>FIRST CHECK ANSWER ON ANSWER LINE</b> <b>If answer = <math>3 \times 10^{-21}</math> (mol) award 3 marks</b></p> <p>Molecules in one nanoparticle = <math>8 \times 10^{-27} / 4 \times 10^{-30} / = 2000</math> ✓</p> <p>Recall Avogadro constant = <math>6(.0) \times 10^{23}</math> ✓</p> <p>Moles = <math>2 \times 10^3 / 6 \times 10^{23} = 3.3 \times 10^{-21}</math> (mol) ✓</p>	3	2.2  1.2  2.2	<p><b>ALLOW</b> full credit (3) marks for any answer which starts by cubing volumes</p> <p><b>ALLOW</b> correct working shown OR 2000 for (1)</p> <p><b>ALLOW</b> ECF</p>

J258/03

Mark scheme

June 2018

Question			Answer	Marks	AO element	Guidance
7	(a)	(i)	Equilibrium sign / $\rightleftharpoons$ / arrows point both ways ✓	1	1.1	<b>ALLOW</b> answers referring to the sign/arrow <b>IGNORE</b> it is reversible
		(ii)	forward and back(ward) reactions / both directions / reactants(N <sub>2</sub> and O <sub>2</sub> ) forming products (NO) <u>and</u> products forming reactants ✓  rates are equal ✓	2	2 × 1.1	<b>ALLOW</b> equations for the correct reactions
	(b)	(i)	Fertilisers / explosives	1	1.1	<b>ALLOW</b> for growth of/nitrates for plants but <b>IGNORE</b> plants alone/ammonia/Haber process
		(ii)	No change ✓  Equal moles/molecules/particles on each side (of the equation) ✓	2	2 × 1.1	Mark separately
	(c)		<b>Any two FOR:</b> 100% atom economy / all reactants used up idea ✓  No by-products / no waste ✓  raw materials come from the air ✓  sustainable ✓  works at low pressure / AW ✓  <b>Any one AGAINST:</b> (very) high temperature (needed) / needs a lot of energy/fuel / doesn't give 100% yield / low yield ✓	3	3 × 2.1	<b>ALLOW</b> 'high atom economy'  <b>IGNORE</b> 'readily available'  <b>IGNORE</b> 'renewable'

J258/03

Mark scheme

June 2018


Question			Answer	Marks	AO element	Guidance
8	(a)	(i)	$\text{MnO}_2(\text{s}) + 2\text{C}(\text{s}) \rightarrow 2\text{CO}(\text{g}) + \text{Mn}(\text{s})$ correct formulae and balancing ✓ state symbols ✓	2	2 × 1.2	<b>ALLOW</b> state symbol mark for any version of manganese oxide + carbon → carbon oxide + manganese
		(ii)	Manganese is less reactive than carbon ORA ✓  carbon reduces / removes oxygen from / donates electrons to manganese (oxide) ✓	2	2 × 2.1	
	(b)		strong forces/bonds/attraction / electrostatic attractions between ✓  (free/delocalised/sea of) electrons ✓  and positive ions (from metal) ✓	3	3 × 1.1	<b>DO NOT ALLOW</b> intermolecular forces  <b>IGNORE</b> metal atoms  <b>DO NOT ALLOW</b> protons/nuclei

J258/03

Mark scheme

June 2018

Question		Answer	Marks	AO element	Guidance
9	(a)	(contains) potassium / K ✓	1	1.2	
	(b)	(i) lines ✓  (lines are) coloured / (lines are) on a dark/black background ✓	2	2 × 1.1	<b>ALLOW</b> 'series/range of colours' <b>IGNORE</b> 'on a white background'
		(ii) Compare/match the spectrum with the known spectrum (of potassium/(ECF answer to (a)) / AW ✓	1	1.2	
	(c)	(i) White precipitate	1	1.2	<b>IGNORE</b> cream
		(ii) $\text{BaCl}_2 + \text{Na}_2\text{SO}_4 \rightarrow \text{BaSO}_4 + 2\text{NaCl}$  correct formula for one product $\text{BaSO}_4/\text{NaCl}$ ✓ fully correct equation with balancing ✓	2	2 × 1.2	

Question		Answer	Marks	AO element	Guidance
10	(a)	Hydrogen is produced at the cathode Water contains $H^+$ and $OH^-$ ions	1	1.1	Both needed
	(b)	<p><b>FIRST CHECK ANSWER ON ANSWER LINE</b>  <b>If answer = (+)490 (kJ/mol) award 3 marks</b></p> <p>(bonds broken): (= 4(O–H)) OR 1856 (kJ/mol) ✓</p> <p>(bonds made): (= 2(H–H) + O=O ) OR 1366 (kJ/mol) ✓</p> <p>energy change (= 1856 – 1366) / (bonds broken – bonds made) = (+) 490 (kJ/mol) ✓</p>	3	3 × 2.2	<p><b>For MP1 and MP2 ALLOW</b> either correct working or correct value</p> <p><b>DO NOT ALLOW</b> -490 (if sign is shown, must be correct)</p> <p><b>ALLOW</b> ECF for maximum (2)            If answer should be negative (by ecf), then negative sign must be shown for third mark to be scored.            Plus sign is not necessary.</p>
	(c)		3	2 × 2.2 1.1	<p>Water on LHS lower than hydrogen and oxygen higher on RHS ✓</p> <p><b>ALLOW</b> ECF for exothermic diagram from a negative answer to (b)</p> <p><b>DO NOT PENALISE</b> correct diagram if answer to (b) is incorrect</p> <p>Curve with hump ✓</p> <p>Activation energy labelled with arrow starting at reactants and ending at peak of hump ✓</p> <p><b>ALLOW</b> double arrow / line with end stops</p> <p><b>DO NOT ALLOW</b> downwards arrow</p>



J258/03

Mark scheme

June 2018

Question		Answer	Marks	AO element	Guidance
11	(a)	$Al^{3+} + 3e \rightarrow Al$ ✓ $2O^{2-} \rightarrow O_2 + 4e$ ✓	2	2 × 1.2	<b>ALLOW</b> equations with electrons on the right (eg $Al^{3+} \rightarrow Al - 3e$ ) <b>ALLOW</b> $O^{2-} \rightarrow \frac{1}{2}O_2 + 2e$  <b>ALLOW</b> (1) mark if number of electrons are correct for both equations but on incorrect sides of both equations (even if oxygen is shown as O)
	(b)	ions / charged particles ✓  can't move in solid / held in lattice / do not move / in fixed positions ✓  can move in liquid/when molten ✓	3	3 × 1.1	<b>DO NOT ALLOW</b> electrons/'particles' alone
	(c)	<b>FIRST CHECK ANSWER ON ANSWER LINE</b> <b>If answer = 667etc (dm<sup>3</sup>) award 4 marks</b>  $4 \times 27(g) (=108)$ ✓ $=1000 \div 108$ ECF (= 9.259) ✓  $3 \times 24$ (dm <sup>3</sup> ) (=72) ✓ $= (x 72$ ECF =) 667 (dm <sup>3</sup> ) ✓  <b>OR</b> No moles Al = $1000/27$ (=37.04) ✓  Uses ratio 4:3 in calculation ✓  No moles O <sub>2</sub> = ANS x $\frac{3}{4}$ (=27.77.....) ✓  (x 24=) 667 (dm <sup>3</sup> ) ✓	4	4 × 2.2	$9.259 = (2)$ for MP1 and MP2 $0.667 = (3)$ for MP1 MP3 and MP4 $222 = (3)$ for MP1 MP2 and MP4 $0.222 = (2)$ for MP1 and MP4  <b>ALLOW</b> 666 (Rounding already assessed in earlier Q) <b>ALLOW</b> any number of sig figs  $27.7 = (3)$ for MP1, MP2 and MP3

J258/03

Mark scheme

June 2018

		Answer	Marks	AO element	Guidance
12	(a)	(The arrow shows that) the acid is fully dissociated/ionised / the reaction goes to completion AW / there is no equilibrium sign ✓	1	1.1	
	(b)	(i) Volumetric pipette ✓	1	1.2	
		(ii) <b>FIRST CHECK ANSWER ON ANSWER LINE</b> <b>If answer = 0.0025 (mol) award 3 marks</b>  Unit conversion $\text{cm}^3$ to $\text{dm}^3 = 25 \times 10^{-3} = 0.025 \text{ dm}^3$ / divides 25 by 1000 / shows $25 \times 0.001$ in working ✓  Shows $\times 0.1$ in working ✓  Correct answer = 0.0025 (mol) ✓	3	1.2  $2 \times 2.2$	<b>ALLOW ECF</b>
		(iii) <b>FIRST CHECK ANSWER ON ANSWER LINE</b> <b>If answer = 0.051 (mol / dm<sup>3</sup>) award 3 marks</b>  moles $\text{H}_2\text{SO}_4 = \text{ANS (ii)}/2 / 0.0025 / 2 (= 0.00125)$ ✓  conc $\text{H}_2\text{SO}_4 = 0.00125$ (ECF) / 0.0245 ✓  conc $\text{H}_2\text{SO}_4 = 0.051$ (mol / dm <sup>3</sup> ) ✓	3	$3 \times 2.2$	<b>ALLOW ECF</b> (including from part (ii))  <b>0.102 = (1) for MP2</b>  <b>ALLOW</b> answer with working to 2 sig figures

**OCR (Oxford Cambridge and RSA Examinations)**  
**The Triangle Building**  
**Shaftesbury Road**  
**Cambridge**  
**CB2 8EA**

**OCR Customer Contact Centre**

**Education and Learning**

Telephone: 01223 553998

Facsimile: 01223 552627

Email: [general.qualifications@ocr.org.uk](mailto:general.qualifications@ocr.org.uk)

[www.ocr.org.uk](http://www.ocr.org.uk)

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

**Oxford Cambridge and RSA Examinations**  
is a Company Limited by Guarantee  
Registered in England  
Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA  
Registered Company Number: 3484466  
OCR is an exempt Charity

**OCR (Oxford Cambridge and RSA Examinations)**  
Head office  
Telephone: 01223 552552  
Facsimile: 01223 552553

© OCR 2018

 **Cambridge  
Assessment**

