

H

GCSE (9–1)

Chemistry B (Twenty First Century Science)

J258/03: Breadth in Chemistry (Higher Tier)

General Certificate of Secondary Education

Mark Scheme for November 2020

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.















© OCR 2020

J258/03

Mark Scheme

November 2020

Annotations available in RM Assessor

Annotation	Meaning
	Correct response
	Incorrect response
	Omission mark
	Benefit of doubt given
	Contradiction
	Rounding error
	Error in number of significant figures
	Error carried forward
	Level 1
	Level 2
	Level 3
	Benefit of doubt not given
	Noted but no credit given
	Ignore

J258/03

Mark Scheme

November 2020

1. Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
/	alternative and acceptable answers for the same marking point
✓	Separates marking points
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

2. Subject-specific Marking Instructions

INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Chemistry B:

	Assessment Objective
AO1	Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.
AO1.1	Demonstrate knowledge and understanding of scientific ideas.
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.
AO2	Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.
AO2.1	Apply knowledge and understanding of scientific ideas.
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
AO3	Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.
AO3.1	Analyse information and ideas to interpret and evaluate.
AO3.1a	Analyse information and ideas to interpret.
AO3.1b	Analyse information and ideas to evaluate.
AO3.2	Analyse information and ideas to make judgements and draw conclusions.
AO3.2a	Analyse information and ideas to make judgements.
AO3.2b	Analyse information and ideas to draw conclusions.
AO3.3	Analyse information and ideas to develop and improve experimental procedures.
AO3.3a	Analyse information and ideas to develop experimental procedures.
AO3.3b	Analyse information and ideas to improve experimental procedures.

J258/03

Mark Scheme

November 2020

Question		Answer	Marks	AO element	Guidance
1	(a)	An acid is reacting with an alkali (to form a salt plus water) / AW ✓	1	1.2	ALLOW the reaction between acid and a base
	(b) (i)	an indicator ✓ <u>changes</u> colour ✓	2	1.2	ALLOW named acid-base indicator IGNORE details of any quoted colour change
	(ii)	Take readings at eye level / take readings from (bottom of) meniscus / make sure no air in burette / add (the NaOH) drop by drop ✓	1	3.3b	ALLOW AW for any of the points ALLOW repeat and look for a similar value ;
	(c) (i)	$(25.80 - 0.90) = 24.9(0)$ ✓	1	2.2	
	(ii)	24.95 not used/is an outlier ✓ Mean = $(24.55 + 24.65 + 24.6) \div 3 = 24.6(0)$ ✓	2	3.2a 1.2	ALLOW Mean = $(24.55 + 24.65) / 2 = 24.6(0)$ ALLOW 1 mark for correct calculation of a mean using all 4 values (= 24.7 / 24.6875)
	(iii)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 0.0037 or 3.7×10^{-3} (g) award 4 marks Rearrange to mass of acid = $0.0908 \div$ volume of acid ✓ = $0.0908 \div 24.6$ ✓ = 0.00369.... (g) ✓ = 0.0037 or 3.7×10^{-3} (g) (2sf) ✓	4	1.2 2 x 2.2 1.2	ALLOW rearrangement mark if it is clear that 0.0908 is being divided by a volume, even if volume is incorrect. ALLOW ECF if incorrect volume is calculated in (ii) and used in (iii) ALLOW sf mark on incorrect calculation

J258/03

Mark Scheme



November 2020

Question			Answer	Marks	AO element	Guidance
2	(a)	(i)	When the fizzing stops ✓	1	3.3a	
		(ii)	(broken-up tablet) greater surface area (of solid) (AW) ✓ more solid particles can react (in the same time) / more (successful / frequent) collisions ✓	2	1.1	
	(b)		Particles gain <u>activation</u> energy (AW) / <u>frequency</u> of collisions is greater / more <u>successful</u> collisions ✓	1	1.1	
	(c)	(i)	(the fizz means) a gas is being given off/made / carbon dioxide is being given off/made ✓	1	2.2	
		(ii)	Gradient/slope decreasing ✓	1	2.2	ALLOW idea that the curve is less steep (as time increases) IGNORE time increases and mass decreases
		(iii)	(Rate of reaction decreases as): number of (reactant) particles decreases / particles further apart ✓	1	2.2	ALLOW reactants/tablet/water used up IGNORE particles have less energy

J258/03

Mark Scheme

November 2020

Question		Answer	Marks	AO element	Guidance
3	(a)	Ring around C=C ✓ 	1	2.1	ALLOW carbon atoms in the ring DO NOT ALLOW hydrogen atoms in the ring.
	(b)	2.4×10^{24} ✓	1	2.2	
	(c) (i)	bromine ✓	1	1.2	IGNORE any state DO NOT ALLOW bromide
	(ii)	 ✓	1	1.2	

J258/03

Mark Scheme

November 2020

Question			Answer	Marks	AO element	Guidance
4	(a)	(i)	Temperature increases (quickly at first and more slowly later) ✓	1	3.1a	ALLOW temperature increases
		(ii)	1993 – 2017 / any two consecutive years between 2011 to 2017 ✓	1	3.2b	ALLOW +/- 1 year ALLOW from 2011 to 2017 +/- 1 year
	(b)	(i)	(Amaya is incorrect because) Any two from: CO ₂ is in whole (lower) atmosphere / not a 'layer' (AW) ✓ CO ₂ /gases in the atmosphere absorb IR ✓ CO ₂ /gases in the atmosphere re-emits IR ✓	2	3.1b	ALLOW CO ₂ doesn't reflect IR
		(ii)	Any one from: Drive fewer cars ✓ more efficient cars / plant trees ✓ don't cut trees down ✓ change from non-renewables to renewables ✓ burn less fossil fuels ✓	1	1.1	ALLOW use electric cars/hydrogen as a fuel
	(c)		Any one from: fewer places where crops can be grown ✓ extreme weather patterns ✓ named change to climate ✓ melting of polar ice ✓ rising sea levels ✓ flooding of low land ✓	1	1.1	

J258/03

Mark Scheme

November 2020

Question			Answer	Marks	AO element	Guidance
5	(a)	(i)	Wire ✓ (place) sample in (Bunsen) flame ✓ Blue/colourless flame must be used ✓	3	1.2	ALLOW splint
		(ii)	purple/violet/mauve/lilac ✓	1	1.2	ALLOW blue-purple etc but not 'blue' alone
	(b)		$\text{BaCl}_2(\text{aq}) + \text{K}_2\text{SO}_4(\text{aq}) \rightarrow \text{BaSO}_4(\text{s}) + 2\text{KCl}(\text{aq})$ Species of products ✓ balancing ✓ state symbols ✓	3	2.2	If no marks ALLOW (1) for 1 correct product or one (s) product shown
	(c)	(i)	(Fertiliser E) contains potassium / potassium and other metal(s) ✓	1	3.2b	ALLOW Fertiliser E contains potassium sulfate
		(ii)	Sensitivity / accuracy / speed / AW / don't have to judge colours ✓	1	1.1	ALLOW can give quantitative information

J258/03

Mark Scheme

November 2020

Question		Answer	Marks	AO element	Guidance	
6	(a)	(Jane wrong) (nail X will rust because) air/oxygen is present (dissolved in the water) ✓ (Ben correct) (nail Y will not rust because) zinc is more reactive than iron ✓	2	3.1b	ALLOW idea that zinc is a sacrificial metal IGNORE idea that zinc stops rusting because it is wrapped around the iron alone	
	(b)	(i)	Fe ✓	1	3.2b	
		(ii)	It (iron) loses electrons ✓	1	1.1	ALLOW oxygen is gained
	(c)		Iron(III) hydroxide ✓	1	1.1	

J258/03

Mark Scheme

November 2020

Question			Answer	Marks	AO element	Guidance												
7	(a)	(i)	CH ₂ ✓	1	2.2													
		(ii)	<pre> H H C — C H CH₃ </pre> <p>No double bond seen in structure ✓ (No double bond and) rest of structure correct ✓</p>	2	2.2	ALLOW CH ₃ drawn as a displayed formula ALLOW CH ₃ in any position												
	(b)		Any one from: hot liquids are at a lower temperature than the melting point of poly(propene)/aluminium ✓ idea that the melting point of aluminium/poly(propene) is above the boiling point of water ✓	1	3.1b	IGNORE yes/no ALLOW polymers soften below their melting point IGNORE aluminium has a higher melting point than polypropene												
	(c)		<table border="1"> <thead> <tr> <th></th> <th>True</th> <th>False</th> </tr> </thead> <tbody> <tr> <td>When monomers form condensation polymers, a small molecule is also formed.</td> <td>✓</td> <td></td> </tr> <tr> <td>DNA is a polymer formed from nucleotides.</td> <td>✓</td> <td></td> </tr> <tr> <td>To make a condensation polymer, each monomer needs only one functional group.</td> <td></td> <td>✓</td> </tr> </tbody> </table>		True	False	When monomers form condensation polymers, a small molecule is also formed.	✓		DNA is a polymer formed from nucleotides.	✓		To make a condensation polymer, each monomer needs only one functional group.		✓	3	1.1x2 2.1	
	True	False																
When monomers form condensation polymers, a small molecule is also formed.	✓																	
DNA is a polymer formed from nucleotides.	✓																	
To make a condensation polymer, each monomer needs only one functional group.		✓																

J258/03

Mark Scheme

November 2020

Question		Answer	Marks	AO element	Guidance									
8	(a)	(In graphite) bonds/links/attractions between the layers are weak ✓ (In graphite) so layers can separate/slide over each other AW ✓ all diamond atoms held by strong bonds ✓	3	2.1	ALLOW intermolecular forces between layers in graphite DO NOT ALLOW intermolecular forces in diamond									
	(b)	(giant) ionic (structure) ✓	1	1.1	ALLOW 'ionic lattice' or 'ionic' or 'regular ionic' IGNORE 'bonding'									
	(c)	<table border="1"> <thead> <tr> <th></th> <th>Graphite</th> <th>Sodium Chloride</th> </tr> </thead> <tbody> <tr> <td>(Conducts when)</td> <td>(Solid)</td> <td>(either molten or) in aqueous/solution ✓</td> </tr> <tr> <td>(Particles that conduct are)</td> <td>electrons ✓</td> <td>ions ✓</td> </tr> </tbody> </table>		Graphite	Sodium Chloride	(Conducts when)	(Solid)	(either molten or) in aqueous/solution ✓	(Particles that conduct are)	electrons ✓	ions ✓	3	1.1	IGNORE (Sodium chloride conducts when) liquid
	Graphite	Sodium Chloride												
(Conducts when)	(Solid)	(either molten or) in aqueous/solution ✓												
(Particles that conduct are)	electrons ✓	ions ✓												

J258/03

Mark Scheme

November 2020

Question		Answer	Marks	AO element	Guidance
9	(a)	Rate of forward reaction = rate of back reaction (AW) ✓	1	1.2	ALLOW 'they are the same'
	(b) (i)	Temperature = 350 °C and Pressure = 1.5 (MPa) ✓	1	2.2	ALLOW pressure between 1.3 and 1.6MPa
	(ii)	Reaction is slow / rate of reaction low ✓	1	2.2	
	(iii)	<p>FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 68 (tonnes) award 3 marks</p> <p>RFM of NH₃ = 14 + 3 = 17 ✓ Shows mole ratio is 3:2 OR correctly converts g to tonnes ✓ Mass of NH₃ = 17 x 2/3 x (6x10⁶) = 68x10⁶g = 68 tonnes ✓</p>	3	2.2	ALLOW ECF from incorrect RFM for max 2
	(c)	<p>filter ✓</p> <p>wash (with water) (and dry) ✓</p>	2	1.2	
	(d)	(Compound fertilisers) contain other elements / K / P (that act as fertilisers) ✓	1	2.1	

J258/03

Mark Scheme

November 2020

Question		Answer	Marks	AO element	Guidance	
10	(a)	<p>FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 5.1 (g) award 3 marks</p> <p>Shows in working ($1 \div 6.9$) OR 71 and 13.8 OR 35.5 and 6.9 ; ✓ $(71/13.8 \text{ OR } 35.5/6.9 =) 5.14492754$ ✓ $= 5.1 \text{ (g) (1dp)}$ ✓</p>	3	2.2 x 2 1.2	<p>ALLOW $A_r \text{ Li} = 7$</p> <p>ALLOW (2 marks): $71/6.9 = 10.3$ ALLOW (1) for incorrect answer to 1 dp</p>	
	(b)	<p>$2\text{Li} + 2\text{H}_2\text{O} \rightarrow 2\text{LiOH} + \text{H}_2$ correct species ✓</p> <p>1 mark for balanced equation ✓</p>	2	1.2		
	(c)	<p>cathode: lithium (metal) ✓</p> <p>anode: chlorine (gas) ✓</p>	2	1.2	<p>ALLOW (1) for correct products in reverse order. DO NOT ALLOW 'chloride' IGNORE formulae</p>	
	(d)	(i)	<p>Add chlorine to a (solution of a metal) bromide / AW ✓</p> <p>Brown colour seen ✓</p>	2	2.2 1.2	ALLOW any named metal bromide
		(ii)	<p>Avoid inhalation / ventilation / work in fume cupboard ✓</p> <p>Chlorine is toxic / poisonous / harmful / irritant (gas) ✓</p>	2	2.2	

J258/03

Mark Scheme


November 2020

Question		Answer	Marks	AO element	Guidance
11	(a)	(positive/metal) ions and electrons ✓ have strong electrostatic forces / opposite charges idea / positive and negative attract ✓	2	1.1	
	(b)	They both conduct electricity ✓ They both form cations ✓	2	1.1	
	(c) (i)	amount of reactant (atoms) used to make (useful) product / amount of wasted reactant (atoms) (AW) ✓	1	1.1	DO NOT ALLOW references to yield
	(ii)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 60 (%) award 3 marks 47.9 OR 79.9 ✓ (47.9 ÷ 79.9) × 100 = 59.99..... ✓ = 60 (%) (2 sf) ✓	3	2 × 2.2 1.2	Allow ECF for incorrect RFMs Allow sf mark on incorrect calculation
	(iii)	Method 2 AND any one from: since method 1 has more reactants / ✓ method 1 has Mg on LHS / method 2 has only one reactant / ✓ denominator in fraction is bigger for method 1 / ✓ larger mass or percentage of waste products / ✓ fewer wasted atoms ✓	1	2.2	ALLOW atom economy of method 1 is 37%

J258/03

Mark Scheme

November 2020

		<p>(iv) (Either Jamal or Mia are correct) Any three from: Higher AE wastes fewer atoms / less chemicals / less waste ✓ yield may be low / reaction may reach equilibrium ✓ rate may be low ✓ some by-products may be toxic/harmful / by-products may not harm the environment ✓ may requires high energy input / use fossil fuels / produces greenhouse gases / other named pollutant ✓ by-products may be useful / oxygen is a useful by product AW ✓</p>	3	3.1b	IGNORE 'pollution' or 'pollutants' alone
	(d)	 <p>✓✓</p>	2	1.2	ALLOW electrons as all dots, all crosses, or a mixture of both which represent electrons moving from Mg to O.

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored