

Q1. Humberstone was a town in the desert of Northern Chile in South America. It was built for the people who worked in the nearby sodium nitrate mines.

The sodium nitrate was used as a fertiliser.

The sodium nitrate was exported by ship to countries all around the world.


Today the mines have closed and nobody lives in Humberstone.

One of the reasons for the mines closing was the invention of the Haber process.



By Sznegra (Own work) [CC-BY-SA-3.0], via Wikimedia Commons

(a) The Haber process is used to make ammonia (NH₃).



The forward reaction is exothermic.

(i) Name the raw materials that are used to supply the nitrogen and hydrogen.

Nitrogen

Hydrogen

(2)

(ii) The Haber process uses a temperature of 450 °C.

Explain, as fully as you can, why a temperature of 450 °C is used rather than a much

higher temperature or a much lower temperature.

.....
.....
.....
.....
.....
.....
.....
.....

(3)

(iii) Ammonia can be converted to ammonium nitrate by adding an acid.

Name this acid.

.....

(1)

(b) Suggest and explain why the invention of the Haber process caused the closure of the Humberstone mines in Chile.

.....
.....
.....
.....
.....


(2)

(Total 8 marks)


Q2. Ammonia is made from nitrogen and hydrogen in the Haber process.



Flow Chart for the Haber Process



Effect of temperature and pressure on the amount of ammonia at equilibrium



- (a) Use the information given above and your knowledge of the Haber process and reversible reactions to help you to answer this question.

State which conditions of temperature and pressure would give the highest percentage of ammonia at equilibrium. Explain why.

.....

.....

.....

.....

.....

.....

.....

.....

(4)

(b) The Haber process uses a temperature of 450 °C and a pressure of 200 atmospheres.

Explain why these conditions are chosen.

.....

.....

.....

.....


.....

.....


(3)
(Total 7 marks)

Q3. The Haber process is used to make ammonia (NH₃) which is an important substance.

The equation below shows the reaction in which ammonia is formed.



The graph below shows how temperature and pressure affect how much ammonia is produced in the reaction.



In the industrial process a mixture of nitrogen and hydrogen is passed over iron at a temperature of about 450 °C and 200 atmospheres pressure.

(a) Use the graph to find the percentage of ammonia present when the temperature and pressure are 450 °C and 200 atmospheres.

..... %

(2)

(b) Explain why the nitrogen and hydrogen mixture is passed over iron.

.....
.....

(2)


(c) Explain, as fully as you can, using the graph and your knowledge of the Haber process why 450 °C and 200 atmospheres were chosen as conditions for this process.

.....
.....
.....
.....
.....

(8)

(Total 12 marks)

- Q4.** (a) Ammonia is manufactured from nitrogen and hydrogen. The equation for the reaction between them is:



- (i) What is the source of the nitrogen?

.....

(1)

- (ii) Why does increasing the pressure increase the chance of molecules of hydrogen reacting with molecules of nitrogen?

.....

.....

(1)

- (iii) The percentage yield of ammonia is the percentage, by mass, of the nitrogen and hydrogen which has been converted to ammonia. Calculate the mass, in tonnes, of ammonia which can be produced from 90 tonnes of hydrogen when the percentage yield is 50%. The relative atomic masses are: H 1; N 14.

Show clearly how you get to your answer.

.....


.....

.....

Mass = tonnes

(2)

- (b) The percentage yield of ammonia depends on the temperature and pressure inside the reaction vessel. The set of graphs show this.



(i) MPa is the symbol for which unit?

.....

(1)

(ii) What is the percentage yield of ammonia produced at a temperature of 450 °C and a pressure of 20 MPa?

.....

(1)

(iii) Suggest what changes the chemical engineers should make to both the temperature and the pressure to **increase** the percentage yield of ammonia.

Temperature

Pressure

(1)

(iv) How can the rate of ammonia production be increased without changing the temperature or pressure or the mass of hydrogen and nitrogen?

.....


.....

(1)

(c) About four-fifths of ammonia production is used to produce fertilisers. One of them is known as NPK. It is made in the following way.

- Some ammonia is converted to nitric acid which is then mixed with phosphoric acid.
- The mixture is neutralised with more ammonia and the solution is partly evaporated.
- Potassium chloride is added to form granules.
- The granules are coated to make the fertiliser free-flowing.

Complete the flow-chart for the production of NPK by writing in the names of the correct chemicals in the **six** boxes.




(2)
(Total 10 marks)

Q5. (a) Iron powder is used in the manufacture of ammonia. Why is it used?

.....
.....

(1)

(b) Ammonia is manufactured from nitrogen and hydrogen. The equation for the reaction between them is:



(i) Which **two** raw materials are used to make the hydrogen?

..... and

(1)

(ii) Why does increasing the pressure increase the chance of molecules of nitrogen reacting with molecules of hydrogen?

.....
.....

(1)

(iii) Calculate the mass, in tonnes, of ammonia which could be produced from 560 tonnes of nitrogen.

The relative atomic masses are: H 1; N 14.

Show clearly how you get to your answer.

.....
.....
.....


Mass of ammonia = tonnes

(3)

(Total 6 marks)


Q6. Ammonia is manufactured in the Haber Process, from nitrogen and hydrogen.

(a) Balance this symbol equation for the process.



(2)

(b) The graph below shows the percentage of reacting gases converted into ammonia, at different temperatures and pressures.



(i) What does the graph suggest about the temperature and pressure needed to convert the maximum percentage of reacting gases into ammonia?

.....

.....

.....


(2)

- (ii) Suggest reasons why the manufacture of ammonia in the Haber Process is usually carried out at about 400°C and 200 atmospheres pressure.


.....
.....
.....

(2)
(Total 6 marks)


Q7. Ammonia is manufactured from nitrogen and hydrogen. The reaction is shown in the equation below.



The diagram shows some details of the manufacturing process.



The graph shows the percentage of reacting gases converted into ammonia at different temperatures and pressures.



At room temperature and pressure, the reaction is very slow and only a small percentage of the reacting gases is converted to ammonia.

Use the information on the diagram and graph to:

- (a) describe the conditions used in the manufacture of ammonia **to increase the rate of reaction.**

.....

.....

.....

.....

.....

.....

(4)

