
Q1.Figure 1 shows the outer electrons in an atom of the Group 1 element potassium and in an atom of the Group 6 element sulfur.

Figure 1



(a) Potassium forms an ionic compound with sulfur.

Describe what happens when **two** atoms of potassium react with **one** atom of sulfur.

Give your answer in terms of electron transfer.

Give the formulae of the ions formed.


•••••	 •••••	•••••	••••••

(5)

(b) The structure of potassium sulfide can be represented using the ball and stick model in **Figure 2**.

.....

Figure 2




The ball and stick model is **not** a true representation of the structure of potassium sulfide.

ive one reason wi	ny.		
• • • • • • • • • • • • • • • • • • • •	•••••	 ••••••	

(c) Sulfur can also form covalent bonds.

Complete the dot and cross diagram to show the covalent bonding in a molecule of hydrogen sulfide.

Show the outer shell electrons only.



(2)

(1)


(d) Calculate the relative formula mass (M_r) of aluminium sulfate $Al_2(SO_4)_3$

Relative atomic masses (A_r): oxygen = 16; aluminium = 27; sulfur = 32

	•••••			
	Relative formula	a mass =		(2)
				(2)
Covalent compounds such electricity when molten.	n as hydrogen sul	fide have low melting po	pints and do not conduct	
Draw one line from each	property to the e	explanation of the prope	erty.	
Property		Explanation of property		
		Electrons are free to move		
		There are no charged particles free to move		
Low melting point				
		Ions are free to move		
		Weak intermolecular forces of attraction		
Does not conduct electricity when molten				
		Bonds are weak		
		Bonds are strong		

(f) Ionic compounds such as potassium sulfide have high boiling points and conduct electricity when dissolved in water.

Draw **one** line from each property to the explanation of the property.



(2) (Total 14 marks) **Q2.**This question is about halogens and their compounds.

The table below shows the boiling points and properties of some of the elements in Group 7 of the periodic table.

Element	Boiling point in °C	Colour in aqueous solution
Fluorine	-188	colourless
Chlorine	-35	pale green
Bromine	Х	orange
Iodine	184	brown

(a) Why does iodine have a higher boiling point than chlorine?

Tick one box.

lodine is ionic and chlorine is covalent	
lodine is less reactive than chlorine	
The covalent bonds between iodine atoms are stronger	
The forces between iodine molecules are stronger	

(b) Predict the boiling point of bromine.

.....

(c) A redox reaction takes place when aqueous chlorine is added to potassium iodide solution.

(1)

(1)

The equation for this reaction is:

$$Cl_2(aq) + 2KI(aq) \rightarrow l_2(aq) + 2KCI(aq)$$

	Look at table above.	
	What is the colour of the final solution in this reaction?	
	Tick one box.	
	Brown	
	Orange	
	Pale green	
	Colourless	
		(1)
(d)	What is the ionic equation for the reaction of chlorine with potassium iodide	?
	Tick one box.	
	$CI_2 + 2K \rightarrow 2KCI$	
	$2I^- + CI_2 \rightarrow I_2 + 2CI^-$	
	I⁻ + Cl → I + Cl⁻	
	$I^- + K^+ \rightarrow KI$	
		(1)
(e)	Why does potassium iodide solution conduct electricity?	
	Tick one box.	
	It contains a metal	
	It contains electrons which can move	

	It contains ions which ca	n move		
	It contains water			
				(1)
(f)	What are the products of e	lectrolysing potassium i	iodide solution?	
	Tick one box.			
	Product at cathode	Product at anode		
	hydrogen	iodine		
	hydrogen	oxygen		
	potassium	iodine		
	potassium	oxygen		
				(1)

(Total 6 marks)


a) E	explain how electricity is conducted in a metal.
7	o gain full marks you must include a description of the structure and bonding of a metal.
(d)	Describe how the structure of an alloy is different from the structure of a pure metal.
(b) [Describe how the structure of an alloy is different from the structure of a pure metal.
(b) [Describe how the structure of an alloy is different from the structure of a pure metal.
(b) [Describe how the structure of an alloy is different from the structure of a pure metal.
(b) [Describe how the structure of an alloy is different from the structure of a pure metal.
(b) [Describe how the structure of an alloy is different from the structure of a pure metal.
(b) [
	Alloys are used to make dental braces and coins.
	Alloys are used to make dental braces and coins. i) Nitinol is an alloy used in dental braces.
	Alloys are used to make dental braces and coins.
	Alloys are used to make dental braces and coins. i) Nitinol is an alloy used in dental braces.

(ii) Suggest **one** reason why coins are not made of pure copper.

		Do not give cost as a reason.	
			(1)
			(1)
	(iii)	Some coins are made from an alloy of aluminium.	
		Complete the sentence.	
		Aluminium is manufactured by the electrolysis of a molten mixture of cryolite and	
			(1)
	(iv)	Banks keep coins in poly(ethene) bags. These bags are made from low density poly(ethene).	
		High density poly(ethene) can also be made from the same monomer.	
		How can the same reaction produce two different products?	
			(1)
(d)	Give meta	two reasons why instrumental methods of analysis are used to detect impurities in als.	
			(4)
		(Total 11 ma	(1) arks)

Q4.Diagram 1 shows the apparatus used to electrolyse magnesium sulfate solution.





Gases were given off at both electrodes.

(a) The gas collected at the anode was oxygen.

Draw **one** line from the test for oxygen to the correct result.

Test Result

The splint relights

Place a glowing splint in the tube of the gas

The splint goes out

There is a squeaky pop

(1)

(b) (i) The gas collected at the cathode was hydrogen.

Describe how to test the gas to show that it is hydrogen.


Test

Result

			(2)
	(ii)	Why is hydrogen, and not magnesium, produced at the cathode?	
			(1)
(c)	A stu	udent wanted to use electrolysis to silver plate a metal spoon.	
	(i)	Give one reason why metal spoons are sometimes silver plated.	
			(1)

(ii) **Diagram 2** shows the apparatus the student used. The student did **not** set the apparatus up correctly.

Diagram 2




The student found that the metal spoon eroded and a thin layer of copper formed on the pure silver electrode.

Suggest **two** changes that the student must make to his apparatus to be able to silver plate the metal spoon. Give a reason for each change.


(4)		
	Why is it difficult to electroplate plastic spoons?	(iii)
(1)		
(Total 10 marks)		

Q5.The hip joint sometimes has to be replaced.

Early replacement hip joints were made from stainless steel.



Stainless steel is an alloy of iron, chromium and nickel. The diagram below represents the particles in stainless steel.



Paticle diagram of stainless steal


(a) Use the diagram to complete the percentages of metals in this stainless steel.The first one has been done for you.

Element	Percentage (%)
Iron, Fe	72
Chromium, Cr	
Nickel, Ni	

(2)

(1)

(b) Pure iron is a soft, metallic element.



(i) Why is iron described as an element?


.....

(ii) Pure iron would **not** be suitable for a replacement hip joint.

Suggest why.

(iii)	The three metals in stainless steel have different sized atoms. Stainless steel is harder than pure iron.	
	Explain why.	
		(2)
		(Total 6 marks)

Q6. Read the information



Use the information above and your knowledge of graphite to answer the questions.

(a) This part of the question is about graphene.

Choose the correct answer to complete each sentence.

(i) ionic covalent metallic

The bonds between the atoms in graphene are

(1)

(1)

(ii) chromium carbon chlorine

Graphene is made of atoms.

(iii) 2 3 4

	In graphene each atom bonds to other atoms.	(1)
4.		
(b)	This part of the question is about graphite.	
	Graphite is used in pencils.	
	Explain why. Use the diagrams to help you.	
		(2)
		(Total 5 marks)

Q7. (a) Magnesium metal is shaped to make magnesium ribbon.



	Expl	ain why	metals can be sha	aped.				
	•••••	•••••						(2)
								` , ,
(b)	Mag	nesium	sulfate is a salt of	magnesiu	ım.			
	It can be prepared by the reaction of magnesium metal with an acid. The equation for the reaction of magnesium with this acid is:			the				
Mg(s)		+	H₂SO₄(aq)	\rightarrow	MgSO₄(aq)	+	$H_2(g)$	
	(i)	Name	the acid used to	make mag	gnesium sulfate.			
							. acid	(1)

ium	 Use the equation to help you to describe what you would observe when magnesiun reacts with the acid.
(2)	
(2)	
	ii) The magnesium sulfate is in solution.
	How could you obtain solid magnesium sulfate from this solution?
(1) Fotal 6 marks)	(Tota