## Paper 3

## Questions are applicable for both core and extended candidates

- 1 (f) Ethene reacts with steam to produce ethanol.
  - (i) Complete the symbol equation for this reaction.

$$C_2H_4 + \dots \rightarrow \dots$$
 [2]

(ii) Choose the word which describes the type of catalyst used in this reaction.

Draw a circle around your chosen answer.

**2** Fig. 7.1 shows the displayed formula of mesaconic acid.

Fig. 7.1

**(e)** Ethanol can be manufactured by fermentation.

Complete the word equation for one **other** method of manufacturing ethanol.

$$+$$
 ......  $\rightarrow$  ethanol [2]

**3 (d)** Ethanoic acid can be converted to ethanol.

Name the **two** products formed when ethanol undergoes complete combustion.

**4** (a) Fig. 6.1 shows the displayed formula of a molecule of crotyl alcohol.





Fig. 6.1

|     | (i)                         | On Fig. 6.1 draw a circle around the alcohol functional group.                                       | [1]     |  |  |  |
|-----|-----------------------------|--|---------|--|--|--|
|     | (ii)                        | Describe the feature of crotyl alcohol that shows it is an unsaturated compound.                     |         |  |  |  |
|     |                             |  | [1]     |  |  |  |
| (   | (iii)                       | Deduce the molecular formula of crotyl alcohol.  |         |  |  |  |
|     |                             |  | [1]     |  |  |  |
| (   | iv)                         | Crotyl alcohol is soluble in water.  |         |  |  |  |
|     |                             | The boiling point of crotyl alcohol is 121 °C. The boiling point of water is 100 °C.                 |         |  |  |  |
|     |                             | Suggest how fractional distillation can be used to separate a mixture of crotyl alcohol a water.     | and     |  |  |  |
|     |                             |  |         |  |  |  |
|     |                             |  |         |  |  |  |
|     |                             |  | [2]     |  |  |  |
| (b) | Ethanol is also an alcohol. |  |         |  |  |  |
|     | Des                         | escribe <b>two</b> conditions for the manufacture of ethanol by the fermentation of aqueous glucose. |         |  |  |  |
|     | 1                           |  |         |  |  |  |
|     | 2                           |  | <br>[2] |  |  |  |
|     |                             |  |         |  |  |  |

5 (a) The structures of four organic compounds, C, D, E and F, are shown.



Answer the following questions about these compounds. Each compound may be used once, more than once or not at all.

State which compound, C, D, E or F:

6 (a) The structure of lactic acid is shown.

|     | (i) On the structure, draw a circle around the alcohol functional group. |   |         |  |  |  |
|-----|--|---|---------|--|--|--|
| (   | ii)  | Deduce the formula of lactic acid to show the number of carbon, hydrogen and oxygen atoms.                |         |  |  |  |
|     |  |   | [1]     |  |  |  |
| (b) | Etha   | anol is an alcohol.   |         |  |  |  |
|     | (i)  | Complete the sentence about ethanol using a word from the list.   |         |  |  |  |
|     |  | ethane ethene methane poly(ethene)  |         |  |  |  |
|     |  | Ethanol is manufactured by fermentation or from   | [1]     |  |  |  |
| (   | ii)  | State <b>two</b> conditions needed for fermentation.  |         |  |  |  |
|     |  | 1   |         |  |  |  |
|     |  | 2   | <br>[2] |  |  |  |
| (i  | ii)  | Ethanol is used in drinks and as a fuel.  |         |  |  |  |
|     |  | State one <b>other</b> use of ethanol.  |         |  |  |  |
|     |  |   | [1]     |  |  |  |
| (i  | v)   | Name <b>one</b> physical property that can be used to determine if a sample of ethanol is pure or impure. | ıre     |  |  |  |
|     |  |   | [1]     |  |  |  |
| (c) | Etha   | anol and methanol are in the same homologous series.  |         |  |  |  |
|     | Explain the meaning of the term homologous series.                       |   |         |  |  |  |
|     |  |   |         |  |  |  |
|     |  |   |         |  |  |  |
|     |  |   | [5]     |  |  |  |

## Paper 4

## Questions are applicable for both core and extended candidates unless indicated in the question

- 7 Some symbol equations and word equations, **A** to **J**, are shown.
  - A Fe<sup>3+</sup> +  $3OH^- \rightarrow Fe(OH)_3$
  - $\textbf{B} \quad H^+ \, + \, OH^- \, \rightarrow \, H_2O$
  - C ethane + chlorine → chloroethane + hydrogen chloride
  - $D \quad C_{12}H_{26} \rightarrow C_8H_{18} + C_4H_8$
  - E ethene + steam → ethanol
  - F chlorine + aqueous potassium iodide → iodine + aqueous potassium chloride
  - $\mathbf{G} \quad \mathsf{C}_{6}\mathsf{H}_{12}\mathsf{O}_{6} \,\rightarrow\, 2\mathsf{C}_{2}\mathsf{H}_{5}\mathsf{OH} \,+\, 2\mathsf{CO}_{2}$
  - H ethanoic acid + ethanol → ethyl ethanoate + water
  - I calcium carbonate → calcium oxide + carbon dioxide
  - $J = 6CO_2 + 6H_2O \rightarrow C_6H_{12}O_6 + 6O_2$

Use the equations to answer the questions that follow. Each equation may be used once, more than once, or not at all.

Give the letter, **A** to **J**, for the equation that represents:

(e) fermentation ......[1]

8

Ethanol is manufactured by **two** methods:

| me  | thod  | 1 fermentation of aqueous glucose   |           |  |  |  |
|-----|-------|---|-----------|--|--|--|
| me  | thod  | 2 catalytic addition of steam to an alkene.   |           |  |  |  |
| (a) | Met   | Method 1 takes place at room temperature and pressure.  |           |  |  |  |
|     | Stat  | re <b>two</b> other conditions needed in method 1.  |           |  |  |  |
|     | 1     |   |           |  |  |  |
|     | 2     |   |           |  |  |  |
|     |       | [2  | <u>?]</u> |  |  |  |
| (b) | (i)   | State the typical temperature and pressure used in method 2.  |           |  |  |  |
|     |       | temperature°C   |           |  |  |  |
|     |       | pressure kPa [2   | 21        |  |  |  |
|     | (ii)  | Name the alkene used in method 2.   | -,        |  |  |  |
|     | ()    | [1  | 11        |  |  |  |
|     | (iii) | State why the reaction in method 2 is referred to as an addition reaction.  | ,         |  |  |  |
|     | (,    |   | 11        |  |  |  |
|     |       |   | 1         |  |  |  |
| (c) |       | catalyst in method 2 is phosphoric acid, $\rm H_3PO_4$ . Dilute phosphoric acid is a weak acid contains phosphate ions, $\rm PO_4^{3-}$ . | d         |  |  |  |
|     | (i)   | State what is meant by the term acid.   |           |  |  |  |
|     |       | [1  | 1]        |  |  |  |
|     | (ii)  | State the meaning of weak in the term weak acid.  |           |  |  |  |
|     |       | [1  | 1]        |  |  |  |
|     | (iii) | Determine the oxidation number of phosphorus in the PO <sub>4</sub> 3- ion.   |           |  |  |  |
|     |       | Show your working.  |           |  |  |  |
|     |       |   |           |  |  |  |
|     |       | oxidation number = [2   | 2]        |  |  |  |
|     |       |   |           |  |  |  |

| (d) | Give  | e one advantage of each method of production of ethanol. (extended only)    |     |  |
|-----|---|---|-----|--|
|     | met   | hod 1   |     |  |
|     | met   | hod 2   |     |  |
|     |   |   | [2] |  |
| (e) | Ethanol can be converted to ethanoic acid by reacting it with an acidified oxidising agent. |   |     |  |
|     | (i)   | Name the acidified oxidising agent.   |     |  |
|     |   |   | [1] |  |
|     | (ii)  | State, in terms of redox, what type of reagent ethanol is in this reaction. |     |  |
|     |   |   | [1] |  |

9

| 9  | Alkynes and alkenes are homologous series of unsaturated hydrocarbons. |   |  |  |  |  |
|--|--|---|--|--|--|--|
|  | All alkyr  | nes contain a C≡C triple bond.  |  |  |  |  |
| (d) Ethene can be converted to ethanoic acid by a two-stage process. |  |   |  |  |  |  |
|  | In stage one, ethene is converted to ethanol by catalytic addition.    |   |  |  |  |  |
|  |  | $C_2H_4 + H_2O \rightarrow C_2H_5OH$  |  |  |  |  |
|  | (i)  | Suggest why stage one is called an addition reaction.                                   |  |  |  |  |
|  |  | [1]   |  |  |  |  |
|  | (ii)   | A catalyst is used in stage one.  |  |  |  |  |
|  |  | State one <b>other</b> condition that must be used.                                     |  |  |  |  |
|  |  | [1]   |  |  |  |  |
|  | (iii)  | State what must be reacted with ethanol to form ethanoic acid.                          |  |  |  |  |
|  |  | [2]   |  |  |  |  |
|  |  |   |  |  |  |  |
| 10   | The na   | mes of four esters are listed.  |  |  |  |  |
|  |  | methyl propanoate   |  |  |  |  |
|  |  | ethyl propanoate  |  |  |  |  |
|  |  | propyl propanoate  butyl propanoate   |  |  |  |  |
|  |  |   |  |  |  |  |
|  | (c) All  | four of the esters can be made by reacting different alcohols with the same substance.  |  |  |  |  |
|  | (i)  | Name this substance and draw its structure. Show all of the atoms and all of the bonds. |  |  |  |  |
|  |  | name  |  |  |  |  |
|  |  | structure   |  |  |  |  |
|  |  |   |  |  |  |  |
|  |  | [2]   |  |  |  |  |
|  | (ii)   | Name the alcohol used to make methyl propanoate.  |  |  |  |  |
|  |  | [1]   |  |  |  |  |
|  |  |   |  |  |  |  |

**11** A list of substances is shown.

| aluminium oxide | carbon dioxide  | chlorine  | diamond  | ethanol |
|-----------------|-----------------|-----------|----------|---------|
| glucose         | iron(III) oxide | limestone | nitrogen | oxygen  |

Answer the questions using the list of substances.

Each substance may be used once, more than once or not at all.

State which of the substances:

| (c) | are two products of fermentation |     |  |  |  |
|-----|----------------------------------|-----|--|--|--|
|     | and                              | [2] |  |  |  |