	lestion umber	Answer	Notes	Marks
1	а	atomic number	Accept proton number Accept number of protons	1
	b	(relative) atomic mass	Reject mass number	1
	c i	electrons		1
	ii	electrons		1
	iii	protons AND neutrons	Names can be in either order	1
	iv	protons AND electrons	Names can be in either order	1
	v	neutrons		1

Quest numb		Expected Answer	Accept	Reject	Marks
2 (a)		(increasing) atomic number(s) IGNORE references to electrons / electronic configurations	proton number / number of protons	mass number / RAM	1
(b)	(i)	sodium / potassium	Na / K		1
	(ii)	fluorine / chlorine / bromine	F / Cl / Br / F <sub>2</sub> / Cl <sub>2</sub> / Br <sub>2</sub>	fluoride / chloride / bromide	1
(c)	(i)	sodium OR potassium <u>AND</u>	Na / K		
		fluorine OR chlorine OR bromine OR hydrogen	F / Cl / Br / H / F <sub>2</sub> / Cl <sub>2</sub> / Br <sub>2</sub> / H <sub>2</sub>	fluoride / chloride /	1
	(ii)	Answers can be in either order IGNORE incorrect symbols/formulae if names are correct Marks do not have to be CQ on (c)(i), and all marks can be scored here for correct diagrams of the ions in a		bromide / hydride	
		hydrogen halide M1 Na or K with 8 electrons	0 electrons	Incorrect electron transfer for M1 and M2	1
			H with 2 electrons		1
		M2 F, Cl or Br with 8 electrons			
		IGNORE diagrams showing initial electron configurations			1
		M3 (1)+ AND (1)- charges correct			
		IGNORE inner shells even if incorrect			

Allow any combination of dots and crosses		
If shown covalently bonded, then max. 1 for correct charges if given		
If the position of 2 electrons shown between the two species makes it hard to be sure that the bonding is definitely ionic (and not covalent), do not award M1 or M2		

Question number	Expected Answer	Accept	Reject	Marks
2(d)	(fluorine reacts) vigorously / instantly / explosively / violently / <u>very</u> quickly / <u>very</u> rapidly IGNORE references to electron transfer, even if incorrect	the quickest / more quickly <u>than</u> chlorine	fluorine reaction slower than chlorine reaction	1
	(to form) iron <u>(III)</u> fluoride	ferric fluoride / FeF <sub>3</sub>		1

(e)	M1 colourless (IGNORE clear)	no colour	decolourised	1
	M2 orange / yellow /brown	any combination of colours on left	any other colour	1
	IGNORE qualifiers such as light / dark			

	uest umb		Answer	Notes	Marks
3	(a)	(i)	A (Ag)		1
		(ii)	D (Zr)		1
	(b)	(i)	3		1
		(ii)	(The atom has) three <u>electrons</u> in its outer / valence shell	'energy level' for 'shell' ignore references to inner shells ignore 'it has a valency of 3'	1
		(iii)	3		1
		(iv)	(The atom has) electrons in three shells / three shells are occupied (with electrons)	`energy levels' for `shells' accept `it has three shells'	1
		(v)	aluminium / Al		1
	(c)		x x x x x x x x x x x x x x x x x x x	accept any symbol for electrons, eg dots, the letter 'e'	1

	estion mber	Answer	Notes	Marks
4	а	<ul> <li>A simple molecular</li> <li>B giant covalent</li> <li>C giant metallic</li> <li>D giant ionic</li> </ul>		4
	b i	<ul> <li>M1 electron transfer AND correct direction</li> <li>M2 magnesium (atoms) lose 2 electrons</li> <li>M3 (each) chlorine (atom) gains an electron</li> </ul>	If any reference to sharing electrons, 0/3 If any reference to covalent bonds, MAX 2 Penalise atoms in place of electrons each time Accept two chlorine (atoms) gain two electrons Reject chloride in place of chlorine M2 and M3 both correct also scores M1	3
	11	$\left[\overbrace{\begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\$	<ul> <li>M1 for electronic configuration of Mg<sup>2+</sup> ion</li> <li>M2 for electronic configuration of Cl<sup>-</sup> ion</li> <li>M3 for both charges correct</li> <li>Accept any combination of dots and crosses</li> <li>Charges can be shown anywhere so long as there is no ambiguity</li> <li>Brackets not essential</li> <li>Ignore 2 before or after chloride ion</li> <li>O/3 for any diagram showing shared electrons</li> <li>Ignore diagrams showing electron transfer – mark only the ions formed</li> <li>Penalise missing inner shell(s) once only</li> <li>If two Cl<sup>-</sup> ions shown, both must be correct</li> </ul>	3

Do not penalise empty third shell in Mg <sup>2+</sup>	
If only 2.8 etc notations without diagram, only	
M3 can be awarded	

Question number	Answer	Notes	Marks
4 c	0 x C x 0	<ul> <li>M1 for 4 electrons in both C=O bonds</li> <li>These can be shown in a vertical or horizontal line</li> <li>M2 all other electrons correct</li> <li>M2 DEP on M1</li> <li>Accept any combination of dots and crosses</li> <li>Ignore inner electrons even if wrong</li> <li>Ignore circles around atoms</li> <li>Non-bonding electrons do not need to be paired</li> </ul>	2
d i	M1 positive ions / cations	Not just ions Reject reference to protons/nuclei/atoms in place of cations for M1, but M2 and M3 can still be awarded	3
	<ul> <li>M2 delocalised electrons / sea of electrons</li> <li>M3 crystal / lattice / regular arrangement / array</li> <li>/ giant structure / OWTTE</li> </ul>	Ignore free electrons Ignore layers / planes / rows or similar Accept (electrostatic) attraction between positive ions and electrons 0/3 if reference to ionic bonding / covalent bonding / molecules / intermolecular forces (eg van der Waals')	

Question number		Answer	Notes	Marks
4 d ii	M1 M2	layers / sheets / planes / rows AND (positive) ions / atoms / particles slide (over each other)	Allow OWTTE, eg slip / flow / shift / roll / move M2 DEP on mention of EITHER layers or equivalent OR mention of ions or equivalent Do not award M2 if protons / electrons / nuclei / molecules in place of ions, etc If reference to ionic bonding / covalent bonding / molecules / intermolecular forces, no marks	2
			Total 17	/ marks

Questi numb		Expected Answer	Accept	Reject	Marks
5(a)	(i)	12			1
	(ii)	<b>M1</b> – 2	roman numeral		1
		<b>M2</b> – two electrons in <u>outer/valence</u> shell Award M2 if M1 missing but not if incorrect Ignore references to magnesium and 2.8.2			1
	(iii)	X <sup>2+</sup>	Mg <sup>2+</sup>		1
(b)		<b>M1</b> – (79 x 24) + (10 x 25) + (11 x 26)	$(0.79 \times 24) + (0.10 \times 25) + (0.11)$		1
		<b>M2</b> – divide by <u>100</u>	x 26) for 2 marks		1
		<b>M3</b> – 24.3	24.32 with no working scores 2		1
		Mark <b>M2</b> and <b>M3</b> csq on <b>M1</b> if one minor slip in numbers in M1 (eg 97 instead of 79 or 25 instead of 24)			
		M3 dep on M2			
		Correct answer with no working scores 3			
		IGNORE units			

(Total marks for Question 5 = 7 marks)

	Question number		Answer	Notes	Marks
6	(a)	i	5		1
		ii	11		1
		iii	5		1
		iv	6		1
		V	5		1
6	(b)	i	more		1
		ii	more		1
		iii	the same number of		1
6	(c)		cross in box D (2.8.3)		1
				Total	9

Question number			Answer	Notes	Marks	
7	а	i	M1	35 on lines 1 and 3		1
			M2	44 on line 2		1
		ii		isotopes		1
		iii		same number of electrons (in outer shell)	Ignore references to protons and neutrons	1
				OR	unless incorrect, eg different numbers of	
				same electron arrangement or configuration	protons, same number of neutrons	
		iv	M1	<sup>79</sup> Br	Accept just 79	1
			M2	79 is closer to 79.9/more accurate value	Accept 79 is closer to relative atomic mass	1
					M2 dependent on M1	

Question number			Answer	Notes	Marks
7	b i	M1		shared pair of electrons	1
		M2	H×B-×	other electrons correct (not necessary to be paired)	1
			Xx	M2 dependent on M1	
				Accept any combinations of dots and	
				crosses	
				Circles not needed but if drawn must	
				overlap or touch – if not, then 0/2	
				Ignore inner electron shells even if	
				incomplete or incorrect	
				Do not penalise incorrect symbols, eg br/BR	
				If Na used in place of H, max 1	
				No marks if ions shown	
	i	i M1	shared (two/pair of) electrons	Not share an electron	1
		M2	attracted to both nuclei	M2 dependent on M1 or near miss	1
				eg the electrons are attracted to the	
				nucleus scores 0	
				the electrons are attracted to both nuclei	
				scores M2 but not M1	
				0/2 if references to ions / ionic bond /	
				intermolecular forces	

Question number			Answer	Notes	Marks	
7	b	iii	M1	(sodium bromide) ionic bonding / + and – ions	Reject covalent bonding / shared electrons	1
			M2	<ul><li>(hydrogen bromide) attraction between</li><li>molecules</li><li>/ intermolecular forces (of attraction)</li></ul>	Accept dipole-dipole attractions / van der Waals' forces / IMF / vdW Ignore hydrogen bonds Reject ions/ionic	1
			M3	ionic bonding stronger OR IMF / attractions between HBr molecules weaker	Accept ionic bonds stronger M3 dependent on comparison of intermolecular forces and ionic bonding Accept correct references to energy needed to overcome bonding / attractions	1
					Ignore references to reactivity and mass	

Question number		Answer			Notes	Marks
7 c	M1	Na <u>13.8</u> 23	Br <u>47.9</u> 80	0 <u>38.3</u> 16	0/3 if division by atomic number(s) /division wrong way round If only two elements shown correctly, only M1 can be awarded	1
	M2 M3		0.6	2.4	Accept 1 : 1: 4Accept elements in any order Penalise M3 for incorrect symbol, eg SBrO4 or NaBO4Dividing by 160 instead of 80 gives Na2BrO8Dividing by 32 instead of 16 gives NaBrO2Award 2 in these cases Both these errors give Na2BrO4 Award 1 in this caseCorrect final answer scores 3 marks	1
					Total	16