

Question number			Answer	Notes	Marks
1	a	i	C (neutrons and protons)		1
		ii	A (6)		1
		iii	D (11)		1
	b		4		1
	c	i	P AND T		1
		ii	S		1
	d		(one) more electron than protons OR (one) fewer proton than electrons	Accept more electrons than protons Accept fewer protons than electrons Accept 2 electrons and 1 proton Ignore references to electron gained	1
				Total 7 marks	

Question number	Answer	Notes	Marks						
2 a	<table border="1" data-bbox="327 208 766 381"> <tr> <td data-bbox="327 208 600 263">Number of protons</td> <td data-bbox="600 208 766 263">6</td> </tr> <tr> <td data-bbox="327 263 600 318">Number of neutrons</td> <td data-bbox="600 263 766 318">6</td> </tr> <tr> <td data-bbox="327 318 600 381">Number of electrons</td> <td data-bbox="600 318 766 381">6</td> </tr> </table>	Number of protons	6	Number of neutrons	6	Number of electrons	6	M1 protons and electrons correct M2 neutrons correct	2
Number of protons	6								
Number of neutrons	6								
Number of electrons	6								
b i	3		1						
ii	M1 33 M2 Z is two places/columns/groups/positions after X OR Z is in Group 5 and X is in Group 3	Accept has 2 more protons (than X) Ignore references to atomic number increasing by 2 Ignore number of protons increases with group number Ignore references to elements being arranged according to number of protons 31 + 5 - 3 = 33 scores 2 marks	2						
iii	2.8 / 2,8 / 2 and 8 separated by other mark eg : or / or) or space	Do not accept 28 (ie no space) Accept correct sp notation	1						

Question number	Answer	Notes	Marks
2 b iv	<p>M1 (similarity) one electron/same number of electrons in outer shell</p> <p>M2 (difference) different number of (electron) shells / T has (one) more (electron) shell / J has (one) less (electron) shell /J has 2 shells and T has 3 /J is 2.1 and T is 2.8.1</p>	<p>Accept rings and energy levels in place of shells in M1 and M2</p> <p>Accept valence electrons in place of outer shell electrons Accept configuration ends in 1 Accept same outer shell Accept 2 electrons in first/inner shell</p> <p>Accept going down the column there is 1 more shell Ignore T has an extra number Ignore T has 8 more electrons</p>	2
		Total 8 marks	

Question number			Answer	Notes	Marks
3	a	i	period	Ignore number of period	1
		ii	Any two of sodium / magnesium / aluminium	Ignore symbols Na, Mg, Al	1
		iii	Ar / argon (it does) not easily gain/lose electrons OR has 8 electrons in outer shell	If name and symbol both given, then both must be correct Accept (it has) a full outer shell Ignore 2.8.8 Ignore inert/noble gas Ignore references to Group number Ignore stable M2 DEP on M1	2
	b		one electron/same number of electrons AND reference to outer/valence (shell/energy level/orbit)	Reject incorrect number of electrons Ignore similar electronic configurations Ignore actual electronic configurations	1
	c	i	C / carbon		1
		ii	S / sulfur		1
	d		8 for both protons AND electrons 10 neutrons	Accept words Accept words	1 1

(Total for Question 3 = 9 marks)

Question number	Answer	Notes	Marks
4 a	cross in box D (neutrons and protons)		1
b	electrons		1
	protons AND electrons	Accept in either order	1
	electrons		1
c	cross in box A (2.8)		1
d i	same number of protons	Reference to atoms or elements not essential	1
	different numbers of neutrons	Do not award M2 if incorrect statement about electrons	1
		Max 1 if reference to molecules/compounds/ions	
ii	20.2/ A_r closer to 20 (than 22)	OWTTE	1
e i	unreactive	OWTTE	1
		Accept does not react	
ii	(atoms) do not (readily) lose/gain electrons	Accept outer shell complete	1
	OR	Accept orbit	
	contain 8 electrons in outer shell/energy level	Ignore references to Group number	
		Ignore stable	

Question number		Answer	Notes	Marks
5	(a)	does not easily lose / gain electrons	Accept has a complete/full outer shell/octet (of electrons) Accept has 8 electrons in outer shell Ignore references to being stable / inert / a noble gas	1
	(b)	B (2.8.18.8)		1
	(c)	(i) M1 for idea of electron transfer / loss and gain of electron(s) M2 for direction of transfer M3 for number of electrons transferred (ii) Ca^{2+}	0/3 for electron sharing Ignore covalent eg calcium loses, chlorine gains electrons eg calcium loses 2, (each) chlorine gains 1 Penalise use of chloride in place of chlorine once only All marks may be scored from a correctly labelled diagram Accept Ca^{+2} / Ca^{++} Reject all other ions Penalise incorrect use of lower and upper case letters and position of charge If equation written containing calcium ion formula, the ion must be identified in some way, such as circling or underlining	3 1
		(iii) A calcium (and) calcium		1

Question number		Answer	Notes	Marks
5	(d)	<p>M1 (step 1) dip a platinum wire into some concentrated hydrochloric acid</p> <p>M2 (step 3) place the wire and sample into non-luminous Bunsen flame</p>	<p>Accept complete statements or changes</p> <p>M1 Do not penalise references to dilute instead of concentrated Accept hydrochloric acid / HCl</p> <p>M2 Accept blue flame / roaring flame Ignore references to hot / hotter / hottest flame</p>	2
	(e)	B (lilac)		1
			Total for Question 5	10