<ul><li>1 This question is about the reactions of calcium and some calcium compounds.</li><li>(a) Calcium reacts with cold water. The equation for the reaction is</li></ul>	
$Ca(s) + 2H_2O(I) \rightarrow Ca(OH)_2(aq) + H_2(g)$	
(i) State two observations that are made when calcium reacts with water.	(2)
1	
2	
(ii) Explain a possible value for the pH of the solution formed.	(2)
(b) The diagram shows some reactions involving calcium compounds.	
Identify solid X, solution Y and solid Z.	
$H_2O(I)$	
$Ca(OH)_{2}(aq) \xrightarrow{\text{dilute}} solution Y + H_{2}O$	
CO <sub>2</sub> (g)	
solid Z	
l' - l - V	(3)
solid X	
solution Y	
solid Z	

(Total for Question 1 = 7 marks)

The diagrams show the reactions of some metals with cold water and with dilute hydrochloric acid. bubbles of gas Metals in cold water calcium magnesium iron zinc copper Metals in dilute hydrochloric acid calcium magnesium copper iron zinc (a) Answer the following questions, using only the metals that appear in the diagrams. (i) Name **two** metals that react with cold water. (2).....and ...... (ii) Name **one** metal that reacts with dilute hydrochloric acid but **not** with cold water. (1)(iii) Arrange the five metals in order of reactivity. (3)Most reactive metal **Least reactive metal** 

	(Total for Question 2 = 12 mar	ks)
	(ii) Name the compound formed when magnesium reacts with oxygen.	(1)
	(i) What name is given to reactions in which heat energy is produced?	(1)
(c)	In some fireworks, magnesium powder reacts quickly with oxygen in the air.  During this reaction heat energy is produced.	
	(iv) How could you separate the magnesium powder from the colourless solution?	(1)
	(iii) State the name of the colourless solution.	(1)
	(ii) Suggest why the reaction stops.	(1)
	(i) Identify the gas produced.	(1)
	When a flame is placed at the mouth of the test tube, the gas burns with a squeaky pop.	
	When more magnesium is added, the reaction continues for a while and then stops leaving some magnesium powder in the test tube.	5,
(D)	A colourless solution is formed and a gas is given off.	

3	Several methods are used to prepare salts. The method chosen depends on whether the salt is soluble or insoluble in water.	
	(a) An insoluble salt is prepared by mixing solutions of silver nitrate and sodium chloride.	
	(i) State the <b>name</b> of the insoluble salt formed.	(1)
	(ii) Write a chemical equation for the reaction occurring.	(2)
	(b) The chemical equation for the preparation of the insoluble salt lead(II) sulfate is shown below.	
	Complete the equation by adding state symbols.	(1)
	$Pb(NO_3)_2($ ) + $Na_2SO_4($ ) $\rightarrow PbSO_4($ ) + $2NaNO_3($ )	

(	C	) A soluble salt is	nrenared from	solutions of	an acid	and an alkali
1	U.	) A soluble sail is	prepareu mom	SOLULIOLIS OF	all actu	allu all alkall.


(i) Identify the acid and the alkali used to prepare sodium nitrate.

(2)

Acid

Alkali

(ii) The diagrams show the readings on a burette before and after a student added an alkali to an acid during a titration.



Use these diagrams to complete the table below, entering all values to the nearest  $0.05\ cm^3$ .

Burette reading after adding alkali in cm <sup>3</sup>	
Burette reading before adding alkali in cm <sup>3</sup>	
Volume of alkali added in cm <sup>3</sup>	

(3)

(d) A second student also did the titration and recorded these results:

Burette reading after adding alkali in cm <sup>3</sup>	24.05	23.30	23.55	23.80
Burette reading before adding alkali in cm <sup>3</sup>	0.50	0.80	0.60	1.20
Volume of alkali added in cm <sup>3</sup>	23.55	22.50	22.95	22.60
Titration results to be used (✓)				

The volumes of alkali added during these titrations are not all the same. The average (mean) volume of alkali should be calculated using only concordant results.

Concordant results are those volumes that differ from each other by 0.20 cm<sup>3</sup> or less.

(i) Identify the concordant results by placing ticks ( $\checkmark$ ) in the table as shown.

(1)

(ii) Use your ticked results to calculate the average (mean) volume of alkali added.

**(2)** 

Average (mean) volume = cm<sup>3</sup>

