

| Question Number | Answer | Acceptable answers | Mark |
|-----------------|---|---|------------|
| 1(a) | $\text{CaCl}_2 = 40 + 35.5 + 35.5$ (=111) (1) THEN $\text{moles} = 11.1 / 111$ (= 0.1) (1) $\text{conc} = \text{moles} \times 1000/500$ (=0.2) (1) OR $\text{mass conc} = 11.1 \times 1000/500$ (=22.2) (1) $\text{conc} = \text{mass conc}/111$ (= 0.2) (1) | <u>0.2 scores 3</u> ecf: 11.1 / Mr ecf: mass conc / 111 | (3) |

| Question Number | Answer | Acceptable answers | Mark |
|-----------------|---|---|------------|
| 1(b)(i) | A description linking <ul style="list-style-type: none"> • pipette (1) • one practical point eg draw liquid <u>up to line</u>/ use pipette filler/ rinse first / read at eye level (1) | ignore burette etc for 1 st mpt if using measuring cylinder/ burette allow suitable practical point eg read at eye level/ add dropwise from burette near 25 cm ³ (1) ignore as 2 nd point: transfer liquid to flask / safety precautions | (2) |

| Question Number | Answer | Acceptable answers | Mark |
|-----------------|--------------------------------|--------------------|------------|
| 1(b)(ii) | D 25.20 cm ³ | | (1) |

| Question Number | Indicative Content | Mark |
|-----------------|--|------------|
| QWC | <p data-bbox="266 286 368 323">*1(c)</p> <p data-bbox="403 286 1378 323">A description / explanation including some of the following points</p> <p data-bbox="403 358 472 388">soft</p> <ul data-bbox="453 395 855 537" style="list-style-type: none"> • add soap (solution) • shake/ mix • lather (immediately) • no scum/ no precipitate <p data-bbox="403 572 671 602">permanent hard</p> <ul data-bbox="453 609 1289 860" style="list-style-type: none"> • add soap (solution) • shake • no lather / less than with soft water • scum/ precipitate • boiled sample • same results / boiling does not change • becomes soft after ion exchange but not after boiling <p data-bbox="403 895 663 926">temporary hard</p> <ul data-bbox="453 932 1158 1183" style="list-style-type: none"> • add soap (solution) • shake • no lather / less than with soft water • scum/ precipitate • boiled sample • after boiling precipitate / (lime)scale formed • lather (immediately) <p data-bbox="403 1218 1331 1249">credit quantitative approaches e.g. titration with soap solution</p> | (6) |

| | | |
|--------------|--------------|--|
| Level | 0 | No rewardable content |
| 1 | 1 - 2 | <ul style="list-style-type: none"> • a limited description e.g. test and one result / when shaken with soap, soft water makes lather but no scum • the answer communicates ideas using simple language and uses limited scientific terminology • spelling, punctuation and grammar are used with limited accuracy |
| 2 | 3 - 4 | <ul style="list-style-type: none"> • a simple description e.g. describe test and results to distinguish the soft water and the two samples that are hard water / when shaken with a small amount of soap, soft water makes a lather and no scum but the other waters make scum but no (less) lather • the answer communicates ideas showing some evidence of clarity and organisation and uses scientific terminology appropriately • spelling, punctuation and grammar are used with some accuracy |
| 3 | 5 - 6 | <ul style="list-style-type: none"> • a detailed description e.g. describe test and results to identify all three of the samples / as 3-4 and boil the two hard water samples and repeat test. That which now gives a lather is temporarily hard • the answer communicates ideas clearly and coherently uses a range of scientific terminology accurately • spelling, punctuation and grammar are used with few errors |