
## **WJEC Chemistry GCSE**

## 1: Pure Substances and Mixtures

**Practice Questions** 

**England Specification** 

Chromatography can be used to test if racehorses have been given illegal drugs. Urine samples
from four horses, A-D, were tested to find out whether they contained caffeine or paracetamol.
The following diagram shows the results obtained.




- (a) Give the letter of the horse, A-D, that had been given paracetamol. [1]
- (b) State, giving a reason, if any of the four horses had been given caffeine. [1]
- (c) The R<sub>f</sub> value can be used to identify a substance. Use the following equation to calculate the R<sub>f</sub> value of paracetamol. [2]

$$R_f$$
 value = 
$$\frac{\text{distance moved by paracetamol}}{\text{distance moved by solvent}}$$

(Total 4)

2. The diagram below shows the chromatogram of several food colourings.



Food colouring

(a)	Use the chromatogram to give the <b>two</b> food colourings that are mixed to make brocolouring.	wn food [1]
	and	

(b) The  $R_f$  value of a substance can be used to identify that substance. The  $R_f$  value for a red food colouring is 0.4.

Use the equation below to calculate the distance this red food colouring would move on this chromatogram. [2]

distance moved =  $R_f \times distance$  moved by the solvent


	Distance moved =cn
(c)	Give the reason why water is used as the solvent when obtaining this chromatogram of

food colourings.

PhysicsAndMathsTutor.com

[1]

## 3. Chromatography can be used to separate the pigments in ink.



Describe how chromatography can be used to determine whether two inks contain the same pigments. [6 QWC]

Your answer should include

- a description of how chromatography is carried out
- a description of what happens during the process
- how the results would show whether the two inks contain identical or different pigments.


You may include a diagram in your answer.

(Total 6)

(a) St	ate what is meant by a <i>hydrocarbon</i> .	[1]	
(b) Cr	ude oil is separated into fractions in a process called fractional distillation.		
	gasoline (petrol)		
	naphtha making chemicals		
	kerosene aircraft		
	diesel oil cars, lorries, buses		
crude oil	bitumen bitumen		
State why the fractions obtained are not single compounds. [			
(c)	Most fractions are used as fuels. However, others are converted into molecules that can be used to form plastics.	small reactive	
Name the process used to  (i) produce the small reactive molecules,			
	(ii) make plastics from these small reactive molecules.	[1]	
(ii) make plastics from these small reactive molecules.			

5.	Sodium chloride is made when sodium hydroxide solution reacts with dilute hydrochloric acid.	
	NaOH + HCI → NaCl + H <sub>2</sub> O	
	Describe a laboratory method for making crystals of pure sodium chloride from sodium hydroxide solution and dilute hydrochloric acid. [6 QWC]	
	Diagrams may be used as part of your answer.	
		6

6. The diagram below represents the separation of crude oil into useful fractions in industry.



Write an account of this industrial process.

[6 QWC]


Include in your answer

- the name of the separation method,
- · what crude oil is,

40	a daganis	ation a	f harry	aurida ail	10.00	manatad.
*	a descrip	ouon o	LHOW	crude oil	18 80	parated.

(Total 6)

7. The diagrams below show three methods, A, B and C, used to separate mixtures.



(a) The names of the separation methods and some of the pieces of apparatus used are given in the box below.


	STORY PROGRAMMED AGEN	
beaker	distillation	chromatography
condenser	filter funnel	filtration

Choose the answers to parts (i) and (ii) from the box.

(i)	Name apparatus X.	[1]
(ii)	Give the name of method <b>B</b> .	[1]
Give the letter of the method you would use to separate ethanol from water.		[1]
		3
		-


(b)


8. (a) The diagram below shows the three main stages in the treatment of public water supplies.



(Total 4)

9. Copper sulfate crystals can be prepared by reacting copper carbonate with dilute sulfuric acid.
The unlabelled diagrams below show two of the three stages involved.





Describe the preparation of copper sulfate crystals by this method.  Include in your answer what you would expect to see at each stage.	
	92
	in .
	ii.
	ñ
	tu
	*6
	•00
	<b>5</b> 7
	N
	5.5
	•
	. [
	- 1 (