# **WJEC Chemistry GCSE**

# 1.2: Atomic Structure and The Periodic Table

**Practice Questions** 

Wales Specification

(a)	Aluminium	reacts	with	chlorine	to	form	aluminium	chloride.	Complete	and	balance	the
	symbol equ	uation fo	or the	e reaction	ta	iking <sub>l</sub>	olace.		•			[2]

	Г			
Al	+	Cl <sub>2</sub>		

- (b) Aluminium oxide,  $Al_2O_3$ , is found in bauxite.
  - (i) Calculate the relative formula mass  $(M_r)$  of aluminium oxide,  $Al_2O_3$ . [2]

$$A_{r}(AI) = 27$$
  $A_{r}(O) = 16$ 

$$M_{\rm r} ({\rm Al_2O_3}) = \dots$$

(ii) Using your answer from part (i) calculate the percentage of oxygen present in aluminium oxide,  ${\rm Al_2O_3}.$  [1]

Percentage oxygen present = ..... % \_\_\_

(a)	An unknown alkane, X, was found to contain 9.0g of carbon and 2.0g of hydrogen.  Calculate the simplest formula for this alkane.  [3]					
	$A_{\rm r}(H) = 1$	$A_{\rm r}({\rm C}) = 12$				
		Cinculant to uno do				
		Simplest formula				
(b)	Calculate the percentage by ma atoms.	ass of carbon in butane, an alkane containing four ca	arbon [2]			
	$A_{\rm r}(H) = 1$	$A_{\rm r}({\rm C}) = 12$				
		Percentage by mass of carbon =	%			
		r ercernage by mass or carbon	70			
			5			

9	
-≺	
J	i

(a) Potassium reacts with sulfur to form potassium sulfide.

Using the electronic structures below, draw dot and cross diagrams to show how bonding takes place during the formation of potassium sulfide. [3]

potassium = 2,8,8,1

sulfur = 2,8,6


(b) Using the electronic structures below, draw a dot and cross diagram to show the bonding in a molecule of sulfur difluoride, SF<sub>2</sub>.[2]

sulfur = 2,8,6


fluorine = 2,7

Dια	w a diagram to show the metallic bonding in sodium.	[2]
(i)	Sodium reacts vigorously with water.	
	Give two observations you would make when a small piece of sodium is a trough of water.	added to
(ii)	Name the products of this reaction.	[1]
<b>A</b>	and	
	ou go down Group 1 of the Periodic Table the elements become more react the main difference you would see if potassium instead of sodium was a r.	
Exp	ain why Group 1 metal reactivity increases down the group.	[2]

(a) Draw lines to match each diagram below with the correct description. One has been done for you. [2]



(b) The following diagram shows an atom.



The box below contains some words that could be used in a description of the atom.

neutral	electron	positive	
negative	nucleus	orbit	

Use only words from the box to complete the table.

Name Charge


part A

part B

4	

[2]

The diagram shows an atom of silicon.



(a)	Nam	e particle A.	[1]		
(b)	B is t	he nucleus. Name the <b>two</b> types of particle present in the nucleus of an atom.	[2]		
		and			
(c)	Use the information in the diagram to give				
	(i)	the atomic number of silicon,	[1]		
	(ii)	the electronic structure of silicon.	[1]		
			5		

<ul><li>(a) The key below represents atoms of some ele</li></ul>	lements.
--	----------



(i) Use the key to draw a diagram representing a molecule of nitrous oxide, N<sub>2</sub>O. [1]

(ii) Use the key to give the chemical formula for the following molecule. [1]



Formula

(b) The box below shows the symbols and formulae for some gases.

CO <sub>2</sub>	02	He	$CH_4$	Ne	SO <sub>2</sub>

Choose from the box

- (i) two elements, and \_\_\_\_\_ [1]
- (ii) two compounds. [1]
- (c) The chemical formula of nitric acid is HNO<sub>3</sub>.
  - (i) State how many nitrogen atoms are present in the formula, HNO<sub>3</sub>. ......[1]
  - (ii) Give the total number of atoms shown in the formula. ...... [1]

(d)	<ul> <li>You may wish to refer to the table of common ions to help you answer parts (i) and (</li> </ul>					
	(i)	Give the formulae of the ions present in the compound MgCl <sub>2</sub> .	[4]			
		Positive ion Negative ion				
	(ii)	) Give the chemical formula for sodium hydroxide.				
				8		

(a)	Lithium	reacts	with	sulfur	to	form	lithium	sulfide.
-----	---------	--------	------	--------	----	------	---------	----------

Using the electronic structures below, draw dot and cross diagrams to show the transfer of electrons and the formation of ions that occur as the reaction takes place. [3]

$$1ithium = 2,1$$

$$sulfur = 2,8,6$$

(b) Sodium chloride and magnesium oxide both have giant ionic structures.

The melting points of the two compounds are given below.

Compound	Melting point(°C)
sodium chloride	801
magnesium oxide	2852

Explain the difference in the melting points of the two compounds.	[2]
***************************************	

Using the electronic structures below, draw a dot and cross diagram to show the bonding (c) in a molecule of hydrogen peroxide.

The structural formula for hydrogen peroxide is as follows.


$$H-O-O-H$$

$$hydrogen = 1$$


hydrogen = 1 
$$oxygen = 2.6$$

(a)		ninium reacts with chlorine to form aluminium chloride. Complete and balance the pol equation for the reaction taking place. [2]
		AI + CI <sub>2</sub>
(b)	Alum	ninium oxide, Al <sub>2</sub> O <sub>3</sub> , is found in bauxite.
	(i)	Calculate the relative formula mass $(M_r)$ of aluminium oxide, $Al_2O_3$ . [2]
		$A_{\rm r}$ (AI) = 27 $A_{\rm r}$ (O) = 16
		$M_{\rm r}$ (Al <sub>2</sub> O <sub>3</sub> ) =
	(ii)	Using your answer from part (i) calculate the percentage of oxygen present in aluminium oxide, ${\rm Al_2O_3}$ . [1]
		Percentage oxygen present = %

(a) The diagrams below show the electronic structure of a sodium atom and a chlorine atom.



sodium atom



chlorine atom

(i) Give the number of electrons in the outer shell of [1]

a sodium atom,

(ii) Sodium reacts with chlorine to form a white solid.

I State, in terms of electrons, what happens to sodium and chlorine atoms during this reaction. [2]

II Complete the word equation for this reaction. [1]

sodium + chlorine ----

(b) Sodium chlorate, NaClO $_3$ , is used to bleach paper.

Calculate the relative formula mass ( $M_r$ ) of sodium chlorate. [2]

 $A_r(O) = 16$   $A_r(Na) = 23$   $A_r(CI) = 35.5$ 

$M_{\rm r}({\sf NaClO}_3) = \dots$	

A laboratory technician prepared a solution of sodium hydroxide, NaOH, in the following way.


- He weighed out accurately 2.0g of sodium hydroxide.
- He dissolved the sodium hydroxide in 250 cm<sup>3</sup> of water.

The relative formula mass  $(M_r)$  of sodium hydroxide is 40.

(a) Use this information to calculate the concentration of this sodium hydroxide solution in mol/dm<sup>3</sup>. [2]

Concentration of sodium hydroxide solution = \_\_\_\_\_ mol/dm<sup>3</sup>

(b) A student was asked to carry out a titration to check the concentration of the sodium hydroxide solution. She carried out the titration using the apparatus shown below.



The equation for the reaction taking place is as follows.

The titration was carried out three times and the results obtained are shown below.

	Titration				
	1	2	3		
Volume of hydrochloric acid added (cm³)	22.2	22.7	22.6		

Calculate the number of moles of hydrochloric acid that reacted and hence the concentration of the sodium hydroxide solution. [4]

Concentration of sodium hydroxide solution = mol/dm³	
	6

An analytical chemist was asked to check the amount of vitamin C in a tablet. Vitamin C tablets contain ascorbic acid,  $C_6H_8O_6$ , and a starch "filler" which holds them together.

Ascorbic acid reacts with sodium hydroxide solution according to the equation below:

$$C_6H_8O_6$$
 + NaOH  $\longrightarrow$  NaC<sub>6</sub>H<sub>7</sub>O<sub>6</sub> + H<sub>2</sub>O



To determine how much vitamin C is present, a tablet was dissolved in water and titrated with sodium hydroxide solution of concentration 0.10 mol/dm<sup>3</sup>. The endpoint was determined using the indicator phenolphthalein. The procedure was repeated three times and the mean value of sodium hydroxide solution needed to neutralise a vitamin C tablet was found to be 17.5 cm<sup>3</sup>.

(a)	Calculate	the	number	of	moles	of	sodium	hydroxide	in	17.5 cm <sup>3</sup>	of the	0.10	mol/dm3
	solution.							-					[2]

Number of moles = ..... mol

(b) Calculate the relative molecular mass,  $M_{\rm r}$ , of ascorbic acid,  ${\rm C_6H_8O_6}$ . [1]

$$A_r(H) = 1$$
  $A_r(O) = 16$   $A_r(C) = 12$ 

 $M_{\rm r} = \dots$ 

(c) The label on the bottle states that each tablet contains 300 mg (0.3 g) of vitamin C. Using your answers to parts (a) and (b) show whether this statement is correct. [2]

The diagram below shows the early form of the Periodic Table developed by Dmitri Mendeleev.

<u>l</u>									
<b>H</b> 1.01	ш	Ш	IV	V	VI	VII			
Li	Be	В	С	N	0	F			
6.94	9.01	10.8	12.0	14.0	16.0	19.0			
Na	Mg	Al	Si	Р	S	CI		VIII	
23.0	24.3	27.0	28.1	31.0	32.1	35.5		VIII	
K	Ca		Ti	V	Cr	Mn	Fe	Co	Ni
39.1	40.1		47.9	50.9	52.0	54.9	55.9	58.9	58.7
Cu	Zn			As	Se	Br			
63.5	65.4			74.9	79.0	79.9			
Rb	Sr	Υ	Zr	Nb	Мо		Ru	Rh	Pd
85.5	87.6	88.9	91.2	92.9	95.9		101	103	106
85.5 <b>Ag</b>	87.6 <b>Cd</b>	88.9 <b>In</b>	91.2 <b>Sn</b>	92.9 <b>Sb</b>	95.9 <b>Te</b>	I	101	103	106
						1 127	101	103	106
Ag	Cd	In	Sn	Sb	Те		101 Os	103 Ir	106 Pt
<b>Ag</b> 108	<b>Cd</b> 112	In 115	Sn	<b>Sb</b> 122	<b>Te</b> 128				
<b>Ag</b> 108 <b>Ce</b>	<b>Cd</b> 112 <b>Ba</b>	In 115 <b>La</b>	Sn	<b>Sb</b> 122 <b>Ta</b>	<b>Te</b> 128 <b>W</b>		Os	lr	Pt
Ag 108 <b>Ce</b> 133	Cd 112 <b>Ba</b> 137	In 115 <b>La</b> 139	<b>Sn</b> 119	<b>Sb</b> 122 <b>Ta</b> 181	<b>Te</b> 128 <b>W</b>		Os	lr	Pt
Ag 108 <b>Ce</b> 133 Au	Cd 112 Ba 137 Hg	In 115 <b>La</b> 139 <b>Ti</b>	<b>Sn</b> 119	Sb 122 Ta 181 Bi	<b>Te</b> 128 <b>W</b>		Os	lr	Pt

(a)	State what information	n Mendeleev used to a	arrange the elements.	[2]
***********			,	
	State one difference today's Periodic Table Similarity		the appearance of	Mendeleev's table and [2]
	Difference			
(c)	Complete the followir Periodic Table.	ng table that shows th	ne position of some e	lements in the modern [2]
	Element	Symbol	Group	Period

Element	Symbol	Group	Period
helium		0	1
chlorine	CI	7	,
calcium	Ca		

1	4

An atom of element **E** is represented as follows.

State and explain what information this gives you about element E.
You may wish to refer to the key on the Periodic Table to help you answer this question. [6 QWC]

The following diagram shows an outline of the Periodic Table. The letters shown are NOT the chemical symbols of the elements.

Α															В
							I .				С		D		
								Е							
													F		
	the let												simil	ar cho	emic
	rties. Letter Reas	Give rs	a reas	son fo	r you ar	r choi nd	ce.								
(c) The t	able b	elow	shows	s the	prope	rties				s 1, 2	and 3	3.			
								pertie	S						4
Element	Me	elting (°C	Point )		Boilin (°	g Poi °C)	nt	Арі	peara	nce	N	lallea	ble or	brittle	е
1		108	4		29	927		shi	ny bro solid			ma	alleab	le	
2		141	4		29	900		shiny	/ grey	solid		ļ	orittle		
3		115	5		4	45		yel	llow s	olid		ı	orittle		
State Table	, givin above	g rea	sons,	whic	h of e	eleme	nts 1,	<b>2</b> or	3 co	uld be	e eler	ment	C in t	he Pe	erioc [

(a)			um chloride is CaCl <sub>2</sub> .				
	Give	the names of th	ne two elements present in this compound.	[1]			
(b)	Nam	ne a <b>metal</b> which	is in the same period of the Periodic Table as argon.	[1]			
(c)	(i)	A formula for n	itrogen oxide is N <sub>2</sub> O.				
		A molecule of r	nitrogen oxide can be drawn as follows.				
		Give the name	of the element which is represented by .	[1]			
	(ii)	Draw your own key to represent hydrogen and carbon atoms. Use your key to draw a molecule of methane, CH <sub>4</sub> . [2]					
		Key	hydrogen				
			carbon				
		Methane					
(d)	cont	ains two atoms o	s lemonade contain carbonic acid. Each molecule of carbon of hydrogen, one atom of carbon and three atoms of oxygen.	ic acid [1]			
	Give	tne formula for (	carbonic acid.				
				6	 3		

(a) Atoms consist of particles called electrons, neutrons and protons.

Complete the following table by giving the charge on an electron and the mass of a neutron.

	Mass	Charge
electron	negligible	
neutron		neutral (0)
proton	1	positive (+1)

(b) Potassium is represented as  $^{39}_{19}$  K.

Element X has 9 electrons, 10 neutrons and 9 protons.

Write the information for element X in the same form as above.

	- 1	
		4
		- /
f	 	^

(c) Chlorine has two isotopes: chlorine-35 and chlorine-37.

Complete the table below.

	chlorine-35	chlorine-37
Atomic number	17	17
Mass number	35	37
Number of electrons		17
Number of neutrons	18	
Number of protons	17	17

[1]

[2]

(d)	The atomic nun	nber of sodium is 11.	
	Place a tick (/)	in the box next to the electronic structure of sodium.	[1]
	11		
	2,9		
	4,7		
	2,4,5		
	2,8,1		
(e)	Element Z is for	and in Group 2 and in Period 4 of the Periodic Table.	
	Place a tick (/)	in the box next to the electronic structure of element Z.	[1]
	2,4		
	4,2		
	2,8,2		
	2,8,8,2		
	2,8,8,4		
			7
			T <sub>1</sub>

The following table shows information about some atoms, A-E.

### A-E are not the chemical symbols for the elements.

Atom	А	В	С	D	gram gran Soor
atomic number	3	6		10	<del></del>
mass number		12	14	20	23
number of protons	3	6	6	10	11
number of neutrons	4	6	8	10	
number of electrons	3	6	6	10	11

(a)	Com	plete the table. [3]	
(b)	(i)	Give the electronic structure of element D. [1]	
	(ii)	Use this information to explain why this element is found in Period 2 and Group 0. [2]	
	********		
(c)	Choic choic	ose the letters, <b>A–E</b> , of the atoms that represent isotopes and give a reason for your [2]	
	Lette	ers and	
	Reas	son	
			0

The table below shows some information about elements A-F. The letters are not the chemical symbols of the elements.

Element	Colour	Melting point (°C)	Boiling point (°C)	Conducts electricity	Density (g/cm <sup>3</sup> )
A	dull grey	1414	2900	yes	2.03
В	pale yellow	-219	-188	no	0.0017
C	orange brown	-7	59	no	3.10
D	shiny brown	1084	2927	yes	8.92
E	shiny grey	1538	2861	yes	7.87
F	colourless	-157	-153	no	0.0033

(a)	State which of the elements A-F are gases at room temperature.	[1]

- (b) Give the letter of the element A-F that has the biggest difference between melting point and boiling point. [1]
- (c) The following diagram shows an outline of the Periodic Table.




(i) Element A is found in area Y of the Periodic Table. Explain how the information in the table supports this. [2]

(ii) From elements **B-F**, identify all that would be found in area **X**. [1]

.....

A student has a sample of element D of mass 540 g. She measures its volume using a (d)measuring cylinder as shown below.



Measuring cylinder before adding sample of element **D** 



Measuring cylinder after adding sample of element D

Using the information given above and the equation below, calculate the density of the sample of element D.

density = 
$$\frac{\text{mass}}{\text{volume}}$$

Density of sample of element  $\mathbf{D} = \dots g/\text{cm}^3$ 

Another pupil obtained a value of 9.10 g/cm<sup>3</sup>. Suggest why this value is different to that given in the table.