

Surname	Centre Number	Candidate Number
Other Names		2



GCE AS/A LEVEL

2500U10-1



S18-2500U10-1

COMPUTER SCIENCE – AS unit 1

Fundamentals of Computer Science

MONDAY, 4 JUNE 2018 – MORNING

2 hours

For Examiner's use only		
Question	Maximum Mark	Mark Awarded
1.	4	
2.	3	
3.	8	
4.	8	
5.	9	
6.	5	
7.	5	
8.	8	
9.	9	
10.	11	
11.	11	
12.	8	
13.	11	
Total	100	

ADDITIONAL MATERIALS

A calculator.

INSTRUCTIONS TO CANDIDATES

Use black ink or black ball-point pen.

Answer **all** questions.

Write your name, centre number and candidate number in the spaces at the top of this page.

Write your answers in the spaces provided in this booklet. If you run out of space, use the continuation page at the back of the booklet, taking care to number the question(s) correctly.

INFORMATION FOR CANDIDATES

The number of marks is given in brackets at the end of each question or part-question.

The total number of marks available is 100.

Assessment will take into account the quality of written communication used in your answers.

Answer all questions.

Examiner
only

1. Complete the following truth table.

[4]

A	B	C	A OR C	B AND C	(A OR C) XOR (B AND C)	NOT ((A OR C) XOR (B AND C))
0	0	0				
0	1	0				
1	0	0				
1	1	0				
0	0	1				
0	1	1				
1	0	1				
1	1	1				

2. State the use of the following network protocols:

(a) DHCP

[1]

.....

.....

.....

(b) SMTP

[1]

.....

.....

.....

(c) HTTP

[1]

.....

.....

.....



Examiner
only

3. (a) Describe the dangers that can arise from the use of computers to store personal data.

[4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Describe processes that protect the security and integrity of data.

[4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

2500U101
03

Examiner
only

4. Clearly showing each step, simplify the following expression using Boolean identities and rules:

$$A.(\bar{A} + B) + \bar{C}.(A + B) + A.(\bar{B} + C) + \bar{B}.B$$

[8]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

5. (a) Convert 31_{16} and $6D_{16}$ into binary numbers and add them together using binary addition. [3]

.....
.....
.....
.....
.....
.....
.....

(b) (i) In a certain computer system, real numbers are stored in floating point form using two's complementation, a 12 bit mantissa and a 4 bit exponent.
Convert the number 16.125_{10} into this floating point form. [3]

.....
.....
.....
.....
.....
.....
.....

(ii) In a different computer system, real numbers are stored in floating point form using two's complementation, a 5 bit mantissa and a 3 bit exponent.
Showing your workings, calculate the largest positive denary number that this computer system can store. [3]

.....
.....
.....
.....
.....
.....
.....

6. *PhoneRecycle* allows customers to trade in their handsets in return for vouchers that can be spent in other retail stores.

The total number of handsets traded-in with each member of staff is recorded each month as shown in the grid below:

Staff Code	Total number of handsets recycled each month					
	Jan	Feb	Mar	Apr	May	...
001	34	43	23	51
002	26	47	54	14
003
...

- (a) State the full name of this type of data structure and state why this structure is the most appropriate for *PhoneRecycle*. [2]

.....

.....

.....

.....

- (b) State the most suitable data type for this structure. [1]

.....

.....

- (c) *PhoneRecycle* also stores customer details. State the most suitable data structure to store this information and justify your choice. [2]

.....

.....

.....

.....

.....

.....



Examiner
only

- 7. Certain central processing units (CPUs) use parallel processing and caching to improve performance.

Explain parallel processing and caching in a CPU.

[5]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

2500U101
07



Examiner
only

Area with horizontal dotted lines for writing.

2500U101
09

Examiner
only

9. Two different types of search algorithm are linear search and binary search.

(a) Explain how these search algorithms operate.

[6]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Describe appropriate circumstances for the use of each search algorithm.

[3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

BLANK PAGE

10. The following bubble sort algorithm attempts to sort integers stored in myArray, but contains an error.

```

1  Start Procedure SortMyArray
2  n is integer
3  temp is integer
4  swapped is boolean
5
6  set n = length(myArray) {returns the length of myArray}
7  repeat
8    set swapped = FALSE
9    for i = 0 to (n - 1)
10     if myArray[i] < myArray[i + 1] then
11       temp = myArray[i + 1]
12       myArray[i + 1] = myArray[i]
13       myArray[i] = temp
14       swapped = TRUE
15     end if
16   end for
17 until (swapped = TRUE)
18
19 End Procedure

```

- (a) Suggest appropriate test data to dry-run this type of algorithm in order to identify possible errors. [3]

Test Data Set 1

--	--	--	--	--	--

Test Data Set 2

--	--	--	--	--	--

Test Data Set 3

--	--	--	--	--	--

- (b) Describe how a bubble sort algorithm should operate. [2]

.....

.....

.....

.....

.....

.....

Examiner
only

(c) Explain why the bubble sort algorithm in this question will fail. [2]

.....

.....

.....

.....

.....

.....

(d) Suggest a suitable change that could be made to the algorithm to overcome this problem. [1]

.....

.....

.....

(e) Name and describe a different sort algorithm. [3]

.....

.....

.....

.....

.....

.....

Examiner
only

Area with horizontal dotted lines for writing.

END OF PAPER

BLANK PAGE

