

Cambridge IGCSE	Cambridge International Cambridge International G	Examinations  General Certificate of Secondary Educ	ation
CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
COMPUTER S	CIENCE		0478/02
Paper 2 Proble	em-solving and Programming	For E	xamination from 2015
SPECIMEN PA	PER		
Candidates ans	swer on the Question Paper.		1 hour 45 minutes
	Materials are required.		
	·		
READ THESE	INSTRUCTIONS FIRST		
Write in dark blue You may use a Do not use stap	tre number, candidate number ue or black pen. n HB pencil for any diagrams, bles, paper clips, glue or corre st not be used in this paper.		s page.
Answer all que	stions.		
DO NOT ATTE	MPT TASKS 1, 2 AND 3 in th	e pre-release material; these are for info	rmation only.
You are advise	d to spend no more than <b>40 m</b>	ninutes on Section A (Question 1).	
No marks will b	e awarded for using brand na	mes of software packages or hardware.	
	e examination, fasten all your marks is given in brackets [ ]	work securely together. at the end of each question or part quest	ion.



# **BLANK PAGE**

#### Section A

You are advised to spend no longer than 40 minutes answering this section.

Here is a copy of the pre-release material.

**DO NOT** attempt Tasks 1, 2 and 3 now.

Use the pre-release material and your experience from attempting the tasks before the examination to answer Section A Question 1.

#### Pre-release material

Write and test a program to complete the three tasks.

#### TASK 1

Input and store the names and marks for 30 students who have sat three computer science tests. Test 1 is out of 20 marks, Test 2 is out of 25 marks, Test 3 is out of 35 marks. You must store the names in a one-dimensional array and the marks and total score for each student in one-dimensional arrays. All the marks must be validated on entry and any invalid marks rejected. You may assume that the students' names are unique.

### TASK 2

Calculate and store the total score for each student and calculate the average score for the whole class. Output each student's name followed by their total score, then output the average score for the class.

#### TASK 3

Select the student with the highest score and output their name and score.

Your program must include appropriate prompts for the entry of data. Error messages and other output need to be set out clearly and understandably. All variables, constants and other identifiers must have meaningful names. Each task must be fully tested.

(a)	ΑII ν	variables, constants and other identifiers should have meaningful names.	
	(i)	Declare the array to store the students' names.	
		[	1]
	(ii)	Declare the arrays to store each student's marks and total score.	
		[2	2]
(b)	(i)	Show the design of your algorithm to complete <b>Task 1</b> and <b>Task 2</b> using pseudocode programming statements or a flowchart. Do <b>not</b> include any of the validation checks your algorithm.	
			-
		[A	8]

	(ii)	Comment on the efficiency of your design.
		[1]
(c)		ow <b>two</b> different sets of student data that you could use to check the validation used in <b>k 1</b> . Explain why you chose each data set.
	Set	1
	Rea	ason for choice
	Set	2
	Rea	ason for choice
		[2 <sup>2</sup>

(d)	(i)	Explain how you select the student with the highest score ( <b>Task 3</b> ). You may include pseudocode or programming statements to help illustrate your explanation.
		[5]
(	(ii)	How does your program work when there is more than one student having the highest score? Explain using your method given in <b>part (d)(i)</b> .
		[4]

[1]

7

#### **Section B**


2 Jatinder uses Internet banking. This pseudocode checks her PIN.

```
c ← 0
INPUT PIN
x ← PIN
REPEAT
  x \leftarrow x/10
  c \leftarrow c + 1
UNTIL x < 1
IF c <> 5
  THEN
    PRINT "error in PIN entered"
  ELSE
    PRINT "PIN OK"
ENDIF
(a) What value of c and what message would be output if the following PINs were entered?
    5 1 0 2 0 Value of c:
          Message:
          Value of c:
    5120
          Message: [2]
(b) What type of validation check is being carried out here?
```

.....

3 The flowchart inputs the size of a number of car engines; a value of -1 stops the input.

This information is output: average engine size and number of engines with size > 1.5



Complete the trace table for the input data.

 $1.8, \quad 2.0, \quad 1.0, \quad 1.3, \quad 1.0, \quad 2.5, \quad 2.0, \quad 1.3, \quad 1.8, \quad 1.3, \quad -1$ 

Engine	Count	Number	Size	Average	ОИТРИТ

[6]


nun	
	h = 0
	c = 0
3	REPEAT
4	READ x
5	IF $x > h$ THEN $x = h$
6	c = c + 1
7	PRINT h
8	
The Loc	until c < 20 re are <b>three</b> errors in this code. ate these errors and suggest a corrected piece of code.
The	re are <b>three</b> errors in this code. ate these errors and suggest a corrected piece of code.
The	re are <b>three</b> errors in this code. ate these errors and suggest a corrected piece of code.
The Loc	re are <b>three</b> errors in this code. ate these errors and suggest a corrected piece of code.
The	re are <b>three</b> errors in this code. ate these errors and suggest a corrected piece of code.
The Loc	re are <b>three</b> errors in this code. ate these errors and suggest a corrected piece of code.
The Loc	re are <b>three</b> errors in this code. ate these errors and suggest a corrected piece of code.
The Loc	re are <b>three</b> errors in this code. ate these errors and suggest a corrected piece of code.

# **BLANK PAGE**

# **5** A floor turtle uses these instructions.

Instruction	Meaning
FORWARD <b>d</b>	Move <b>d</b> cm forward
BACKWARD <b>d</b>	Move <b>d</b> cm backward
LEFT t	Turn left <i>t</i> degrees
RIGHT t	Turn right <i>t</i> degrees
REPEAT n	Repeat the next set of instructions <i>n</i> times
ENDREPEAT	End of REPEAT loop
PENUP	Raise the pen
PENDOWN	Lower the pen

# (Each square in the drawing is 10 cm by 10 cm.)



[5]

(a) Write an algorithm, using pseudocode or flowchart only, which:

6

	<ul> <li>inputs three numbers</li> <li>outputs the largest of the three numbers</li> </ul>
	[3]
(b)	Write an algorithm, using pseudocode or flowchart only, which:
	<ul> <li>inputs 1000 numbers</li> <li>outputs how many of these numbers were whole numbers (integers)         (You may use INT(x) in your answer, e.g. y = INT(3.8) gives the value y = 3)</li> </ul>
	[4]

2						
database v shown bel		show the pro	operties of ce	rtain chemica	ıl elements. P	art of the datab
Name of element	Element symbol	Atomic number	Atomic weight	Melting point (C)	Boiling point (C)	State at room temp
xygen	0	8	16	-218	-183	gas
on	Fe	26	56	1538	2861	solid
nercury	Hg	80	201	-38	356	liquid
romine	Br	35	80	-7	59	liquid
smium	Os	76	190	3033	5012	solid
aesium	Cs	55	133	28	671	solid
gallium	Ga	31	70	30	2204	solid
argon	Ar	18	40	-189	-186	gas
silver	Ag	47	108	961	2162	solid
<b>)</b> How ma	ny fields are i	n each recor	d?			
) The follo	owing search	condition was	s entered:			
(Me	lting point (C	<b>;)</b> < 40) AND	(Atomic wei	<b>ight</b> > 100)		
Using <b>E</b>	lement symb	ol only, which	h records wo	uld be output	?	

© UCLES 2012 0478/02/SP/15

7

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.