

OXFORD CAMBRIDGE AND RSA EXAMINATIONS

**Advanced Subsidiary General Certificate of Education
Advanced General Certificate of Education**

MATHEMATICS

4721

Core Mathematics 1



MARK SCHEME


Specimen Paper

MAXIMUM MARK	72
---------------------	-----------

This mark scheme consists of 4 printed pages.

1	(i) $\frac{1}{16}$	B1	1	For correct value (fraction or exact decimal)
	(ii) 8	B1	1	For correct value 8 only
	(iii) 6	M1 A1	2 4	For $1^3 + 2^3 + 3^3 = 36$ seen or implied For correct value 6 only
2	(i) $x^2 - 8x + 3 = (x - 4)^2 - 13$ i.e. $a = -4, b = -13$	B1 M1 A1	3	For $(x - 4)^2$ seen, or statement $a = -4$ For use of (implied) relation $a^2 + b = 3$ For correct value of b stated or implied
	(ii) Minimum point is $(4, -13)$	B1✓ B1✓	2 5	For x -coordinate equal to their $(-a)$ For y -coordinate equal to their b
3	(i) Discriminant is $k^2 - 4k$	M1 A1	2	For attempted use of the discriminant For correct expression (in any form)
	(ii) For no real roots, $k^2 - 4k < 0$ Hence $k(k - 4) < 0$ So $0 < k < 4$	M1 M1 A1 A1	4 6	For stating their $\Delta < 0$ For factorising attempt (or other soln method) For both correct critical values 0 and 4 seen For correct pair of inequalities
4	(i) $\frac{dy}{dx} = 12x^2$	M1 A1	2	For clear attempt at nx^{n-1} For completely correct answer
	(ii) $y = x^4 + 2x^2$ Hence $\frac{dy}{dx} = 4x^3 + 4x$	B1 M1 A1✓	3	For correct expansion For correct differentiation of at least one term For correct differentiation of their 2 terms
	(iii) $\frac{dy}{dx} = \frac{1}{2}x^{-\frac{1}{2}}$	M1 A1	2 7	For clear differentiation attempt of $x^{\frac{1}{2}}$ For correct answer, in any form
5	(i) $x^2 - 3x + 2 = 3x - 7 \Rightarrow x^2 - 6x + 9 = 0$ Hence $(x - 3)^2 = 0$ So $x = 3$ and $y = 2$	M1 A1 M1 A1 A1	5	For equating two expressions for y For correct 3-term quadratic in x For factorising, or other solution method For correct value of x For correct value of y
	(ii) The line $y = 3x - 7$ is the tangent to the curve $y = x^2 - 3x + 2$ at the point $(3, 2)$	B1 B1	2	For stating tangency For identifying $x = 3, y = 2$ as coordinates
	(iii) Gradient of tangent is 3 Hence gradient of normal is $-\frac{1}{3}$ Equation of normal is $y - 2 = -\frac{1}{3}(x - 3)$ i.e. $x + 3y - 9 = 0$	B1 B1✓ M1 A1	4 11	For stating correct gradient of given line For stating corresponding perpendicular grad For appropriate use of straight line equation For correct equation in required form

<p>6 (i)</p> 	<p>B1 B1</p>	<p>2 For correct 1st quadrant branch For both branches correct and nothing else</p>
<p>(ii) Translation of 2 units in the negative x-direction</p> 	<p>B1 B1 B1 B1√ B1</p>	<p>5 For translation parallel to the x-axis For correct magnitude For correct direction For correct sketch of new curve For some indication of location, e.g. $\frac{1}{2}$ at y-intersection or -2 at asymptote</p>
<p>(iii) Derivative is $-x^{-2}$</p>	<p>M1 A1</p>	<p>2 For correct power -2 in answer For correct coefficient -1</p>
<p>(iv) Gradient of $y = \frac{1}{x}$ at $x = 2$ is required This is -2^{-2}, which is $-\frac{1}{4}$</p>	<p>B1 M1 A1</p>	<p>3 For correctly using the translation For substituting $x = 2$ in their (iii) For correct answer</p>
12		
<p>7 (i) $AB^2 = (10-2)^2 + (3-9)^2 = 100$ Hence the radius is 5 Mid-point of AB is $\left(\frac{2+10}{2}, \frac{9+3}{2}\right)$ Hence centre is $(6, 6)$</p>	<p>M1 A1 M1 A1</p>	<p>4 For correct calculation method for AB^2 For correct value for radius For correct calculation method for mid-point For both coordinates correct</p>
<p>(ii) Equation is $(x-6)^2 + (y-6)^2 = 5^2$ This is $x^2 - 12x + 36 + y^2 - 12y + 36 = 25$ i.e. $x^2 + y^2 - 12x - 12y + 47 = 0$, as required</p>	<p>M1 A1 A1</p>	<p>3 For using correct basic form of circle equ For expanding at least one bracket correctly For showing given answer correctly</p>
<p>(iii) Gradient of AB is $\frac{3-9}{10-2} = -\frac{3}{4}$ Hence perpendicular gradient is $\frac{4}{3}$ Equation of tangent is $y - 3 = \frac{4}{3}(x - 10)$ Hence C is the point $\left(\frac{31}{4}, 0\right)$</p>	<p>M1 A1 A1√ M1 M1 A1</p>	<p>6 For finding the gradient of AB For correct value $-\frac{3}{4}$ or equivalent For relevant perpendicular gradient For using their perp grad and B correctly For substituting $y = 0$ in their tangent eqn For correct value $x = \frac{31}{4}$</p>
13		

<p>8 (i) $\frac{dy}{dx} = 6x^2 - 6x - 12$</p> <p>Hence $x^2 - x - 2 = 0$ $(x-2)(x+1) = 0 \Rightarrow x = 2$ or -1</p> <p>Stationary points are $(2, -27)$ and $(-1, 0)$</p>	<p>M1 A1 M1 M1 A1 A1</p>	<p>For differentiation with at least 1 term OK</p> <p>For completely correct derivative</p> <p>For equating their derivative to zero</p> <p>For factorising or other solution method</p> <p>For both correct x-coordinates</p> <p>For both correct y-coordinates</p>
<p>(ii) $\frac{d^2y}{dx^2} = 12x - 6 = \begin{cases} +18 & \text{when } x = 2 \\ -18 & \text{when } x = -1 \end{cases}$</p> <p>Hence $(2, -27)$ is a min and $(-1, 0)$ is a max</p>	<p>M1 A1 A1</p>	<p>For attempt at second derivative and at least one relevant evaluation</p> <p>For either one correctly identified</p> <p>For both correctly identified (Alternative methods, e.g. based on gradients either side, are equally acceptable)</p>
<p>(iii) RHS = $(x^2 + 2x + 1)(2x - 7)$ $= 2x^3 - 7x^2 + 4x^2 - 14x + 2x - 7$ $= 2x^3 - 3x^2 - 12x - 7$, as required</p>	<p>M1 A1</p>	<p>For squaring correctly and attempting complete expansion process</p> <p>For obtaining given answer correctly</p>
<p>(iv)</p> 	<p>B1 B1 B1</p>	<p>For correct cubic shape</p> <p>For maximum point lying on x-axis</p> <p>For $x = \frac{7}{2}$ and $y = -7$ at intersections</p>

14