

## Chapter review 3

**1 a**  $2kx - y = 4 \quad (1)$

$$4kx + 3y = -2 \quad (2)$$

Multiply equation (1) by 2 to give

$$4kx - 2y = 8 \quad (3)$$

Subtract equation (2) from equation (3):

$$-5y = 10$$

$$y = -2$$

**b** Using (1),  $2kx + 2 = 4$ :

$$2kx = 2$$

$$x = \frac{1}{k}$$

**2** Rearrange  $x + 2y = 3$  to give:

$$x = 3 - 2y$$

Substitute into  $x^2 - 4y^2 = -33$ :

$$(3 - 2y)^2 - 4y^2 = -33$$

$$9 - 12y + 4y^2 - 4y^2 = -33$$

$$-12y = -42$$

$$y = \frac{7}{2}$$

Substitute into  $x = 3 - 2y$ :

$$x = 3 - 7 = -4$$

So the solution is  $x = -4, y = \frac{7}{2}$

**3 a** Rearrange  $x - 2y = 1$  to give:

$$x = 1 + 2y$$

Substitute into  $3xy - y^2 = 8$ :

$$3y(1 + 2y) - y^2 = 8$$

$$5y^2 + 3y - 8 = 0$$

**b**  $(5y + 8)(y - 1) = 0$

$$y = -\frac{8}{5} \text{ or } y = 1$$

Substitute into  $x = 1 + 2y$ :

$$\text{When } y = -\frac{8}{5}, x = 1 - \frac{16}{5} = -\frac{11}{5}$$

$$\text{When } y = 1, x = 1 + 2 = 3$$

The solutions are  $(-\frac{11}{5}, -\frac{8}{5})$  and  $(3, 1)$

**4 a** Rearrange  $x + y = 2$  to give:

$$y = 2 - x$$

$$x^2 + x(2 - x) - (2 - x)^2 = -1$$

$$x^2 + 2x - x^2 - 4 + 4x - x^2 + 1 = 0$$

$$-x^2 + 6x - 3 = 0$$

$$x^2 - 6x + 3 = 0$$

**b** Using the quadratic formula:

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$x = \frac{6 \pm \sqrt{36 - 12}}{2}$$

$$= \frac{6 \pm \sqrt{24}}{2}$$

$$= \frac{6 \pm \sqrt{4 \times 6}}{2}$$

$$= \frac{6 \pm 2\sqrt{6}}{2}$$

$$= 3 \pm \sqrt{6}$$

Substitute into  $y = 2 - x$ :

$$y = 2 - (3 \pm \sqrt{6})$$

$$y = -1 \pm \sqrt{6}$$

**5 a**  $9 = 3^2$ , so  $3^x = (3^2)^{y-1}$

$$\Rightarrow 3^x = 3^{2(y-1)}$$

Equate powers:

$$x = 2(y - 1)$$

$$\Rightarrow x = 2y - 2$$

**5 b**  $x = 2y - 2$

Substitute into  $x^2 = y^2 + 7$ :

$$(2y-2)^2 = y^2 + 7$$

$$4y^2 - 8y + 4 = y^2 + 7$$

$$4y^2 - y^2 - 8y + 4 - 7 = 0$$

$$3y^2 - 8y - 3 = 0$$

$$(3y+1)(y-3) = 0$$

$$y = -\frac{1}{3} \text{ or } y = 3$$

Substitute into  $x = 2y - 2$ :

$$\text{When } y = -\frac{1}{3}, x = -\frac{2}{3} - 2 = -\frac{8}{3}$$

$$\text{When } y = 3, x = 6 - 2 = 4$$

The solutions are:

$$x = -\frac{8}{3}, y = -\frac{1}{3} \text{ and } x = 4, y = 3$$

**6** Rearrange  $x + 2y = 3$  to give:

$$x = 3 - 2y$$

Substitute into  $x^2 - 2y + 4y^2 = 18$ :

$$(3 - 2y)^2 - 2y + 4y^2 = 18$$

$$9 - 12y + 4y^2 - 2y + 4y^2 = 18$$

$$8y^2 - 14y + 9 - 18 = 0$$

$$8y^2 - 14y - 9 = 0$$

$$(4y - 9)(2y + 1) = 0$$

$$y = \frac{9}{4} \text{ or } y = -\frac{1}{2}$$

Substitute into  $x = 3 - 2y$ :

$$\text{When } y = \frac{9}{4}, x = 3 - \frac{9}{2} = -\frac{3}{2}$$

$$\text{When } y = -\frac{1}{2}, x = 3 + 1 = 4$$

$$\text{The solutions are: } x = -\frac{3}{2}, y = \frac{9}{4}$$

$$\text{and } x = 4, y = -\frac{1}{2}$$

**7 a** Rearrange  $-\frac{k}{2}x + y = 1$  and substitute

into the quadratic equation:

$$y = 1 + \frac{k}{2}x$$

**7 a**  $kx^2 - x \left(1 + \frac{k}{2}x\right) + (k+1)x = 1$

$$kx^2 - x - \frac{k}{2}x^2 + kx + x - 1 = 0$$

$$kx^2 + 2kx - 2 = 0$$

Using the discriminant for one solution:

$$b^2 - 4ac = 0$$

$$(2k)^2 - 4(k)(-2) = 0$$

$$4k^2 + 8k = 0$$

$$4k(k + 2) = 0$$

$k$  is non-zero, so  $k = -2$

**b** Substituting into  $kx^2 + 2kx - 2 = 0$

gives:

$$-2x^2 + 4x - 2 = 0$$

$$-x^2 + 2x - 1 = 0$$

$$x^2 - 2x + 1 = 0$$

$$(x-1)^2 = 0$$

$$x = 1$$

Substitute for  $x$  and  $k$ :

$$\begin{aligned} y &= 1 + \frac{k}{2}x \\ &= 1 - (-1) \\ &= 2 \end{aligned}$$

Therefore, the coordinates are  $(-1, 2)$ .

**8 a**  $3x - x > 13 + 8$

$$2x > 21$$

$$x > \frac{21}{2}$$


In set notation, the solution is

$$\{x : x > \frac{21}{2}\}$$

**b**  $x^2 - 5x - 14 = 0$

$$(x+2)(x-7) = 0$$

$$x = -2 \text{ or } x = 7$$



$$x^2 - 5x - 14 > 0 \text{ when } x < -2 \text{ or } x > 7$$

In set notation, the solution is

$$\{x : x < -2\} \cup \{x : x > 7\}$$

**9** Multiplying out the brackets:

$$x^2 - 5x + 4 < 2x - 8$$


$$x^2 - 5x - 2x + 4 + 8 < 0$$

$$x^2 - 7x + 12 < 0$$

$$x^2 - 7x + 12 = 0$$

$$(x-3)(x-4) = 0$$

$$x = 3 \text{ or } x = 4$$



$$x^2 - 7x + 12 < 0 \text{ when } 3 < x < 4$$

**10 a**  $x^2 + x - 2 = 18$


$$x^2 + x - 20 = 0$$

$$(x+5)(x-4) = 0$$

$$x = -5 \text{ or } x = 4$$

**b**  $(x-1)(x+2) > 18$

$$\Rightarrow x^2 + x - 20 > 0$$



$$x^2 + x - 20 > 0 \text{ when } x < -5 \text{ or } x > 4$$

In set notation, the solution is

$$\{x : x < -5\} \cup \{x : x > 4\}$$


**11 a**  $6x - 2x < 3 + 7$

$$4x < 10$$

$$x < \frac{5}{2}$$

**b**  $(2x-1)(x-5) = 0$

$$x = \frac{1}{2} \text{ or } x = 5$$



$$2x^2 - 11x + 5 < 0 \text{ when } \frac{1}{2} < x < 5$$

**11 c**  $5 < \frac{20}{x}$

Multiply both sides by  $x^2$ :

$$5x^2 < 20x$$


$$5x^2 - 20x < 0$$

Solve the quadratic to find the critical values:

$$5x^2 - 20x = 0$$


$$5x(x - 4) = 0$$

$$x = 0 \text{ or } x = 4$$



The solution is  $0 < x < 4$ .

**d**



$$\begin{aligned} 6x - 2x &< 3 + 7 \\ 2x^2 - 11x + 5 &< 0 \end{aligned}$$

Intersection is  $\frac{1}{2} < x < \frac{5}{2}$

**12**  $\frac{8}{x^2} + 1 \leq \frac{9}{x}$

Multiply both sides by  $x^2$ :

$$8 + x^2 \leq 9x$$

$$x^2 - 9x + 8 \leq 0$$


Solve the quadratic to find the critical values:

$$x^2 - 9x + 8 = 0$$

$$(x - 1)(x - 8) = 0$$

$$x = 1 \text{ or } x = 8$$

**12**



The solution is  $1 \leq x \leq 8$

**13**  $a = k, b = 8, c = 5$

Using the discriminant  $b^2 - 4ac \geq 0$ :

$$8^2 - 4 \times k \times 5 \geq 0$$

$$64 - 20k \geq 0$$

$$64 \geq 20k$$

$$\frac{64}{20} \geq k$$

$$k \leq \frac{16}{5}$$

**14**  $a = 2, b = 4k, c = -5k$


Using the discriminant  $b^2 - 4ac < 0$ :

$$(4k)^2 - 4(2)(-5k) < 0$$

$$16k^2 + 40k < 0$$


$$8k(2k + 5) < 0$$

$$k = 0 \text{ or } k = -\frac{5}{2}$$




$$-\frac{5}{2} < k < 0$$

**15 a**  $y = x^2 + 2x - 15$   
 $y = (x + 5)(x - 3)$   
 $0 = (x + 5)(x - 3)$   
 $x = -5 \text{ or } x = 3$   
When  $x = 0, y = -15$




**b**  $x^2 + 2x - 15 = 6 - 2x$   
 $x^2 + 4x - 21 = 0$   
 $(x + 7)(x - 3) = 0$   
 $x = -7 \text{ or } x = 3$   
When  $x = -7, y = 20$   
When  $x = 3, y = 0$   
The points of intersection are  $(-7, 20)$  and  $(3, 0)$ .




From the graph and the calculated points of intersection, the required values are  
 $x < -7$  or  $x > 3$ .

**16**  $2x^2 + 3x - 15 = 8 + 2x$   
 $2x^2 + x - 23 = 0$   
 $x = \frac{-1 \pm \sqrt{185}}{4} = \frac{1}{4}(-1 \pm \sqrt{185})$   
 $\frac{1}{4}(-1 - \sqrt{185}) < x < \frac{1}{4}(-1 + \sqrt{185})$

**17**  $y = x^2 + 4x - 12$   
 $x^2 + 4x - 12 = 0$   
 $(x + 6)(x - 2) = 0$   
 $x = -6 \text{ or } x = 2$   
 $y = 4 - x^2$   
 $4 - x^2 = 0$   
 $(2 + x)(2 - x) = 0$   
 $x = -2 \text{ or } x = 2$



**18 a**




**b** Area =  $\frac{1}{2} \times 3 \times 3 = 4\frac{1}{2}$  units<sup>2</sup>

**Challenge**

**1**  $2kx^2 + 5kx + 5k - 3 = 0$

Using the discriminant:  
 $b^2 - 4ac > 0$  for real roots.  
 $(5k)^2 - 4(2k)(5k - 3) > 0$   
 $25k^2 - 40k^2 + 24k > 0$   
 $-15k^2 + 24k > 0$   
 $3k(-5k + 8) > 0$   
 $3k(-5k + 8) = 0$   
 $k = 0$  or  $k = \frac{8}{5}$




$$0 < k < \frac{8}{5}$$

**2**  $2x - k = 3x^2 + 2kx + 5$

$3x^2 + 2kx - 2x + 5 + k = 0$   
 $3x^2 + (2k - 2)x + (5 + k) = 0$   
 If the line and parabola do not intersect  
 then there are no solutions.

Using the discriminant:

$$\begin{aligned} b^2 - 4ac &< 0 \\ (2k - 2)^2 - 4(3)(5 + k) &< 0 \\ 4k^2 - 8k + 4 - 60 - 12k &< 0 \\ 4k^2 - 20k - 56 &< 0 \\ k^2 - 5k - 14 &< 0 \\ k^2 - 5k - 14 = 0 & \\ (k - 7)(k + 2) &= 0 \\ k = 7 \text{ or } k = -2 & \end{aligned}$$



The line and the parabola do not intersect  
 in the interval  $-2 < k < 7$ .