

## C2

## DIFFERENTIATION

## Answers - Worksheet A

- 1**
- a**  $\frac{dy}{dx} = 2x + 6$   
 $2x + 6 = 0$   
 $x = -3$
- b**  $\frac{dy}{dx} = 8x + 2$   
 $8x + 2 = 0$   
 $x = -\frac{1}{4}$
- c**  $\frac{dy}{dx} = 3x^2 - 12$   
 $3x^2 - 12 = 0$   
 $x^2 = 4$   
 $x = \pm 2$
- d**  $\frac{dy}{dx} = 18x - 3x^2$   
 $18x - 3x^2 = 0$   
 $3x(6 - x) = 0$   
 $x = 0, 6$
- e**  $\frac{dy}{dx} = 3x^2 - 10x + 3$   
 $3x^2 - 10x + 3 = 0$   
 $(3x - 1)(x - 3) = 0$   
 $x = \frac{1}{3}, 3$
- f**  $\frac{dy}{dx} = 1 - 9x^{-2}$   
 $1 - 9x^{-2} = 0$   
 $x^2 = 9$   
 $x = \pm 3$
- g**  $y = x^3 - 3x^2 + 3x - 9$   
 $\frac{dy}{dx} = 3x^2 - 6x + 3$   
 $3x^2 - 6x + 3 = 0$   
 $3(x - 1)^2 = 0$   
 $x = 1$
- h**  $\frac{dy}{dx} = \frac{1}{2}x^{-\frac{1}{2}} - 2$   
 $\frac{1}{2}x^{-\frac{1}{2}} - 2 = 0$   
 $x^{-\frac{1}{2}} = 4$   
 $x = \frac{1}{16}$
- 2**
- a**  $f'(x) = 4x + 2$   
 $\therefore 4x + 2 \geq 0$   
 $x \geq -\frac{1}{2}$
- b**  $f'(x) = 6x - 6x^2$   
 $\therefore 6x - 6x^2 \geq 0$   
 $6x(1 - x) \geq 0$   
 $0 \leq x \leq 1$
- c**  $f'(x) = 9x^2 - 1$   
 $\therefore 9x^2 - 1 \geq 0$   
 $x^2 \geq \frac{1}{9}$   
 $x \leq -\frac{1}{3}$  and  $x \geq \frac{1}{3}$
- d**  $f'(x) = 3x^2 + 12x - 15$   
 $\therefore 3x^2 + 12x - 15 \geq 0$   
 $3(x + 5)(x - 1) \geq 0$   
 $x \leq -5$  and  $x \geq 1$
- e**  $f(x) = x^3 - 12x^2 + 36x$   
 $f'(x) = 3x^2 - 24x + 36$   
 $\therefore 3x^2 - 24x + 36 \geq 0$   
 $3(x - 2)(x - 6) \geq 0$   
 $x \leq 2$  and  $x \geq 6$
- f**  $f'(x) = 2 - 8x^{-2}$   
 $\therefore 2 - 8x^{-2} \geq 0$   
 $x^2 \geq 4$   
 $x \leq -2$  and  $x \geq 2$
- 3**
- a**  $f'(x) = 3x^2 + 4x$   
 $\therefore 3x^2 + 4x \leq 0$   
 $x(3x + 4) \leq 0$   
 $-\frac{4}{3} \leq x \leq 0$
- b**  $f'(x) = 27 - 3x^2$   
 $\therefore 27 - 3x^2 \leq 0$   
 $x^2 \geq 9$   
 $x \leq -3$  and  $x \geq 3$
- c**  $f(x) = 2x^3 - x^2 - 4x + 2$   
 $f'(x) = 6x^2 - 2x - 4$   
 $\therefore 6x^2 - 2x - 4 \leq 0$   
 $2(3x + 2)(x - 1) \leq 0$   
 $-\frac{2}{3} \leq x \leq 1$
- 4**
- a**  $(x + 1)$  factor  $\therefore f(-1) = 0$   
 $\therefore -1 + k + 3 = 0$   
 $k = -2$
- b**  $f'(x) = 3x^2 - 4x$   
 $\therefore 3x^2 - 4x \geq 0$   
 $x(3x - 4) \geq 0$   
 $x \leq 0$  and  $x \geq \frac{4}{3}$

- 5**
- a**  $\frac{dy}{dx} = 2x + 2$   
 SP:  $2x + 2 = 0$   
 $x = -1$   
 $\therefore (-1, -1)$
- b**  $\frac{dy}{dx} = 10x - 4$   
 SP:  $10x - 4 = 0$   
 $x = \frac{2}{5}$   
 $\therefore (\frac{2}{5}, \frac{1}{5})$
- c**  $\frac{dy}{dx} = 3x^2 - 3$   
 SP:  $3x^2 - 3 = 0$   
 $x^2 = 1$   
 $x = \pm 1$   
 $\therefore (-1, 6), (1, 2)$
- d**  $\frac{dy}{dx} = 12x^2 + 6x$   
 SP:  $12x^2 + 6x = 0$   
 $6x(2x + 1) = 0$   
 $x = -\frac{1}{2}, 0$   
 $\therefore (-\frac{1}{2}, \frac{9}{4}), (0, 2)$
- e**  $\frac{dy}{dx} = 2 - 8x^{-2}$   
 SP:  $2 - 8x^{-2} = 0$   
 $x^2 = 4$   
 $x = \pm 2$   
 $\therefore (-2, -5), (2, 11)$
- f**  $\frac{dy}{dx} = 3x^2 - 18x - 21$   
 SP:  $3x^2 - 18x - 21 = 0$   
 $3(x + 1)(x - 7) = 0$   
 $x = -1, 7$   
 $\therefore (-1, 22), (7, -234)$
- g**  $\frac{dy}{dx} = -x^{-2} - 8x$   
 SP:  $-x^{-2} - 8x = 0$   
 $x^3 = -\frac{1}{8}$   
 $x = -\frac{1}{2}$   
 $\therefore (-\frac{1}{2}, -3)$
- h**  $\frac{dy}{dx} = 3x^{\frac{1}{2}} - 6$   
 SP:  $3x^{\frac{1}{2}} - 6 = 0$   
 $x^{\frac{1}{2}} = 2$   
 $x = 4$   
 $\therefore (4, -8)$
- i**  $\frac{dy}{dx} = 6x^{-\frac{1}{3}} - 2$   
 SP:  $6x^{-\frac{1}{3}} - 2 = 0$   
 $x^{-\frac{1}{3}} = \frac{1}{3}$   
 $x = \frac{1}{27}$   
 $\therefore (\frac{1}{27}, 5\frac{25}{27})$
- 6**
- a**  $\frac{dy}{dx} = 4 - 2x$   
 SP:  $4 - 2x = 0$   
 $x = 2$   
 $\frac{d^2y}{dx^2} = -2$   
 (2, 9): max
- b**  $\frac{dy}{dx} = 3x^2 - 3$   
 SP:  $3x^2 - 3 = 0$   
 $x^2 = 1$   
 $x = \pm 1$   
 $\frac{d^2y}{dx^2} = 6x$   
 (-1, 2):  $\frac{d^2y}{dx^2} = -6$ , max  
 (1, -2):  $\frac{d^2y}{dx^2} = 6$ , min
- c**  $\frac{dy}{dx} = 3x^2 + 18x$   
 SP:  $3x^2 + 18x = 0$   
 $3x(x + 6) = 0$   
 $x = -6, 0$   
 $\frac{d^2y}{dx^2} = 6x + 18$   
 (-6, 100):  $\frac{d^2y}{dx^2} = -18$ , max  
 (0, -8):  $\frac{d^2y}{dx^2} = 18$ , min
- d**  $\frac{dy}{dx} = 3x^2 - 12x - 36$   
 SP:  $3x^2 - 12x - 36 = 0$   
 $3(x + 2)(x - 6) = 0$   
 $x = -2, 6$   
 $\frac{d^2y}{dx^2} = 6x - 12$   
 (-2, 55):  $\frac{d^2y}{dx^2} = -24$ , max  
 (6, -201):  $\frac{d^2y}{dx^2} = 24$ , min
- e**  $\frac{dy}{dx} = 4x^3 - 16x$   
 SP:  $4x^3 - 16x = 0$   
 $4x(x^2 - 4) = 0$   
 $x = 0, \pm 2$   
 $\frac{d^2y}{dx^2} = 12x^2 - 16$   
 (-2, -18):  $\frac{d^2y}{dx^2} = 32$ , min  
 (0, -2):  $\frac{d^2y}{dx^2} = -16$ , max  
 (2, -18):  $\frac{d^2y}{dx^2} = 32$ , min
- f**  $\frac{dy}{dx} = 9 - 4x^{-2}$   
 SP:  $9 - 4x^{-2} = 0$   
 $x^2 = \frac{4}{9}$   
 $x = \pm \frac{2}{3}$   
 $\frac{d^2y}{dx^2} = 8x^{-3}$   
 $(-\frac{2}{3}, -12)$ :  $\frac{d^2y}{dx^2} = -27$ , max  
 $(\frac{2}{3}, 12)$ :  $\frac{d^2y}{dx^2} = 27$ , min

$$\mathbf{g} \quad \frac{dy}{dx} = 1 - 3x^{-\frac{1}{2}}$$

$$\text{SP: } 1 - 3x^{-\frac{1}{2}} = 0$$

$$x^{-\frac{1}{2}} = \frac{1}{3}$$

$$x = 9$$

$$\frac{d^2y}{dx^2} = \frac{3}{2}x^{-\frac{3}{2}}$$

$$(9, -9): \frac{d^2y}{dx^2} = \frac{1}{18}, \text{ min}$$

$$\mathbf{h} \quad \frac{dy}{dx} = -8 + 14x - 6x^2$$

$$\text{SP: } -8 + 14x - 6x^2 = 0$$

$$-2(3x - 4)(x - 1) = 0$$

$$x = 1, \frac{4}{3}$$

$$\frac{d^2y}{dx^2} = 14 - 12x$$

$$(1, 0): \frac{d^2y}{dx^2} = 2, \text{ min}$$

$$\left(\frac{4}{3}, \frac{1}{27}\right): \frac{d^2y}{dx^2} = -2, \text{ max}$$

$$\mathbf{i} \quad y = \frac{1}{2}x^2 + 8x^{-2}$$

$$\frac{dy}{dx} = x - 16x^{-3}$$

$$\text{SP: } x - 16x^{-3} = 0$$

$$x^4 = 16$$

$$x = \pm 2$$

$$\frac{d^2y}{dx^2} = 1 + 48x^{-4}$$

$$(-2, 4): \frac{d^2y}{dx^2} = 4, \text{ min}$$

$$(2, 4): \frac{d^2y}{dx^2} = 4, \text{ min}$$

$$\mathbf{7} \quad \mathbf{a} \quad \frac{dy}{dx} = 2x - 3x^2$$

$$\text{SP: } 2x - 3x^2 = 0$$

$$x(2 - 3x) = 0$$

$$x = 0, \frac{2}{3}$$

$$\frac{d^2y}{dx^2} = 2 - 6x$$

$$(0, 0): \frac{d^2y}{dx^2} = 2, \text{ min}$$

$$\left(\frac{2}{3}, \frac{4}{27}\right): \frac{d^2y}{dx^2} = -2, \text{ max}$$

$$\mathbf{b} \quad \frac{dy}{dx} = 3x^2 + 6x + 3$$

$$\text{SP: } 3x^2 + 6x + 3 = 0$$

$$3(x + 1)^2 = 0$$

$$x = -1$$

$$\frac{d^2y}{dx^2} = 6x + 6$$

$$(-1, -1): \frac{d^2y}{dx^2} = 0$$

$x$	$< -1$	$-1$	$> -1$
$\frac{dy}{dx}$	$+$	$0$	$+$

$\frac{dy}{dx}$	$+$	$0$	$+$
-----------------	-----	-----	-----

$\therefore (-1, -1)$ : point of inflexion

$$\mathbf{c} \quad \frac{dy}{dx} = 4x^3$$

$$\text{SP: } 4x^3 = 0$$

$$x = 0$$

$$\frac{d^2y}{dx^2} = 12x^2$$

$$(0, -2): \frac{d^2y}{dx^2} = 0$$

$x$	$< 0$	$0$	$> 0$
$\frac{dy}{dx}$	$-$	$0$	$+$

$\frac{dy}{dx}$	$-$	$0$	$+$
-----------------	-----	-----	-----

$\therefore (0, -2)$ : min

$$\mathbf{d} \quad \frac{dy}{dx} = -12 + 12x - 3x^2$$

$$\text{SP: } -12 + 12x - 3x^2 = 0$$

$$-3(x - 2)^2 = 0$$

$$x = 2$$

$$\frac{d^2y}{dx^2} = 12 - 6x$$

$$(2, -4): \frac{d^2y}{dx^2} = 0$$

$x$	$< 2$	$2$	$> 2$
$\frac{dy}{dx}$	$-$	$0$	$-$

$\frac{dy}{dx}$	$-$	$0$	$-$
-----------------	-----	-----	-----

$\therefore (2, -4)$ : point of inflexion

$$\mathbf{e} \quad \frac{dy}{dx} = 2x - 16x^{-2}$$

$$\text{SP: } 2x - 16x^{-2} = 0$$

$$x^3 = 8$$

$$x = 2$$

$$\frac{d^2y}{dx^2} = 2 + 32x^{-3}$$

$$(2, 12): \frac{d^2y}{dx^2} = 6, \text{ min}$$

$$\mathbf{f} \quad \frac{dy}{dx} = 4x^3 + 12x^2$$

$$\text{SP: } 4x^3 + 12x^2 = 0$$

$$4x^2(x + 3) = 0$$

$$x = -3, 0$$

$$\frac{d^2y}{dx^2} = 12x^2 + 24x$$

$$(-3, -28): \frac{d^2y}{dx^2} = 36, \text{ min}$$

$$(0, -1): \frac{d^2y}{dx^2} = 0$$

$x$	$-3 < x < 0$	$0$	$> 0$
$\frac{dy}{dx}$	$+$	$0$	$+$

$\frac{dy}{dx}$	$+$	$0$	$+$
-----------------	-----	-----	-----

$\therefore (0, -1)$ : point of inflexion

8 a  $\frac{dy}{dx} = 3x^2 + 6x$

SP:  $3x^2 + 6x = 0$


$$3x(x + 2) = 0$$

$$x = -2, 0$$

$$\frac{d^2y}{dx^2} = 6x + 6$$

$$(-2, 4): \frac{d^2y}{dx^2} = -6, \text{ max}$$

$$(0, 0): \frac{d^2y}{dx^2} = 6, \text{ min}$$



b  $\frac{dy}{dx} = 1 - x^{-2}$

SP:  $1 - x^{-2} = 0$


$$x^2 = 1$$

$$x = \pm 1$$

$$\frac{d^2y}{dx^2} = 2x^{-3}$$

$$(-1, -2): \frac{d^2y}{dx^2} = -2, \text{ max}$$

$$(1, 2): \frac{d^2y}{dx^2} = 2, \text{ min}$$



c  $\frac{dy}{dx} = 3x^2 - 6x + 3$

SP:  $3x^2 - 6x + 3 = 0$

$$3(x - 1)^2 = 0$$


$$x = 1$$

$$\frac{d^2y}{dx^2} = 6x - 6$$

$$(1, 0): \frac{d^2y}{dx^2} = 0$$

$x$	$< 1$	$1$	$> 1$
$\frac{dy}{dx}$	$+$	$0$	$+$

$\therefore (1, 0)$ : point of inflexion



d  $\frac{dy}{dx} = 3 - 2x^{-\frac{1}{2}}$


SP:  $3 - 2x^{-\frac{1}{2}} = 0$

$$x^{-\frac{1}{2}} = \frac{3}{2}$$

$$x = \frac{4}{9}$$

$$\frac{d^2y}{dx^2} = x^{-\frac{3}{2}}$$

$$\left(\frac{4}{9}, -\frac{4}{3}\right): \frac{d^2y}{dx^2} = \frac{27}{8}, \text{ min}$$



e  $\frac{dy}{dx} = 3x^2 + 8x - 3$

SP:  $3x^2 + 8x - 3 = 0$


$$(3x - 1)(x + 3) = 0$$

$$x = -3, \frac{1}{3}$$

$$\frac{d^2y}{dx^2} = 6x + 8$$

$$(-3, 13): \frac{d^2y}{dx^2} = -10, \text{ max}$$

$$\left(\frac{1}{3}, -5\frac{14}{27}\right): \frac{d^2y}{dx^2} = 10, \text{ min}$$



f  $y = x^4 - 8x^2 + 12$

$$\frac{dy}{dx} = 4x^3 - 16x$$

SP:  $4x^3 - 16x = 0$

$$4x(x + 2)(x - 2) = 0$$


$$x = -2, 0, 2$$

$$\frac{d^2y}{dx^2} = 12x^2 - 16$$

$$(-2, -4): \frac{d^2y}{dx^2} = 32, \text{ min}$$

$$(0, 12): \frac{d^2y}{dx^2} = -16, \text{ max}$$

$$(2, -4): \frac{d^2y}{dx^2} = 32, \text{ min}$$



## C2

## DIFFERENTIATION

## Answers - Worksheet B

- 1 a** volume =  $2x^2h = 4000$   
 $\therefore h = \frac{2000}{x^2}$
- b**  $A = 2x^2 + 2(2xh) + 2(xh)$   
 $= 2x^2 + 6xh$   
 $= 2x^2 + (6x \times \frac{2000}{x^2})$   
 $= 2x^2 + \frac{12000}{x}$
- c**  $\frac{dA}{dx} = 4x - 12000x^{-2}$   
 SP:  $4x - 12000x^{-2} = 0$   
 $x^3 = 3000$   
 $x = \sqrt[3]{3000} = 14.4$  (3sf)
- d** min  $A = 1250$  (3sf)
- e**  $\frac{d^2A}{dx^2} = 4 + 24000x^{-3}$   
 when  $x = \sqrt[3]{3000}$ ,  $\frac{d^2A}{dx^2} = 12$   
 $\frac{d^2A}{dx^2} > 0 \therefore$  minimum
- 2 a** S.A. =  $2\pi r^2 + 2\pi rh = 30\,000$   
 $\therefore \pi rh = 15\,000 - \pi r^2$   
 $h = \frac{15000}{\pi r} - r$   
 $V = \pi r^2 h$   
 $= \pi r^2 (\frac{15000}{\pi r} - r)$   
 $= 15\,000r - \pi r^3$
- b**  $\frac{dV}{dr} = 15\,000 - 3\pi r^2$   
 SP:  $15\,000 - 3\pi r^2 = 0$   
 $r^2 = \frac{5000}{\pi}$   
 $r = \sqrt{\frac{5000}{\pi}}$  [= 39.9 (3sf)]  
 max volume =  $399\,000 \text{ cm}^3$  (3sf)  
 $\frac{d^2V}{dr^2} = -6\pi r$   
 when  $r = \sqrt{\frac{5000}{\pi}}$ ,  $\frac{d^2V}{dr^2} = -752$   
 $\frac{d^2V}{dr^2} < 0 \therefore$  maximum
- 3 a** S.A. =  $2x^2 + 4xl = k$   
 $\therefore 4xl = k - 2x^2$   
 $l = \frac{k - 2x^2}{4x}$
- b**  $V = x^2l$   
 $= x^2 \times \frac{k - 2x^2}{4x}$   
 $= \frac{1}{4}kx - \frac{1}{2}x^3$   
 $\frac{dV}{dx} = \frac{1}{4}k - \frac{3}{2}x^2$   
 SP:  $\frac{1}{4}k - \frac{3}{2}x^2 = 0$   
 $x^2 = \frac{1}{6}k$   
 $x = \sqrt{\frac{k}{6}}$   
 $\frac{d^2V}{dx^2} = -3x$   
 when  $x = \sqrt{\frac{k}{6}}$ ,  $\frac{d^2V}{dx^2} < 0 \therefore$  maximum  
 $l = \frac{k - \frac{1}{3}k}{4\sqrt{\frac{k}{6}}} = \frac{2}{3}k \times \frac{1}{4} \times \sqrt{\frac{6}{k}}$   
 $= \frac{k}{6} \times \sqrt{\frac{6}{k}} = \sqrt{\frac{k}{6}}$   
 $\therefore$  maximum  $V$  when  $l = x \therefore$  prism is a cube

## C2 DIFFERENTIATION

## Answers - Worksheet C

1 a  $f'(x) = 6x^2 + 10x$

b  $6x^2 + 10x \geq 0$   
 $2x(3x + 5) \geq 0$   
 $x \leq -\frac{5}{3}$  and  $x \geq 0$

3 a  $\frac{dy}{dx} = \frac{1}{2}x^{-\frac{1}{2}} - 4x^{-2}$

$$\frac{d^2y}{dx^2} = -\frac{1}{4}x^{-\frac{3}{2}} + 8x^{-3}$$

b SP:  $\frac{1}{2}x^{-\frac{1}{2}} - 4x^{-2} = 0$   
 $\frac{1}{2}x^{-2}(x^{\frac{3}{2}} - 8) = 0$   
 $x^{\frac{3}{2}} = 8$   
 $x = 4$

$\therefore (4, 3)$

when  $x = 4$ ,  $\frac{d^2y}{dx^2} = \frac{3}{32}$

$\frac{d^2y}{dx^2} > 0 \therefore$  minimum

5 a  $\frac{dh}{dt} = 8t^3 - 24t^2 + 16t$

b when  $t = 0.25$ ,  
 $\frac{dh}{dt} = 2.625$  cm per second

c SP:  $8t^3 - 24t^2 + 16t = 0$   
 $8t(t - 1)(t - 2) = 0$   
 $t = 0, 1, 2$

from graph, max when  $t = 1$   
 $\therefore$  max height = 3 cm

2 a  $\frac{dy}{dx} = 3x^2 - 2x + 2$

at  $(1, -2)$ , grad = 3

$\therefore y + 2 = 3(x - 1)$

$3x - y - 5 = 0$

b SP when  $3x^2 - 2x + 2 = 0$

$b^2 - 4ac = 4 - 24 = -20$

$b^2 - 4ac < 0 \therefore$  no real roots

$\therefore$  no stationary points

4 a  $y = 0 \Rightarrow x(x + 3)^2 = 0$

$x = -3, 0$


$\therefore (-3, 0), (0, 0)$

b  $f'(x) = 3x^2 + 12x + 9$

decreasing when  $3x^2 + 12x + 9 \leq 0$   
 $3(x + 3)(x + 1) \leq 0$

$\therefore -3 \leq x \leq -1$

c



6 a  $\frac{dy}{dx} = 3x^2 + 6kx - 9k^2$

stationary when  $3x^2 + 6kx - 9k^2 = 0$

$\Rightarrow x^2 + 2kx - 3k^2 = 0$

b  $(x + 3k)(x - k) = 0$

$x = -3k, k$

when  $x = k$ ,  $y = k^3 + 3k^3 - 9k^3 = -5k^3$

$\therefore$  stationary at  $(k, -5k^3)$

c when  $x = -3k$ ,

$y = -27k^3 + 27k^3 + 27k^3 = 27k^3$

$\therefore (-3k, 27k^3)$

$$7 \quad \mathbf{a} \quad V = \frac{1}{2}x^2 \sin 60^\circ \times l$$

$$= \frac{1}{2}x^2 l \times \frac{\sqrt{3}}{2} = 250$$

$$\therefore l = \frac{1000}{\sqrt{3}x^2} \text{ or } \frac{1000\sqrt{3}}{3x^2}$$

$$\mathbf{b} \quad A = (2 \times \frac{\sqrt{3}}{4}x^2) + 3xl$$

$$= \frac{\sqrt{3}}{2}x^2 + (3x \times \frac{1000\sqrt{3}}{3x^2})$$

$$= \frac{\sqrt{3}}{2}(x^2 + \frac{2000}{x})$$

$$\mathbf{c} \quad \frac{dA}{dx} = \frac{\sqrt{3}}{2}(2x - 2000x^{-2})$$

$$\text{SP: } \frac{\sqrt{3}}{2}(2x - 2000x^{-2}) = 0$$

$$x^3 = 1000$$

$$x = 10$$

$$\mathbf{d} \quad \min A = 150\sqrt{3}$$

$$\mathbf{e} \quad \frac{d^2A}{dx^2} = \frac{\sqrt{3}}{2}(2 + 4000x^{-3})$$

$$\text{when } x = 10, \frac{d^2A}{dx^2} = 3\sqrt{3}$$

$$\frac{d^2A}{dx^2} > 0 \quad \therefore \text{minimum}$$

$$9 \quad \mathbf{a} \quad x^{\frac{1}{2}} - 4 + 3x^{-\frac{1}{2}} = 0$$

$$x - 4x^{\frac{1}{2}} + 3 = 0$$

$$(x^{\frac{1}{2}} - 1)(x^{\frac{1}{2}} - 3) = 0$$

$$x^{\frac{1}{2}} = 1, 3$$

$$x = 1, 9$$

$$\therefore (1, 0) \text{ and } (9, 0)$$

$$\mathbf{b} \quad \frac{dy}{dx} = \frac{1}{2}x^{-\frac{1}{2}} - \frac{3}{2}x^{-\frac{3}{2}}$$

$$\text{SP: } \frac{1}{2}x^{-\frac{1}{2}} - \frac{3}{2}x^{-\frac{3}{2}} = 0$$

$$\frac{1}{2}x^{-\frac{3}{2}}(x - 3) = 0$$

$$x = 3$$

$$y = \sqrt{3} - 4 + \frac{3}{\sqrt{3}} = 2\sqrt{3} - 4$$

$$\therefore (3, 2\sqrt{3} - 4)$$

$$8 \quad \mathbf{a} \quad f'(x) = 3x^2 + 8x + k$$

for 2 SPs,  $f'(x) = 0$  has 2 distinct roots

$$\therefore b^2 - 4ac > 0$$

$$64 - 12k > 0$$

$$k < \frac{16}{3}$$

$$\mathbf{b} \quad \text{SP: } 3x^2 + 8x - 3 = 0$$

$$(3x - 1)(x + 3) = 0$$

$$x = -3, \frac{1}{3}$$

$$\therefore (-3, 19) \text{ and } (\frac{1}{3}, \frac{13}{27})$$

$$10 \quad \mathbf{a} \quad f(-1) = -1 - 3 + 4 = 0$$

$\therefore (x + 1)$  is a factor

**b**

$$x + 1 \overline{) \begin{array}{r} x^3 - 3x^2 + 0x + 4 \\ x^3 + x^2 \\ \hline -4x^2 + 0x \\ -4x^2 - 4x \\ \hline 4x + 4 \\ \hline 4x + 4 \end{array}}$$

$$\therefore f(x) \equiv (x + 1)(x^2 - 4x + 4)$$

$$f(x) \equiv (x + 1)(x - 2)^2$$

**c** (2, 0), as  $(x - 2)$  is a repeated factor

of  $f(x)$  so  $x$ -axis is a tangent at (2, 0)

$$\mathbf{d} \quad f'(x) = 3x^2 - 6x$$

$$\text{SP: } 3x^2 - 6x = 0$$

$$3x(x - 2) = 0$$

$$x = 0, 2$$

$\therefore (0, 4)$  is other turning point

## C2 DIFFERENTIATION

## Answers - Worksheet D

- 1 a**  $f'(x) = 24 + 6x - 3x^2$   
**b**  $24 + 6x - 3x^2 \geq 0$   
 $x^2 - 2x - 8 \leq 0$   
 $(x + 2)(x - 4) \leq 0$   
 $-2 \leq x \leq 4$
- 2 a**  $(-2, 30) \Rightarrow 30 = -8 + 4a + 48 + b$   
 $\therefore 4a + b + 10 = 0$   
**b**  $\frac{dy}{dx} = 3x^2 + 2ax - 24$   
 SP at  $P \therefore \frac{dy}{dx} = 0$   
 $\Rightarrow 12 - 4a - 24 = 0$   
 $a = -3, b = 2$   
**c**  $3x^2 - 6x - 24 = 0$   
 $3(x + 2)(x - 4) = 0$   
 $x = -2$  (at  $P$ ) or  $4$   
 other SP  $(4, -78)$
- 3 a**  $f'(x) = 2x - 16x^{-2}$   
**b** SP:  $2x - 16x^{-2} = 0$   
 $x^3 = 8$   
 $x = 2$   
 $\therefore (2, 12)$   
 $f''(x) = 2 + 32x^{-3}$   
 $f''(2) = 6$   
 $f''(x) > 0 \therefore$  minimum
- 4 a** area  $= (2 \times \frac{1}{2}r^2\theta) + \frac{1}{2}r^2(3\theta) = 25$   
 $\therefore \frac{5}{2}r^2\theta = 25, \theta = \frac{10}{r^2}$   
**b**  $P = 2r + (2 \times r\theta) + r(3\theta) = 2r + 5r\theta$   
 $= 2r + 5r(\frac{10}{r^2}) = 2r + \frac{50}{r}$   
**c**  $\frac{dP}{dr} = 2 - 50r^{-2}$   
 SP:  $2 - 50r^{-2} = 0$   
 $r^2 = 25$   
 $r = 5$   
**d** min  $P = 20$   
**e**  $\frac{d^2P}{dr^2} = 100r^{-3}$ , when  $r = 5, \frac{d^2P}{dr^2} = 0.8$   
 $\frac{d^2P}{dr^2} > 0 \therefore$  minimum
- 5 a**  $2x - x^{\frac{3}{2}} = 0$   
 $x(2 - x^{\frac{1}{2}}) = 0$   
 $x = 0$  or  $x^{\frac{1}{2}} = 2 \Rightarrow x = 4$   
 $\therefore (0, 0)$  and  $(4, 0)$   
**b**  $\frac{dy}{dx} = 2 - \frac{3}{2}x^{\frac{1}{2}}$   
 SP:  $2 - \frac{3}{2}x^{\frac{1}{2}} = 0$   
 $x^{\frac{1}{2}} = \frac{4}{3}$   
 $x = \frac{16}{9}$   
 $\frac{d^2y}{dx^2} = -\frac{3}{4}x^{-\frac{1}{2}}$ , when  $x = \frac{16}{9}, \frac{d^2y}{dx^2} = -\frac{9}{16}$   
 $\frac{d^2y}{dx^2} < 0 \therefore$  maximum  
**c**
- 6 a**  $\frac{dy}{dx} = 3x^2 - 3$   
 SP:  $3x^2 - 3 = 0$   
 $x^2 = 1$   
 $x = \pm 1$   
 $\therefore (-1, 3)$  and  $(1, -1)$   
**b**  $PQ^2 = 2^2 + 4^2 = 20$   
 $\therefore PQ = \sqrt{20} = 2\sqrt{5}$



7 a  $2x - 5 + \frac{2}{x} = 0$

$$2x^2 - 5x + 2 = 0$$

$$(2x - 1)(x - 2) = 0$$

$$x = \frac{1}{2}, 2$$


b  $f'(x) = 2 - 2x^{-2}$

$$\therefore 2 - 2x^{-2} = 0$$


$$x^2 = 1$$

$$x = \pm 1$$

c



8 a



$$2x + z = 25$$

$$2x + 2y = 40$$

$\therefore$  length and width  $(25 - 2x)$  and  $(20 - x)$

b volume =  $x(25 - 2x)(20 - x)$   
 $= x(500 - 65x + 2x^2)$   
 $= 2x^3 - 65x^2 + 500x$

c  $\frac{dV}{dx} = 6x^2 - 130x + 500$

SP:  $6x^2 - 130x + 500 = 0$

$$2(3x - 50)(x - 5) = 0$$

$$x = 5, \frac{50}{3}$$

$$2x < 25 \quad \therefore x < 12.5$$

$$\therefore x = 5$$

d max volume =  $1125 \text{ cm}^3$

$$\frac{d^2V}{dx^2} = 12x - 130$$

when  $x = 5$ ,  $\frac{d^2V}{dx^2} = -70$

$$\frac{d^2V}{dx^2} < 0 \quad \therefore \text{maximum}$$

9 a  $\frac{dy}{dx} = 9 + 6x - 3x^2$

SP:  $9 + 6x - 3x^2 = 0$

$$-3(x + 1)(x - 3) = 0$$

$$x = -1, 3$$

$$\therefore (-1, -3) \text{ and } (3, 29)$$

b  $\frac{d^2y}{dx^2} = 6 - 6x$

$(-1, -3)$ :  $\frac{d^2y}{dx^2} = 12 \quad \therefore$  minimum

$(3, 29)$ :  $\frac{d^2y}{dx^2} = -12 \quad \therefore$  maximum

c  $-3 < k < 29$

10 a  $f(-1) = 15$

$$\therefore -4 + a + 12 + b = 15$$

$$a + b = 7 \quad (1)$$

b  $f(2) = 42$

$$\therefore 32 + 4a - 24 + b = 42$$

$$4a + b = 34 \quad (2)$$

$$(2) - (1) \quad 3a = 27$$

$$\therefore a = 9, b = -2$$

c  $f(x) = 4x^3 + 9x^2 - 12x - 2$

$$f'(x) = 12x^2 + 18x - 12$$

SP:  $12x^2 + 18x - 12 = 0$

$$2x^2 + 3x - 2 = 0$$

$$(2x - 1)(x + 2) = 0$$

$$x = -2, \frac{1}{2}$$

$$\therefore (-2, 26) \text{ and } \left(\frac{1}{2}, -\frac{21}{4}\right)$$