

C4 INTEGRATION

Worksheet O

1 a Express $\frac{1}{x^2-3x+2}$ in partial fractions. (3)

b Show that

$$\int_3^4 \frac{1}{x^2-3x+2} dx = \ln \frac{a}{b},$$

where a and b are integers to be found. (5)

2 Evaluate

$$\int_0^{\frac{\pi}{6}} \cos x \cos 3x dx. \quad (6)$$


3 a Find the quotient and remainder obtained in dividing $(x^2 + x - 1)$ by $(x - 1)$. (3)

b Hence, show that

$$\int \frac{x^2+x-1}{x-1} dx = \frac{1}{2}x^2 + 2x + \ln|x-1| + c,$$

where c is an arbitrary constant. (2)

4



The diagram shows the curve with equation $y = 2 - \frac{1}{\sqrt{x}}$.

The shaded region bounded by the curve, the x -axis and the lines $x = 1$ and $x = 4$ is rotated through 360° about the x -axis to form the solid S .

a Show that the volume of S is $2\pi(2 + \ln 2)$. (6)

S is used to model the shape of a container with 1 unit on each axis representing 10 cm.

b Find the volume of the container correct to 3 significant figures. (2)

5 a Use integration by parts to find $\int x \ln x dx$. (4)

b Given that $y = 4$ when $x = 2$, solve the differential equation

$$\frac{dy}{dx} = xy \ln x, \quad x > 0, \quad y > 0,$$

and hence, find the exact value of y when $x = 1$. (5)


6 a Evaluate $\int_0^{\frac{\pi}{3}} \sin x \sec^2 x dx$. (4)

b Using the substitution $u = \cos \theta$, or otherwise, show that

$$\int_0^{\frac{\pi}{4}} \frac{\sin \theta}{\cos^4 \theta} d\theta = a + b\sqrt{2},$$

where a and b are rational. (6)

7



The diagram shows part of the curve with parametric equations

$$x = 2t + 1, \quad y = \frac{1}{2-t}, \quad t \neq 2.$$

The shaded region is bounded by the curve, the coordinate axes and the line $x = 3$.

- a** Find the value of the parameter t at the points where $x = 0$ and where $x = 3$. (2)
- b** Show that the area of the shaded region is $2 \ln \frac{5}{2}$. (5)
- c** Find the exact volume of the solid formed when the shaded region is rotated completely about the x -axis. (5)

- 8 a** Using integration by parts, find

$$\int 6x \cos 3x \, dx. \quad (5)$$

- b** Use the substitution $x = 2 \sin u$ to show that

$$\int_0^{\sqrt{3}} \frac{1}{\sqrt{4-x^2}} \, dx = \frac{\pi}{3}. \quad (5)$$

- 9** In an experiment to investigate the formation of ice on a body of water, a thin circular disc of ice is placed on the surface of a tank of water and the surrounding air temperature is kept constant at -5°C .

In a model of the situation, it is assumed that the disc of ice remains circular and that its area, $A \text{ cm}^2$ after t minutes, increases at a rate proportional to its perimeter.

- a** Show that

$$\frac{dA}{dt} = k\sqrt{A},$$

where k is a positive constant. (3)

- b** Show that the general solution of this differential equation is

$$A = (pt + q)^2,$$

where p and q are constants. (4)

Given that when $t = 0$, $A = 25$ and that when $t = 20$, $A = 40$,

- c** find how long it takes for the area to increase to 50 cm^2 . (5)

10

$$f(x) \equiv \frac{5x+1}{(1-x)(1+2x)}.$$

- a** Express $f(x)$ in partial fractions. (3)
- b** Find $\int_0^{\frac{1}{2}} f(x) \, dx$, giving your answer in the form $k \ln 2$. (4)
- c** Find the series expansion of $f(x)$ in ascending powers of x up to and including the term in x^3 , for $|x| < \frac{1}{2}$. (6)