

# Mark Scheme (Results)

January 2012

GCE Decision D1 (6689) Paper 1

Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our website at [www.edexcel.com](http://www.edexcel.com).

If you have any subject specific questions about the content of this Mark Scheme that require the help of a subject specialist, you may find our **Ask The Expert** email service helpful.

Ask The Expert can be accessed online at the following link:  
<http://www.edexcel.com/Aboutus/contact-us/>

January 2012

Publications Code UA030319

All the material in this publication is copyright

© Pearson Education Ltd 2012

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

# EDEXCEL GCE MATHEMATICS

## General Instructions for Marking

1. The total number of marks for the paper is 75.
2. The Edexcel Mathematics mark schemes use the following types of marks:
  - **M** marks: method marks are awarded for 'knowing a method and attempting to apply it', unless otherwise indicated.
  - **A** marks: Accuracy marks can only be awarded if the relevant method (M) marks have been earned.
  - **B** marks are unconditional accuracy marks (independent of M marks)
  - Marks should not be subdivided.
3. Abbreviations

These are some of the traditional marking abbreviations that will appear in the mark schemes and can be used if you are using the annotation facility on ePEN.

- bod – benefit of doubt
  - ft – follow through
  - the symbol  $\checkmark$  will be used for correct ft
  - cao – correct answer only
  - cso – correct solution only. There must be no errors in this part of the question to obtain this mark
  - isw – ignore subsequent working
  - awrt – answers which round to
  - SC: special case
  - oe – or equivalent (and appropriate)
  - dep – dependent
  - indep – independent
  - dp decimal places
  - sf significant figures
  - \* The answer is printed on the paper
  - $\square$  The second mark is dependent on gaining the first mark
4. All A marks are 'correct answer only' (cao.), unless shown, for example, as A1 ft to indicate that previous wrong working is to be followed through. After a misread however, the subsequent A marks affected are treated as A ft, but manifestly absurd answers should never be awarded A marks.

## General Principles for Core Mathematics Marking

(But note that specific mark schemes may sometimes override these general principles).

### Method mark for solving 3 term quadratic:

#### 1. Factorisation

$(x^2 + bx + c) = (x + p)(x + q)$ , where  $|pq| = |c|$ , leading to  $x = \dots$

$(ax^2 + bx + c) = (mx + p)(nx + q)$ , where  $|pq| = |c|$  and  $|mn| = |a|$ , leading to  $x = \dots$

#### 2. Formula

Attempt to use correct formula (with values for  $a$ ,  $b$  and  $c$ ), leading to  $x = \dots$

#### 3. Completing the square

Solving  $x^2 + bx + c = 0$  :  $(x \pm \frac{b}{2})^2 \pm q \pm c$ ,  $q \neq 0$ , leading to  $x = \dots$

### Method marks for differentiation and integration:

#### 1. Differentiation

Power of at least one term decreased by 1. ( $x^n \rightarrow x^{n-1}$ )

#### 2. Integration

Power of at least one term increased by 1. ( $x^n \rightarrow x^{n+1}$ )

### Use of a formula

Where a method involves using a formula that has been learnt, the advice given in recent examiners' reports is that the formula should be quoted first.

Normal marking procedure is as follows:

Method mark for quoting a correct formula and attempting to use it, even if there are mistakes in the substitution of values.

Where the formula is not quoted, the method mark can be gained by implication from correct working with values, but may be lost if there is any mistake in the working.

**January 2012**  
**6689 Decision Mathematics D1**  
**Mark Scheme**

Question Number	Scheme	Marks
Q1	<p>(a) DC, EG, CF, reject DF; AD, BC, reject AB, BE, reject EF and FG, DH</p> <p>(b) AD, DC, CF, CB; BE; EG, DH</p> <p>(c)</p> <div style="text-align: center;"> </div> <p>(d)</p> <p style="text-align: center;">Weight of tree = 148 (km)</p>	<p>M1; A1 A1    <b>3</b></p> <p>M1;A1; A1    <b>3</b></p> <p>B1    <b>1</b></p> <p>B1    <b>1</b> <b>Total 8</b></p>

**Notes**

- a1M1: First three arcs correctly chosen and DF rejected. Accept weights for all 3 marks.
- Special case: If all 7 arcs, in correct order, but no rejections seen at all, then award M1 only.
- a1A1: All arcs/weights in tree selected correctly at correct time.
- a2A1: All rejections correct and at the right time.
- b1M1: First four arcs/weights correctly chosen, or first five nodes ADCFB chosen in order.
- Special case : If Prim but not starting at A please send to review.
- b1A1: First five arcs/weights correctly chosen, or all nodes in order A, D, C, F, B, E, G, H.
- b2A1: CSO (must be arcs/weights). E.g no 'reject' arcs
- c1B1: CAO mark what you see at (c).
- d1B1: CAO mark what you see at (d).

Question Number	Scheme	Marks
Q2	<p>(a) <math>BD + EF = 10 + 17 = 27</math>  <math>BE + DF = 15 + 10 = 25 \leftarrow</math>  <math>BF + DE = 20 + 14 = 34</math>  Repeat <b>arcs</b> BC, CE and DF  Length of route = <math>129 + 25 = 154</math></p> <p>(b) We add BF(12) to the network so only have to repeat DE (14)  Length of route is therefore <math>129 + 12 + 14 = 155</math>  <math>155 &gt; 154</math> so his route would be increased</p>	<p>M1 A1  A1  A1  A1ft  B1ft  <b>6</b></p> <p>M1  A1 <b>2</b></p> <p>Total 8</p>

**Notes**

- a1M1: Three pairings of their four odd nodes
- a1A1: One row correct including pairing and total
- a2A1: Two rows correct including pairing and total
- a3A1: Three rows correct including pairing and total
- a4A1ft: Their smallest repeated **arcs**, (accept BCE).
- a1B1ft:  $129 +$  their least out of a choice of at least two possible, distinct, pairings.
- b1M1: DE identified, using/repeating  $12 +$  their DE [ft from (a)]
- b1A1: CAO, conclusion, numerical argument e.g. ref to 155 or 26 etc.

Question Number	Scheme	Marks
Q3	<p>(a) A bipartite graph consists of two sets of vertices X and Y. The edges only join vertices in X to vertices in Y, not vertices within a set.</p> <p>(b) A Matching is the pairing of some or all of the elements of one set, X, with elements of a second set, Y.</p> <p>(c) Alternating path: <math>J - 4 = E - 2 = C - 3</math> Change status: <math>J = 4 - E = 2 - C = 3</math>  <math>C = 3, E = 2, G = 1, H = 6, J = 4, (S \text{ unmatched})</math></p> <p>(d) Alternating path: <math>S - 6 = H - 3 = C - 2 = E - 5</math> Change status: <math>S = 6 - H = 3 - C = 2 - E = 5</math>  <math>C = 2, E = 5, G = 1, H = 3, J = 4, S = 6</math></p>	<p>B2,1,0 <b>2</b></p> <p>B2,1,0 <b>2</b></p> <p>M1 A1 <b>3</b></p> <p>M1 A1 <b>3</b></p> <p><b>Total 10</b></p>

**Notes**

a1B1: 2 sets of vertices

a2B1: arcs must go from one set into the other.

b1B1: pairing or one to one.

b2B1: element(s) from 1 set with element(s) of the other.

c1M1: Path from J to 3 - or vice versa

c1A1: CAO including change status (stated or shown), chosen path clear.

c2A1: CAO unambiguous. Must fit from stated path, diagram ok

d1M1: Path from S to 5 (or vice versa)

d1A1: CAO including change status (stated or shown), but only penalise once per question, chosen path clear.

d2A1: CAO unambiguous. Must fit from stated paths, diagram ok. Must have both M's.



Question Number	Scheme	Marks
Q4	<p>(a)</p> <p>(b)</p> <p style="text-align: center;">ACHFIJ 114 minutes</p> <p>Route: ABEGIJ length 115 (minutes)</p>	<p>M1 A1(BCH) A1ft(DE) A1ft(FG) A1(IJ)</p> <p>B1 B1ft 7</p> <p>B1, B1 2 Total 9</p>

**Notes**

In (a) Accept any rising sequence for order of labelling. Order of working values is crucial.

a1M1: Big replaced by small in working values at least once at D or F or I or J.

a1A1: A, B, C, H boxes all correct, condone lack of 0 in A's working value

a2A1ft: E and D ft, based on their order of labelling. Penalise order of labelling only once.

a3A1ft: G and F ft, based on their order of labelling. Penalise order of labelling only once.

a4A1: I and J CAO. Penalise order of labelling only once.

a1B1: Route CAO

a2B1ft: 114, or their final value ft.

b1B1: route CAO.

b2B1: length CAO.

Question Number	Scheme	Marks
Q5		
(a)	Bin 1: 5, 1, 8, 5 Bin 2: 13, 2 Bin 3: 16 Bin 4: 8, 12 Bin 5: 15 Bin 6: 10	M1 (1 <sup>st</sup> 6 terms) A1(next 3) A1 <b>3</b>
(b)	E.g Bubbling left to right (see alts) 5 1 8 13 16 5 8 2 15 12 10 5 8 13 16 5 8 2 15 12 10 1 8 13 16 5 8 5 15 12 10 2 1 13 16 8 8 5 15 12 10 5 2 1 16 13 8 8 15 12 10 5 5 2 1 16 13 8 15 12 10 8 5 5 2 1 16 13 15 12 10 8 8 5 5 2 1 16 15 13 12 10 8 8 5 5 2 1 + 'sorted'	M1 A1  A1ft  A1ft  A1 <b>5</b>
(c)	Bin 1: 16, 2, 1 Bin 2: 15, 5 Bin 3: 13, 5 Bin 4: 12, 8 Bin 5: 10, 8	M1 (to 8s) A1 (to 5s) A1 <b>3</b>
(d)	E. g. $\frac{95}{20} = 4.75$ so a minimum of 5 bins needed.	M1 A1 <b>2</b> <b>Total 13</b>

- Notes**
- a1M1: Bin 1 correct 13 and 16 in bins 2 and 3.
  - a1A1: Bin 2 correct 8 in bin 4.
  - a2A1: CAO
  - b1M1: End number (greatest/least) in place. Consistent direction throughout.
  - b1A1: first pass correct.
  - b2A1ft: 2<sup>nd</sup> and 3<sup>rd</sup> passes correct – so end three numbers in place.
  - b3A1ft: 4<sup>th</sup> and 5<sup>th</sup> passes correct – so end five numbers in place.
  - b4A1: cso including 'sorted', or extra pass (es), ruling off, boxed, ticked etc.
  - c1M1: Bins 4 and 5 correct, others started.
  - Special case: If list at end of (b) wrong give M1 only for their 1<sup>st</sup> 7 terms placed correctly.
  - c1A1: Bins 2 and 3 correct up to the 5s.
  - c2A1: cao
  - d1M1: Numerical argument. E.g. Attempt to find lower bound o.e., consideration of 'spare room'. Etc. (Accept '5 items  $\geq 10$ ' o.e for M1 only)
  - d1A1: correct numerical argument; conclusion (the yes/no) may follow from (c).

**Alternatives for Question 5(b)**

**Right to left**

5	1	8	13	16	5	8	2	15	12	10	<b>1M1</b>
16	5	1	8	13	15	5	8	2	12	10	<b>1A1</b>
16	15	5	1	8	13	12	5	8	2	10	
16	15	13	5	1	8	12	10	5	8	2	<b>2A1ft</b>
16	15	13	12	5	1	8	10	8	5	2	
16	15	13	12	10	5	1	8	8	5	2	<b>3A1ft</b>
16	15	13	12	10	8	5	1	8	5	2	
16	15	13	12	10	8	8	5	1	5	2	
16	15	13	12	10	8	8	5	5	1	2	
16	15	13	12	10	8	8	5	5	2	1 + Stop	<b>4A1</b>


**Misreads – allow recovery if list reversed.**

**Left to right ascending**

5	1	8	13	16	5	8	2	15	12	10	<b>1M1</b>
1	5	8	13	5	8	2	15	12	10	16	<b>1A1</b>
1	5	8	5	8	2	13	12	10	15	16	
1	5	5	8	2	8	12	10	13	15	16	<b>2A1ft</b>
1	5	5	2	8	8	10	12	13	15	16	
1	5	2	5	8	8	10	12	13	15	16	<b>3A1ft</b>
1	2	5	5	8	8	10	12	13	15	16 + stop	<b>4A1</b>

**Right to Left ascending**

5	1	8	13	16	5	8	2	15	12	10	<b>1M1</b>
1	5	2	8	13	16	5	8	10	15	12	<b>1A1</b>
1	2	5	5	8	13	16	8	10	12	15	
1	2	5	5	8	8	13	16	10	12	15	<b>2A1ft</b>
1	2	5	5	8	8	10	13	16	12	15	
1	2	5	5	8	8	10	12	13	16	15	<b>3A1ft</b>
1	2	5	5	8	8	10	12	13	15	16 + stop	<b>4A1</b>

Question Number	Scheme	Marks
Q6		
(a)	(Edgar should plant) at least 40 apple trees. (Edgar should plant) at most 50 plum trees.	B1 <b>1</b>
(b)		B1 B1 B1ft B1 <b>4</b>
(c)		B1 <b>1</b>
(d)		M1 A1 DM1 A1 <b>4</b>
(e)	<p>(P = ) <math>60x + 20y</math></p> <p>Drawing objective line Calculating optimal point (72, 36)</p> <p>(£) 5 040</p>	B1 <b>1</b> <b>Total 11</b>

**Q6 Notes:**

a1B1: CAO, both. Must be  $\leq$  and  $\geq$  not  $<$  and  $>$ .

b1B1:  $3x + 4y = 360$  CAO. If extended it must go axis to axis within one small square. Must be long enough to form the correct feasible region. Lines should be drawn with a ruler.

b2B1:  $x = 2y$  If extended must go through  $(0,0)$  and  $(120, 60)$  within one small square. Must be long enough to form the correct feasible region. Lines should be drawn with a ruler.

b3B1ft: fit their lines for correct shading on one of their lines. Implicit if R is correct.

b4B1: Region R correct, CAO. Must be labelled.

c1B1: CAO

d1M1: Drawing objective line or its reciprocal.

d1A1: Correct objective line. Axis to axis  $(0, 30)$  to  $(10, 0)$  minimum.

d2DM1: Depends on 1<sup>st</sup> M and correct region. Finding their correct optimal point.

d2A1: CSO

e1B1: CAO

**The vertices in R are:**

**$(40, 20)$   $(40, 50)$   $(53\frac{1}{3}, 50)$   $(72, 36)$**

Question Number	Scheme	Marks
Q7		
(a)(i)	I depends on B, E and F only, K depends on B, E, F <b>and</b> D	B1 DB1
(ii)	This is so that G and H will not share the same start and end events. So that G and H can be uniquely described in terms of their end events.	B1
		<b>3</b>
(b)		
		M1 A1
		M1 A1
		<b>4</b>
(c)		
		M1 A1ft
		B1
		<b>3</b>
(d)		
	Total float on D = $18 - 5 - 6 = 7$	M1 A1cso
(e)	Total float on G = $17 - 4 - 7 = 6$	<b>2</b>
		M1 A1
	Lower bound = $\frac{59}{21} = 3$ workers	M1 A1
		<b>4</b>
		<b>Total 16</b>

### Q7 Notes

ai1B1: K, I, D and at least one of B, E, F referred to. Correct statement but maybe incomplete give bod here.

ai2DB1: Clear correct statement. No bod.

aii3B1: correct statement referring to either events or activities. ('unique' alone not enough)

b1M1: All top boxes complete, values generally increasing left to right, condone one rogue

b1A1: CAO

b2M1: All bottom boxes complete, values generally decreasing R to L, condone one rogue

b2A1: CAO

c1M1: Correct calculation seen once, all three numbers correct (ft).

c1A1ft: one float ( $\geq 0$ ) correct.

c1B1: Both floats correct (independent of working)

d1M1: Attempt to calculate a lower bound. [51-67 / their finish time]. Accept awrt 2.81

d1A1: CSO.

e1M1: At least 7 activities including at least 4 floats. Do not accept scheduling diagram.

e1A1: Critical activities dealt with correctly

e2M1: All 11 activities including at least 8 floats

e2A1: Non-critical activities dealt with correctly

Further copies of this publication are available from  
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467

Fax 01623 450481

Email [publication.orders@edexcel.com](mailto:publication.orders@edexcel.com)

Order Code UA030319 January 2012

For more information on Edexcel qualifications, please visit  
[www.edexcel.com/quals](http://www.edexcel.com/quals)

Pearson Education Limited. Registered company number 872828  
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual  




Llywodraeth Cynulliad Cymru  
Welsh Assembly Government



Rewarding Learning