



GCE

Mathematics (MEI)

Unit **4771**: Decision Mathematics 1

Advanced Subsidiary GCE

Mark Scheme for June 2014

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.


OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2014

4771

Mark Scheme

June 2014


Question	Answer	Marks	Guidance
1 (i)		M1 A1	12 vertices connectivity (all 18 arcs and no extras)
(ii)	4 (or “>2” or “multiple” ... not “some”) odd nodes ... top steps, pool, front steps, olive ... so neither Eulerian nor semi-Eulerian., but not just “not Eulerian”. (This terminology not required.)	B1	
(iii)	start/end at pool/top steps, or vice versa e.g. po–pd–fd–po–pa–pd–bd–fd–fs–gat–ol–fs–ol–gar–bd–pa–ts–fi–or–ts (20 nodes, 19 arcs) path from front steps to the olive tree	M1 A1 B1	must be stated
(iv)	Possible answer: No repetition of any arc needed Start/stop are front steps/olive Alternative answer: By repeating fs/ol or ol/fs ... can start and stop at same point, e.g. front door.	M1 A1 (M1) (A1)	

4771

Mark Scheme

June 2014

Question		Answer	Marks	Guidance
2	(i)	e.g. 0,1,2 → coffee 3,4,5,6,7,8 → tea (9 → reject and redraw)	M1 A1	reject proportions + efficient, ie using 9 digits (so allow 00, 01, ..., 09)
	(ii)	Ten simulated coffees or teas, corresponding to their rule and the given random digits. e.g. TCCTCTTCTC e.g. CTTTTCTTCT	B1	
	(iii)	e.g. Coffee at breakfast 00-54 → coffee 55-99 → tea Tea at breakfast 00-14 → tea 15-99 → coffee	B1 B1	Breakfast drink must be specified. Breakfast drink must be specified.
	(iv)	Ten simulated coffees or teas, using answers to part (ii) to define which rule to use. e.g. CCTCCCCCTC e.g. CCTCCTCCCC e.g. CCCCTTCCCT	M1 A1	first 4, ref part (ii) ft errors in (ii)
	(v)	Accumulating and computing the proportion. e.g. C - 65%	B1	ft

Question	Answer	Marks	Guidance																																																	
3 (i)	<p>ACD is $7+2 = 9 (< 12)$ or AFD is $3+8 = 11 (< 12)$</p> <p>AD could be via some point of interest, or over difficult terrain, or ... The triangle inequality applies to triangles!</p>	B1 B1	needs numerical justification																																																	
3 (ii)	<table border="1" data-bbox="421 448 1216 885"> <thead> <tr> <th></th> <th>A 1</th> <th>B 3</th> <th>C 4</th> <th>D 5</th> <th>E (6)</th> <th>F 2</th> </tr> </thead> <tbody> <tr> <th>A</th> <td></td> <td>6</td> <td>7</td> <td>12</td> <td></td> <td>3</td> </tr> <tr> <th>B</th> <td>6</td> <td></td> <td>10</td> <td></td> <td>8</td> <td></td> </tr> <tr> <th>C</th> <td>7</td> <td>10</td> <td></td> <td>2</td> <td></td> <td></td> </tr> <tr> <th>D</th> <td>12</td> <td></td> <td>2</td> <td></td> <td>9</td> <td>8</td> </tr> <tr> <th>E</th> <td></td> <td>8</td> <td></td> <td>9</td> <td></td> <td></td> </tr> <tr> <th>F</th> <td>3</td> <td></td> <td></td> <td>8</td> <td></td> <td></td> </tr> </tbody> </table> <p style="text-align: center;">or transpose</p>  <p style="text-align: right;">26 (miles)</p>		A 1	B 3	C 4	D 5	E (6)	F 2	A		6	7	12		3	B	6		10		8		C	7	10		2			D	12		2		9	8	E		8		9			F	3			8			M1 M1 M1 A1 B1 B1	<p>starting at and crossing row A (i.e. no selection in row)</p> <p>selecting FA and BA (or first two arcs following wrong start)</p> <p>numbering columns A, F and B (similarly)</p> <p>all correct (dependent on 3 Ms) (can cross all rows)</p> <p>cao (weights not needed)</p> <p>cao</p>
	A 1	B 3	C 4	D 5	E (6)	F 2																																														
A		6	7	12		3																																														
B	6		10		8																																															
C	7	10		2																																																
D	12		2		9	8																																														
E		8		9																																																
F	3			8																																																

4771

Mark Scheme

June 2014

Question	Answer	Marks	Guidance
<p>4 (i) & (ii)</p>	<p>e.g.</p> <p>minimum completion time = 7.5 hours critical activities – A, B, E, F, G (or ABEG + ABEF)</p>	<p>M1 A1 A1 A1 A1 M1 A1√ M1 A1√ B1 B1</p>	<p>Activity on arc Single start and end A, B, C, D (precedences) E (precedences) F and G (all correct) forward pass backward pass time (cao) critical activities (cao)</p>
<p>4 (iii)</p>	<p>e.g.</p> <p>Needs to be clear what is done by whom. This doesn't necessarily require people being labelled ... but might.</p>	<p>B1 B1</p>	<p>not ft must be labelled or to scale (e.g. on the squares provided) Can be written out instead.</p>
<p>4 (iv)</p>	<p>8.0 hours or delay 0.5 hours A, C, D 8.5 hours or delay of 1 hour</p>	<p>B1 B1 B1</p>	<p>cao ISW if needed cao cao ISW if needed</p>

4771

Mark Scheme

June 2014

Question			Answer	Marks	Guidance
5	(a)	(i)	$6 \rightarrow 3 \rightarrow 10 \rightarrow 5 \rightarrow 16 \rightarrow 8 \rightarrow 4 \rightarrow 2 \rightarrow 1 \rightarrow 4 \rightarrow 2 \rightarrow 1 \rightarrow \dots$ (can stop at second “4”)	M1 A1	$6 \rightarrow 3 \rightarrow 10$
5	(a)	(ii)	$256 \rightarrow 128 \rightarrow 64 \rightarrow 32 \rightarrow 16 \rightarrow 8 \rightarrow 4 \rightarrow 2 \rightarrow 1 \rightarrow 4 \rightarrow 2 \rightarrow 1 \rightarrow \dots$ (as above, or can note repetition from “16”)	M1 A1	$256 \rightarrow 128 \rightarrow 64$
5	(a)	(iii)	e.g. Step 25 If n is 1 then stop. (Any step number between 21 and 29, or indicated in some other way.)	B1	ISW, but “Step 35” is wrong.
5	(a)	(iv)	Need to know that all chosen numbers lead to 1.	B1	
5	(b)	(i)	Box 1: 2 1 6 A B C Box 2: 3 3 D E Box 3: 5 F 3 boxes	B1 B1	
5	(b)	(ii)	1 2 3 3 5 6 B A D E F C B A E D F C Box 1: 1 2 3 3 B A D E Box 2: 5 F Box 3: 6 C	B1 B1	sorted increasing
5	(b)	(iii)	(6 5 3 3 2 1) (C F D E A B) (C F E D A B) Box 1: 6 3 1 C D B Box 2: 5 3 2 F E A	M1 A1	placing a “3” or D or E into box 1

4771

Mark Scheme


June 2014

Question			Answer	Marks	Guidance
5	(b)	(iv)	e.g. (for fitting into boxes of size 10) 6 3 3 2 2 2 2 Reducing order/first fit: Box 1: 6 3 Box 2: 3 2 2 2 Box 3: 2 Optimal: Box 1: 6 2 2 Box 2: 3 3 2 2	M1 A1	valid example correctly doing it
5	(b)	(v)	$30 \times (60/6)^2 = 3000$ secs ... 50 minutes	M1 A1	multiplying 30 by a squared value

4771

Mark Scheme

June 2014

Question		Answer	Marks	Guidance
6	(i)	<p>Let x be the number of (10s of) litres of stew and y the number of (10s of) litres of soup that Ian makes.</p> <p>Carrots: $0.15x + 0.1y < 100$, i.e. $3x + 2y < 2000$ Beans: $0.1x + 0.075y < 70$, i.e. $4x + 3y < 2800$ Tomatoes: $0.15x + 0.15y < 110$, i.e. $3x + 3y < 2200$</p>	<p>B1</p> <p>B1</p> <p>B1</p> <p>B1</p> <p>B1</p>	<p>“number of”, referring to soup & stew</p> <p>identification of soup and stew variables</p> <p>-1 each scaling or systematic error, e.g. equalities</p>
6	(ii)	<p>Intercepts are $(666.7, 0)$ and $(0, 1000)$ $(700, 0)$ and $(0, 933.3)$ $(733.3, 0)$ and $(0, 733.3)$</p>  <p>broken axis scores 0 for 6(ii)</p> <p>Ignore “soup” and “stew” labelling on axes unless no variable labelling.</p> <p>-1 if variables swapped in error.</p> <p>-1 if svstematic scaling error (following inequalities in 6(i)).</p> <p>bod shading here</p>	<p>B1</p> <p>B1</p> <p>B1</p> <p>B1</p> <p>B1</p>	<p>axes consistently labelled and scaled</p> <p>line 1</p> <p>line 2</p> <p>line 3 all \surd subject to negative gradients</p> <p>shading giving feasible quadrilateral bounded by axes ... or identified by vertices</p>

4771

Mark Scheme

June 2014

Question		Answer	Marks	Guidance
6	(iii)	<p>Line 2 irrelevant. Comparing at (0, 733.3), (533.3±10, 200±10) and (666.7, 0) (accuracy quoted is for graphical solutions). Max profit at intersection of lines 1 and 3 (533.33,200) with profit £3466.67 (accuracy from 3375 to 3560) (cf £3333.33 and £2933.33)</p> <p>So make 533.33 litres of stew and 200 litres of soup, giving a profit of £3466.67 (3375 – 3560).</p>	<p>M1</p> <p>A1</p> <p>A1</p>	<p>comparing 3 vertices (not origin) or profit line with approximately correct gradient (-5/4)</p> <p>stew and soup (cao)</p> <p>profit (cao)</p>
6	(iv)	<p>Best solution now at (0, 933.3) ... profit £3733.33 (£373.33)</p> <p>So best new solution uses 30 kg extra tomatoes (140 kg total)</p> <p>Extra profit is $£(3733.33 - 3466.67 - 30 \times 2.5) = £191.67$</p>	<p>M1</p> <p>A1</p> <p>A1</p>	<p>30kg (allow 140 new total) cao</p> <p>(allow £3658.33 new total) cao</p>

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; 1 Hills Road, Cambridge, CB1 2EU
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2014

