



ADVANCED GCE
MATHEMATICS (MEI)
 Decision Mathematics 2

4772

Candidates answer on the Answer Booklet

OCR Supplied Materials:

- Answer Booklet (8 pages)
- Graph paper
- MEI Examination Formulae and Tables (MF2)

Other Materials Required:

None

Wednesday 17 June 2009
Morning

Duration: 1 hour 30 minutes



INSTRUCTIONS TO CANDIDATES

- Write your name clearly in capital letters, your Centre Number and Candidate Number in the spaces provided on the Answer Booklet.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully and make sure that you know what you have to do before starting your answer.
- Answer **all** the questions.
- You are permitted to use a graphical calculator in this paper.
- Final answers should be given to a degree of accuracy appropriate to the context.
- Do **not** write in the bar codes.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- You are advised that an answer may receive **no marks** unless you show sufficient detail of the working to indicate that a correct method is being used.
- The total number of marks for this paper is **72**.
- This document consists of **4** pages. Any blank pages are indicated.

- 1 (a) The following was said in a charity appeal on Radio 4 in October 2006.

“It is hard to underestimate the effect that your contribution will make.”

Rewrite the comment more simply in your own words without changing its meaning. [2]

- (b) A machine has three components, A, B and C, each of which is either active or inactive.

- The machine is active if A and B are both active.
- The machine is active if A is inactive and C is active.
- The machine is active if B is inactive and C is active.
- Otherwise the machine is inactive.

The states (active or inactive) of the components and the machine are to be modelled by a combinatorial circuit in which “active” is represented by “true” and “inactive” is represented by “false”.

Draw such a circuit. [7]

- (c) Construct a truth table to show the following.

$$\left[\left((a \wedge b) \vee ((\sim a) \wedge c) \right) \vee ((\sim b) \wedge c) \right] \Leftrightarrow \sim \left[\left((\sim a) \wedge (\sim c) \right) \vee ((\sim b) \wedge (\sim c)) \right] \quad [7]$$

- 2 Zoe is preparing for a Decision Maths test on two topics, Decision Analysis (D) and Simplex (S). She has to decide whether to devote her final revision session to D or to S.

There will be two questions in the test, one on D and one on S. One will be worth 60 marks and the other will be worth 40 marks. Historically there is a 50% chance of each possibility.

Zoe is better at D than at S. If her final revision session is on D then she would expect to score 80% of the D marks and 50% of the S marks. If her final session is on S then she would expect to score 70% of the S marks and 60% of the D marks.

- (i) Compute Zoe’s expected mark under each of the four possible circumstances, i.e. Zoe revising D and the D question being worth 60 marks, etc. [5]
- (ii) Draw a decision tree for Zoe. [5]

Michael claims some expertise in forecasting which question will be worth 60 marks. When he forecasts that it will be the D question which is worth 60, then there is a 70% chance that the D question will be worth 60. Similarly, when he forecasts that it will be the S question which is worth 60, then there is a 70% chance that the S question will be worth 60. He is equally likely to forecast that the D or the S question will be worth 60.

- (iii) Draw a decision tree to find the worth to Zoe of Michael’s advice. [6]

3

- 3 A farmer has 40 acres of land. Four crops, A, B, C and D are available. Crop A will return a profit of £50 per acre. Crop B will return a profit of £40 per acre. Crop C will return a profit of £40 per acre. Crop D will return a profit of £30 per acre. The total number of acres used for crops A and B must not be greater than the total number used for crops C and D.

The farmer formulates this problem as:

$$\text{Maximise } 50a + 40b + 40c + 30d,$$

$$\text{subject to } \begin{aligned} a + b &\leq 20, \\ a + b + c + d &\leq 40. \end{aligned}$$

- (i) Explain what the variables a , b , c and d represent. Explain how the first inequality was obtained. Explain why expressing the constraint on the total area of land as an inequality will lead to a solution in which all of the land is used. [3]
- (ii) Solve the problem using the simplex algorithm. [10]


Suppose now that the farmer had formulated the problem as:

$$\text{Maximise } 50a + 40b + 40c + 30d,$$

$$\text{subject to } \begin{aligned} a + b &\leq 20, \\ a + b + c + d &= 40. \end{aligned}$$

- (iii) Show how to adapt this problem for solution either by the two-stage simplex method or the big-M method. In either case you should show the initial tableau and describe what has to be done next. You should not attempt to solve the problem. [7]

4 The diagram shows routes connecting five cities. Lengths are in km.



- (i) Produce the initial matrices for an application of Floyd's algorithm to find the complete network of shortest distances between the five cities. [4]

The following are the distance and route matrices after the third iteration of Floyd's algorithm.

| | 1 | 2 | 3 | 4 | 5 |
|---|----|----|----|----|----|
| 1 | 44 | 22 | 42 | 15 | 15 |
| 2 | 22 | 44 | 20 | 5 | 23 |
| 3 | 42 | 20 | 40 | 25 | 43 |
| 4 | 15 | 5 | 25 | 10 | 16 |
| 5 | 15 | 23 | 43 | 16 | 30 |

| | 1 | 2 | 3 | 4 | 5 |
|---|---|---|---|---|---|
| 1 | 2 | 2 | 2 | 4 | 5 |
| 2 | 1 | 1 | 3 | 4 | 5 |
| 3 | 2 | 2 | 2 | 2 | 2 |
| 4 | 1 | 2 | 2 | 2 | 5 |
| 5 | 1 | 2 | 2 | 4 | 1 |

- (ii) Perform the fourth iteration. [4]

There are no changes on the fifth iteration, so your answer to part (ii) should give the complete network of shortest distances.

- (iii) Use your matrices to find the shortest distance and route from vertex 3 to vertex 1, and explain how you do it. [5]
- (iv) Draw the complete network of shortest distances, not including the loops. [2]
- (v) Apply the nearest neighbour algorithm to your network in part (iv), starting at vertex 2. Give the length of the Hamilton cycle that is produced.

Interpret the Hamilton cycle in terms of the original diagram and state what the algorithm has achieved. [5]

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations, is given to all schools that receive assessment material and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1PB.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.