

ADVANCED GCE MATHEMATICS

Decision Mathematics 2

QUESTION PAPER

Candidates answer on the printed answer book.

OCR supplied materials:

- Printed answer book 4737
- List of Formulae (MF1)

Other materials required:

Scientific or graphical calculator

4737

Friday 20 May 2011 Afternoon

Duration: 1 hour 30 minutes

INSTRUCTIONS TO CANDIDATES

These instructions are the same on the printed answer book and the question paper.

- The question paper will be found in the centre of the printed answer book.
- Write your name, centre number and candidate number in the spaces provided on the printed answer book. Please write clearly and in capital letters.
- Write your answer to each question in the space provided in the printed answer book. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Answer **all** the questions.
- Do **not** write in the bar codes.
- You are permitted to use a scientific or graphical calculator in this paper.
- Give non-exact numerical answers correct to 3 significant figures unless a different degree of accuracy is specified in the question or is clearly appropriate.

INFORMATION FOR CANDIDATES

This information is the same on the printed answer book and the question paper.

- The number of marks is given in brackets [] at the end of each question or part question on the question paper.
- You are reminded of the need for clear presentation in your answers.
- The total number of marks for this paper is 72.
- The printed answer book consists of **12** pages. The question paper consists of **8** pages. Any blank pages are indicated.

INSTRUCTION TO EXAMS OFFICER / INVIGILATOR

• Do not send this question paper for marking; it should be retained in the centre or destroyed.

2

1 Adam, Barbara and their children Charlie, Donna, Edward and Fiona all want cereal for breakfast. The only cereal in the house is a pack of six individual portions of different cereals.

			Family member					
			A	В	С	D	E	F
Cereal	Cornflakes	(1)	~	~				\checkmark
	Rice pips	(2)			\checkmark	~		
	Wheat biscs	(3)		~		~		
	Oatie bits	(4)					✓	\checkmark
	Choco pips	(5)	√		✓		✓	
	Honey footballs	(6)		\checkmark				

The table shows which family members like each of the cereals in the pack.

(i) Draw a bipartite graph to represent this information.

Adam gives the cornflakes to Fiona, the oatie bits to Edward, the rice pips to Donna, the choco pips to Charlie and the wheat biscs to Barbara. However, this leaves the honey footballs for Adam, which is not a possible pairing.

[1]

- (ii) Draw a second bipartite graph to show this incomplete matching. [1]
- (iii) Construct the shortest possible alternating path from 6 to A and hence find a complete matching between the cereals and the family members. Write down which family member is given each cereal with this complete matching. [2]
- (iv) Adam decides that he wants cornflakes. Construct an alternating path starting at *A*, based on your answer to part (iii) but with Adam being matched to the cornflakes, to find another complete matching. Write down which family member is given each cereal with this matching. [2]

3

2 Granny is on holiday in Amsterdam and has bought some postcards. She wants to send one card to each member of her family. She has given each card a score to show how suitable it is for each family member. The higher the score the more suitable the card is.

			Family member					
			Adam	Barbara	Charlie	Donna	Edward	Fiona
	Painted barges	Р	2	4	2	6	0	4
	Quaint houses	Q	3	5	3	5	3	4
	Reichsmuseum	R	6	7	6	6	6	8
Postcard	Scenic view	S	4	6	4	4	0	4
1 Osteard	Tulips	Т	1	0	1	4	0	5
	University	U	3	4	4	4	3	3
	View from air	V	7	5	7	6	7	5
	Windmills	W	4	6	5	4	5	5

Granny adds two dummy columns, G and H, both with score 0 for each postcard. She then modifies the resulting table so that she can use the Hungarian algorithm to find the matching for which the total score is maximised.

- (i) Explain why the dummy columns were needed, why they should not have positive scores and how the resulting table was modified. [3]
- (ii) Show that, after reducing rows and columns, Granny gets this reduced cost matrix. [3]

	Α	В	С	D	Ε	F	G	H
Р	4	2	4	0	6	2	2	2
Q	2	0	2	0	2	1	1	1
R	2	1	2	2	2	0	4	4
S	2	0	2	2	6	2	2	2
Т	4	5	4	1	5	0	1	1
U	1	0	0	0	1	1	0	0
V	0	2	0	1	0	2	3	3
W	2	0	1	2	1	1	2	2

(iii) Complete the application of the Hungarian algorithm, showing your working clearly. Write down which family member is sent each postcard, and which postcards are not used, to maximise the score.

4

3 Basil runs a luxury hotel. He advertises summer breaks at the hotel in several different magazines. Last summer he won the opportunity to place a full-page colour advertisement in one of four magazines for the price of the usual smaller advertisement. The table shows the expected additional weekly income, in £, for each of the magazines for each possible type of weather. Basil wanted to maximise the additional income.

XX7 /1

		weather			
		Rainy	Sunny		
Magazine	Activity holidays	4000	5000		
	British beaches	1000	7000		
	Country retreats	3000	6000		
	Dining experiences	5000	3000		

- (i) Explain carefully why no magazine choice can be rejected using a dominance argument. [2]
- (ii) Treating the choice of strategies as being a zero-sum game, find Basil's play-safe strategy and show that the game is unstable. [4]
- (iii) Calculate the expected additional weekly income for each magazine choice if the weather is rainy with probability 0.4 and sunny with probability 0.6. [2]

Suppose that the weather is rainy with probability p and sunny with probability 1 - p.

- (iv) Which magazine should Basil choose if the weather is certain to be sunny (p = 0), and which should he choose if the weather is certain to be rainy (p = 1)? [1]
- (v) Graph the expected additional weekly income against *p*. Hence advise Basil on which magazine he should choose for the different possible ranges of values of *p*. [3]

5

Activity	Duration (hours)	Immediate predecessors	Number of workers
A: Choose summerhouse	2	—	2
<i>B</i> : Buy slabs for base	1	-	2
C: Take goods home	2	A, B	2
D: Level ground	3	—	1
E: Lay slabs	2	<i>C</i> , <i>D</i>	2
F: Treat wood	3	С	1
G: Install floor, walls and roof	4	E, F	2
<i>H</i> : Fit windows and door	2	G	1
<i>I</i> : Fit patio rail	1	G	1
J: Fit shelving	1	G	1

4 Jamil is building a summerhouse in his garden. The activities involved, the duration, immediate predecessors and number of workers required for each activity are listed in the table.

- (i) Represent the project by an activity network, using activity on arc. You should make your diagram quite large so that there is room for working. [3]
- (ii) Carry out a forward pass and a backward pass through the activity network, showing the early event times and late event times at the vertices of your network. State the minimum project completion time and list the critical activities. [5]
- (iii) Draw a resource histogram to show the number of workers required each hour when each activity begins at its earliest possible start time. [2]
- (iv) Describe how it is possible for the project to be completed in the minimum project completion time when only four workers are available. [1]
- (v) Describe how two workers can complete the project as quickly as possible. Find the minimum time in which two workers can complete the project. [3]

6

5 The network represents a simplified map of a town centre. On certain days, large numbers of visitors need to travel through the town centre, from S to T. The arcs represent roads and the weights show the maximum number of visitors per hour who can use each road. To find the maximum rate at which visitors can travel through the town centre without any of them being delayed, the problem is modelled as a maximum flow problem.



- (i) Calculate the capacity of the cut that separates $\{S, A, C, G\}$ from $\{B, D, E, F, T\}$. [2]
- (ii) Explain why neither arc SA nor arc ET can be full to capacity. Also explain why the arcs AC and BC cannot simultaneously be full to capacity. [3]
- (iii) Show a flow of 3300 people per hour, and find a cut of capacity 3300. [3]

The direction of flow in *BC* is reversed.

- (iv) Show the excess capacities and potential backflows when there is no flow. [2]
- (v) Without obscuring your answer to part (iv), augment the labels to show a flow of 2000 people per hour along *SBET*. [2]
- (vi) Write down further flow augmenting routes and augment the labels, without obscuring your previous answers, to find the maximum flow from *S* to *T*. [4]
- (vii) Show the maximum flow and explain how you know that this flow is maximal. [3]

6 Set up a dynamic programming tabulation to find the **maximin** route from (0; 0) to (3; 0) on the following directed network. [9]





Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series. If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.