

- 2 Five students attempted five different games, and penalty points were given for any mistakes that they made. The table shows the penalty points incurred by the students.

	Game 1	Game 2	Game 3	Game 4	Game 5
Ali	5	7	3	8	8
Beth	8	6	4	8	7
Cat	6	1	2	10	3
Di	4	4	3	10	7
Ell	4	6	4	7	9

Using the Hungarian algorithm, each of the five students is to be allocated to a different game so that the total number of penalty points is minimised.

- (a) By reducing the **rows first** and then the columns, show that the new table of values is

2	4	0	2	3
4	2	0	1	1
5	0	1	$k$	0
1	1	0	4	2
0	2	0	0	3

and state the value of the constant  $k$ . (3 marks)

- (b) Show that the zeros in the table in part (a) can be covered with three lines, and use augmentation to produce a table where five lines are required to cover the zeros. (3 marks)
- (c) Hence find the possible ways of allocating the five students to the five games with the minimum total of penalty points. (3 marks)
- (d) Find the minimum possible total of penalty points. (1 mark)

- 2** A farmer has five fields. He intends to grow a different crop in each of four fields and to leave one of the fields unused. The farmer tests the soil in each field and calculates a score for growing each of the four crops. The scores are given in the table below.

	Field A	Field B	Field C	Field D	Field E
Crop 1	16	12	8	18	14
Crop 2	20	15	8	16	12
Crop 3	9	10	12	17	12
Crop 4	18	11	17	15	19

The farmer's aim is to maximise the total score for the four crops.

- (a) (i) Modify the table of values by first subtracting each value in the table above from 20 and then adding an extra row of equal values. (1 mark)
- (ii) Explain why the Hungarian algorithm can now be applied to the new table of values to maximise the total score for the four crops. (3 marks)
- (b) (i) By reducing **rows** first, show that the table from part (a)(i) becomes

2	6	10	0	$p$
0	5	12	4	8
8	7	5	0	$q$
1	8	2	4	0
0	0	0	0	0

State the values of the constants  $p$  and  $q$ . (2 marks)

- (ii) Show that the zeros in the table from part (b)(i) can be covered by one horizontal and three vertical lines, and use the Hungarian algorithm to decide how the four crops should be allocated to the fields. (6 marks)
- (iii) Hence find the maximum possible total score for the four crops. (1 mark)

- 2 The times taken, in minutes, for five people,  $A$ ,  $B$ ,  $C$ ,  $D$  and  $E$ , to complete each of five different puzzles are recorded in the table below.

	$A$	$B$	$C$	$D$	$E$
<b>Puzzle 1</b>	16	13	15	16	15
<b>Puzzle 2</b>	14	16	16	14	18
<b>Puzzle 3</b>	14	12	18	13	16
<b>Puzzle 4</b>	15	15	17	12	14
<b>Puzzle 5</b>	13	17	16	14	15

Using the Hungarian algorithm, each of the five people is to be allocated to a different puzzle so that the total time for completing the five puzzles is minimised.

- (a) By reducing the **columns first** and then the rows, show that the new table of values is

3	1	0	4	1
0	$k$	0	1	3
1	0	3	1	2
2	3	2	0	0
0	5	1	2	1

State the value of the constant  $k$ . (2 marks)

- (b) (i) Show that the zeros in the table in part (a) can be covered with one horizontal and three vertical lines. (1 mark)
- (ii) Use augmentation to produce a table where five lines are required to cover the zeros. (2 marks)
- (c) Hence find all the possible ways of allocating the five people to the five puzzles so that the total completion time is minimised. (3 marks)
- (d) Find the minimum total time for completing the five puzzles. (1 mark)
- (e) Explain how you would modify the original table if the Hungarian algorithm were to be used to find the **maximum** total time for completing the five puzzles using five different people. (1 mark)

- 2 A team with five members is training to take part in a quiz. The team members, Abby, Bob, Cait, Drew and Ellie, attempted sample questions on each of the five topics and their scores are given in the table.

	Topic 1	Topic 2	Topic 3	Topic 4	Topic 5
Abby	27	29	25	35	31
Bob	33	22	17	29	29
Cait	23	29	25	33	21
Drew	22	29	29	27	31
Ellie	27	27	19	21	27

For the actual quiz, each topic must be allocated to exactly one of the team members. The maximum total score for the sample questions is to be used to allocate the different topics to the team members.

- (a) Explain why the Hungarian algorithm may be used if each number,  $x$ , in the table is replaced by  $35 - x$ . (2 marks)
- (b) Form a new table by subtracting each number in the table above from 35. Hence show that, by reducing **rows first** then columns, the resulting table of values is as below, stating the values of the constants  $p$  and  $q$ .

8	6	8	0	4
0	11	$p$	4	4
10	4	6	0	12
$q$	2	0	4	0
0	0	6	6	0

(3 marks)

- (c) Show that the zeros in the table in part (b) can be covered with two horizontal and two vertical lines. Hence use the Hungarian algorithm to reduce the table to a form where five lines are needed to cover the zeros. (3 marks)
- (d) (i) Hence find the possible allocations of topics to the five team members so that the total score for the sample questions is maximised. (3 marks)
- (ii) State the value of this maximum total score. (1 mark)

JUNE 2012

- 2 The times taken in minutes for five people, Ann, Baz, Cal, Di and Ez, to complete each of five different tasks are recorded in the table below. Neither Ann nor Di can do task 2, as indicated by the asterisks in the table.

	<b>Ann</b>	<b>Baz</b>	<b>Cal</b>	<b>Di</b>	<b>Ez</b>
<b>Task 1</b>	13	14	15	17	16
<b>Task 2</b>	***	21	21	***	18
<b>Task 3</b>	16	19	19	17	15
<b>Task 4</b>	16	16	18	16	16
<b>Task 5</b>	20	23	22	20	20

Using the Hungarian algorithm, each of the five people is to be allocated to a different task so that the total time for completing the five tasks is minimised.

- (a) By reducing the **rows first** and then the columns, show that the zeros in the new table of values can be covered with four lines. *(3 marks)*
- (b) Use adjustments to produce a table where five lines are required to cover the zeros. *(3 marks)*
- (c) Hence find the possible ways of allocating the five people to the five tasks in the minimum total time. *(3 marks)*
- (d) State the minimum total time for completing the five tasks. *(1 mark)*

JAN 2013

- 3 Four pupils, Wendy, Xiong, Yasmin and Zaira, are each to be allocated a different memory coach from five available coaches: Asif, Bill, Connie, Deidre and Eric. Each pupil has an initial training session with each coach, and a test which scores their improvement in memory-recall produces the following results.

	<b>Asif</b>	<b>Bill</b>	<b>Connie</b>	<b>Deidre</b>	<b>Eric</b>
<b>Wendy</b>	35	38	43	34	37
<b>Xiong</b>	38	37	38	34	36
<b>Yasmin</b>	32	33	31	31	32
<b>Zaira</b>	34	38	35	31	34

- (a) Modify the table of results by subtracting each value from 43. *(1 mark)*
- (b) Use the Hungarian algorithm, reducing the **rows first**, to assign one coach to one pupil so that the total improvement of the four pupils is maximised.

State the total improvement of the four pupils. *(8 marks)*

JUNE 2013

- 3 The table shows the times taken, in minutes, by five people,  $A$ ,  $B$ ,  $C$ ,  $D$  and  $E$ , to carry out the tasks  $V$ ,  $W$ ,  $X$ ,  $Y$  and  $Z$ .

	$A$	$B$	$C$	$D$	$E$
Task $V$	100	110	112	102	95
Task $W$	125	130	110	120	115
Task $X$	105	110	101	108	120
Task $Y$	115	115	120	135	110
Task $Z$	100	98	99	100	102

Each of the five tasks is to be given to a different one of the five people so that the total time for the five tasks is minimised. The Hungarian algorithm is to be used.

- (a) By reducing the **columns first**, and then the rows, show that the new table of values is

0	12	13	2	0
14	21	0	$k$	9
3	10	0	6	23
0	2	6	20	0
0	0	0	0	7

and state the value of the constant  $k$ . (3 marks)

- (b) Show that the zeros in the table in part (a) can be covered with four lines. Use augmentation **twice** to produce a table where five lines are required to cover the zeros. (5 marks)
- (c) Hence find the possible ways of allocating the five tasks to the five people to achieve the minimum total time. (3 marks)
- (d) Find the minimum total time. (1 mark)

JUNE 2014

- 7 The table shows the times taken, in minutes, by four people,  $A$ ,  $B$ ,  $C$  and  $D$ , to carry out the tasks  $W$ ,  $X$ ,  $Y$  and  $Z$ .

Some of the times are subject to the same delay of  $x$  minutes, where  $4 < x < 11$ .

	$A$	$B$	$C$	$D$
Task $W$	$x + 8$	$x + 4$	$x + 6$	$x + 9$
Task $X$	$x + 5$	$x + 3$	$x + 4$	$x + 2$
Task $Y$	$x + 8$	$x + 7$	$x + 5$	$2x + 2$
Task $Z$	$x + 3$	$2x - 3$	12	$x + 1$

Each of the four tasks is to be given to a different one of the four people so that the total time for the four tasks is minimised.

- (a) The minimum time to complete task  $Z$  is  $(x + 1)$ .

Write down the minimum time to complete task  $W$ , task  $X$  and task  $Y$ .

[2 marks]

- (b) Use the Hungarian algorithm, by reducing the **rows** first, to assign each task to a different person so that the total time for the four tasks is minimised.

[7 marks]

- (c) Given that the minimum total time is 42 minutes, find the value of  $x$ .

[2 marks]