



Monday 14 January 2013 – Morning

A2 GCE MATHEMATICS (MEI)

4756/01 Further Methods for Advanced Mathematics (FP2)

QUESTION PAPER

Candidates answer on the Printed Answer Book.

OCR supplied materials:

- Printed Answer Book 4756/01
- MEI Examination Formulae and Tables (MF2)

Other materials required:

Scientific or graphical calculator

Duration: 1 hour 30 minutes

INSTRUCTIONS TO CANDIDATES

These instructions are the same on the Printed Answer Book and the Question Paper.

- The Question Paper will be found in the centre of the Printed Answer Book.
- Write your name, centre number and candidate number in the spaces provided on the Printed Answer Book. Please write clearly and in capital letters.
- Write your answer to each question in the space provided in the Printed Answer Book. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Answer all the questions in Section A and one question from Section B.
- Do not write in the bar codes.
- You are permitted to use a scientific or graphical calculator in this paper.
- Final answers should be given to a degree of accuracy appropriate to the context.

INFORMATION FOR CANDIDATES

This information is the same on the Printed Answer Book and the Question Paper.

- The number of marks is given in brackets [] at the end of each question or part question on the Question Paper.
- You are advised that an answer may receive no marks unless you show sufficient detail
 of the working to indicate that a correct method is being used.
- The total number of marks for this paper is **72**.
- The Printed Answer Book consists of **16** pages. The Question Paper consists of **4** pages. Any blank pages are indicated.

INSTRUCTION TO EXAMS OFFICER/INVIGILATOR

 Do not send this Question Paper for marking; it should be retained in the centre or recycled. Please contact OCR Copyright should you wish to re-use this document.

[7]

Section A (54 marks)

Answer all the questions

- 1 (a) (i) Differentiate with respect to x the equation $a \tan y = x$ (where a is a constant), and hence show that the derivative of $\arctan \frac{x}{a}$ is $\frac{a}{a^2 + x^2}$. [3]
 - (ii) By first expressing $x^2 4x + 8$ in completed square form, evaluate the integral $\int_0^4 \frac{1}{x^2 4x + 8} dx$, giving your answer exactly. [4]
 - (iii) Use integration by parts to find $\int \arctan x \, dx$. [4]
 - (b) (i) A curve has polar equation $r = 2\cos\theta$, for $-\frac{1}{2}\pi \le \theta \le \frac{1}{2}\pi$. Show, by considering its cartesian equation, that the curve is a circle. State the centre and radius of the circle. [5]
 - (ii) Another circle has radius 2 and its centre, in cartesian coordinates, is (0, 2). Find the polar equation of this circle.
- 2 (a) (i) Show that

$$1 + e^{j2\theta} = 2\cos\theta(\cos\theta + j\sin\theta).$$
 [2]

(ii) The series C and S are defined as follows.

$$C = 1 + \binom{n}{1} \cos 2\theta + \binom{n}{2} \cos 4\theta + \dots + \cos 2n\theta$$

$$S = {n \choose 1} \sin 2\theta + {n \choose 2} \sin 4\theta + \dots + \sin 2n\theta$$

By considering C + jS, show that

$$C = 2^n \cos^n \theta \cos n\theta$$

and find a corresponding expression for S.

- (b) (i) Express $e^{j2\pi/3}$ in the form x + jy, where the real numbers x and y should be given exactly. [1]
 - (ii) An equilateral triangle in the Argand diagram has its centre at the origin. One vertex of the triangle is at the point representing 2 + 4j. Obtain the complex numbers representing the other two vertices, giving your answers in the form x + jy, where the real numbers x and y should be given exactly.
 - (iii) Show that the length of a side of the triangle is $2\sqrt{15}$. [2]

© OCR 2013 4756/01 Jan13

[3]

3 You are given the matrix
$$\mathbf{M} = \begin{pmatrix} 1 & 3 & 0 \\ 3 & -2 & -1 \\ 0 & -1 & 1 \end{pmatrix}$$
.

(i) Show that the characteristic equation of M is

$$\lambda^3 - 13\lambda + 12 = 0.$$
 [3]

- (ii) Find the eigenvalues and corresponding eigenvectors of M. [12]
- (iii) Write down a matrix **P** and a diagonal matrix **D** such that

$$\mathbf{M}^n = \mathbf{P}\mathbf{D}\mathbf{P}^{-1}.$$

(You are not required to calculate \mathbf{P}^{-1} .)

Section B (18 marks)

Answer one question

Option 1: Hyperbolic functions

4 (i) Show that the curve with equation

$$y = 3 \sinh x - 2 \cosh x$$

has no turning points.

Show that the curve crosses the x-axis at $x = \frac{1}{2} \ln 5$. Show that this is also the point at which the gradient of the curve has a stationary value. [7]

(iii) Express $(3 \sinh x - 2 \cosh x)^2$ in terms of $\sinh 2x$ and $\cosh 2x$.

Hence or otherwise, show that the volume of the solid of revolution formed by rotating the region bounded by the curve and the axes through 360° about the x-axis is

$$\pi(3-\frac{5}{4}\ln 5)$$
. [9]

Option 2: Investigation of curves

This question requires the use of a graphical calculator.

5 This question concerns the curves with polar equation

$$r = \sec \theta + a \cos \theta, \qquad (*)$$

where a is a constant which may take any real value, and $0 \le \theta \le 2\pi$.

- (i) On a single diagram, sketch the curves for a = 0, a = 1, a = 2. [3]
- (ii) On a single diagram, sketch the curves for a = 0, a = -1, a = -2. [2]
- (iii) Identify a feature that the curves for a = 1, a = 2, a = -1, a = -2 share. [1]
- (iv) Name a distinctive feature of the curve for a = -1, and a different distinctive feature of the curve for a = -2.
- (v) Show that, in cartesian coordinates, equation (*) may be written

$$y^2 = \frac{ax^2}{x - 1} - x^2.$$

Hence comment further on the feature you identified in part (iii).

[5]

(vi) Show algebraically that, when a > 0, the curve exists for 1 < x < 1 + a.

Find the set of values of x for which the curve exists when a < 0. [5]

© OCR 2013 4756/01 Jan13