



ADVANCED GCE
MATHEMATICS
 Further Pure Mathematics 3

4727

Candidates answer on the Answer Booklet

OCR Supplied Materials:

- 8 page Answer Booklet
- List of Formulae (MF1)

Other Materials Required:

- Scientific or graphical calculator

Monday 24 May 2010
Afternoon

Duration: 1 hour 30 minutes



INSTRUCTIONS TO CANDIDATES

- Write your name clearly in capital letters, your Centre Number and Candidate Number in the spaces provided on the Answer Booklet.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully and make sure that you know what you have to do before starting your answer.
- Answer **all** the questions.
- Do **not** write in the bar codes.
- Give non-exact numerical answers correct to 3 significant figures unless a different degree of accuracy is specified in the question or is clearly appropriate.
- You are permitted to use a graphical calculator in this paper.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- **You are reminded of the need for clear presentation in your answers.**
- The total number of marks for this paper is **72**.
- This document consists of **4** pages. Any blank pages are indicated.

1 The line l_1 passes through the points $(0, 0, 10)$ and $(7, 0, 0)$ and the line l_2 passes through the points $(4, 6, 0)$ and $(3, 3, 1)$. Find the shortest distance between l_1 and l_2 . [7]

2 A multiplicative group with identity e contains distinct elements a and r , with the properties $r^6 = e$ and $ar = r^5a$.

(i) Prove that $rar = a$. [2]

(ii) Prove, by induction or otherwise, that $r^n ar^n = a$ for all positive integers n . [4]

3 In this question, w denotes the complex number $\cos \frac{2}{3}\pi + i \sin \frac{2}{3}\pi$.

(i) Express w^2 , w^3 and w^* in polar form, with arguments in the interval $0 \leq \theta < 2\pi$. [4]

(ii) The points in an Argand diagram which represent the numbers

$$1, \quad 1 + w, \quad 1 + w + w^2, \quad 1 + w + w^2 + w^3, \quad 1 + w + w^2 + w^3 + w^4$$

are denoted by A, B, C, D, E respectively. Sketch the Argand diagram to show these points and join them in the order stated. (Your diagram need not be exactly to scale, but it should show the important features.) [4]

(iii) Write down a polynomial equation of degree 5 which is satisfied by w . [1]

4 (i) Use the substitution $y = xz$ to find the general solution of the differential equation

$$x \frac{dy}{dx} - y = x \cos\left(\frac{y}{x}\right),$$

giving your answer in a form without logarithms. (You may quote an appropriate result given in the List of Formulae (MF1).) [6]

(ii) Find the solution of the differential equation for which $y = \pi$ when $x = 4$. [2]

5 Convergent infinite series C and S are defined by

$$C = 1 + \frac{1}{2} \cos \theta + \frac{1}{4} \cos 2\theta + \frac{1}{8} \cos 3\theta + \dots,$$

$$S = \frac{1}{2} \sin \theta + \frac{1}{4} \sin 2\theta + \frac{1}{8} \sin 3\theta + \dots$$

(i) Show that $C + iS = \frac{2}{2 - e^{i\theta}}$. [4]

(ii) Hence show that $C = \frac{4 - 2 \cos \theta}{5 - 4 \cos \theta}$, and find a similar expression for S . [4]

- 6 (i) Find the general solution of the differential equation

$$\frac{d^2y}{dx^2} + 2\frac{dy}{dx} + 17y = 17x + 36. \quad [7]$$

- (ii) Show that, when x is large and positive, the solution approximates to a linear function, and state its equation. [2]

- 7 A line l has equation $\mathbf{r} = \begin{pmatrix} -7 \\ -3 \\ 0 \end{pmatrix} + \lambda \begin{pmatrix} 2 \\ -2 \\ 3 \end{pmatrix}$. A plane Π passes through the points $(1, 3, 5)$ and $(5, 2, 5)$, and is parallel to l .

- (i) Find an equation of Π , giving your answer in the form $\mathbf{r} \cdot \mathbf{n} = p$. [4]

- (ii) Find the distance between l and Π . [4]

- (iii) Find an equation of the line which is the reflection of l in Π , giving your answer in the form $\mathbf{r} = \mathbf{a} + t\mathbf{b}$. [4]

- 8 A set of matrices M is defined by

$$A = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}, \quad B = \begin{pmatrix} \omega & 0 \\ 0 & \omega^2 \end{pmatrix}, \quad C = \begin{pmatrix} \omega^2 & 0 \\ 0 & \omega \end{pmatrix}, \quad D = \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}, \quad E = \begin{pmatrix} 0 & \omega^2 \\ \omega & 0 \end{pmatrix}, \quad F = \begin{pmatrix} 0 & \omega \\ \omega^2 & 0 \end{pmatrix},$$

where ω and ω^2 are the complex cube roots of 1. It is given that M is a group under matrix multiplication.

- (i) Write down the elements of a subgroup of order 2. [1]

- (ii) Explain why there is no element X of the group, other than A , which satisfies the equation $X^5 = A$. [2]

- (iii) By finding BE and EB , verify the closure property for the pair of elements B and E . [4]

- (iv) Find the inverses of B and E . [3]

- (v) Determine whether the group M is isomorphic to the group N which is defined as the set of numbers $\{1, 2, 4, 8, 7, 5\}$ under multiplication modulo 9. Justify your answer clearly. [3]



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations, is given to all schools that receive assessment material and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity. For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.