

# Edexcel Further Maths AS-level

## Further Mechanics 1

### Formula Sheet

Provided in formula book

Not provided in formula book

This work by [PMT Education](https://www.pmt.education) is licensed under [CC BY-NC-ND 4.0](https://creativecommons.org/licenses/by-nc-nd/4.0/)



## Work, Energy and Power

*Work done = Component of force in direction of motion  $\times$  Distance moved in direction of force*

*Work done against gravity =  $mgh$*

*$m$  – mass of particle  
 $g$  – acceleration due to gravity  
 $h$  – vertical distance raised*

*Work done = Change in kinetic energy =  $\frac{1}{2}m(v^2 - u^2)$*

### Work Energy Principle

*Change in the total energy of a particle = Work done on the particle*

Kinetic energy	$K.E = \frac{1}{2}mv^2$
----------------	-------------------------

Potential energy	$P.E = mgh$
------------------	-------------

### Conservation of Mechanical Energy

When no external forces (other than gravity) do work on a particle during motion, the sum of the particle's potential and kinetic energy is constant.

$$KE_{initial} + PE_{initial} = KE_{final} + PE_{final}$$

$$\frac{1}{2}mu^2 + mgh_{initial} = \frac{1}{2}mv^2 + mgh_{final}$$

$$Power = \frac{Work\ done}{Time} = Force \times Velocity$$



## Momentum and Impulse

$$\text{Momentum} = \text{Mass} \times \text{Velocity}$$

$$\text{Impulse} = \text{Force} \times \text{Time}$$

### Impulse-Momentum Principle

$$\text{Impulse} = \text{Change in Momentum} = mv - mu$$

### Conservation of Momentum

Total Momentum Before a Collision = Total Momentum After a Collision

$$m_1u_1 + m_2u_2 = m_1v_1 + m_2v_2$$

## Elastic Collisions in One Dimension

Newton's law of restitution  
( $e$  – coefficient of restitution)

$$\frac{\text{Speed of separation of particles}}{\text{Speed of approach of particles}} = e$$

$$\frac{v_b - v_a}{u_a - u_b} = e$$

For the collision of a particle with a smooth plane:

$$\frac{\text{Speed of rebound}}{\text{Speed of approach}} = \frac{v}{u} = e$$

$$0 \leq e \leq 1$$

$$e = 0$$

Perfectly inelastic collision

$$e = 1$$

Perfectly elastic collision

Loss of kinetic energy due to impact:

$$\left(\frac{1}{2}m_1u_1^2 + \frac{1}{2}m_2u_2^2\right) - \left(\frac{1}{2}m_1v_1^2 + \frac{1}{2}m_2v_2^2\right)$$

