Mechanics 1

Solution Bank



Exercise 5A

- **1 a i** $12\cos 20^\circ = 11.3$ N (3 s.f.)
 - ii $12\cos 70^\circ = 12\sin 20^\circ$ = 4.10 N (3 s.f.)
 - iii (11.3i + 4.10j) N
 - b i $5\cos 90^\circ = 0 N$
 - ii $-5\cos 0^\circ = 5\cos 180^\circ$ = -5 N
 - **iii** 5**j** N
 - c i $-8\cos 50^\circ = -5.14$ N (3 s.f.)
 - ii $8\cos 40^\circ = 6.13$ N (3 s.f.)

iii (-5.14i + 6.13j) N

- d i $-6\cos 50^\circ = -3.86$ N (3 s.f.)
 - ii $-6\cos 40^\circ = -4.60$ N (3 s.f.)

iii (-3.86i - 4.60j) N

- 2 a i $8\cos 60^\circ 6 = -2N$
 - ii $8\cos 30^\circ 0 = 6.93$ N (3 s.f.)
 - **b** i $6\cos 40^\circ + 5\cos 45^\circ = 8.13 \text{ N}(3 \text{ s.f.})$
 - ii $10 + 6\cos 50^\circ 5\cos 45^\circ = 10.3 \text{ N} (3 \text{ s.f.})$
 - c i $P\cos\alpha + Q R\cos(90^\circ \beta) = P\cos\alpha + Q R\sin\beta$
 - ii $P\cos(90^\circ \alpha) R\cos\beta = P\sin\alpha R\cos\beta$

Mechanics 1


Solution Bank

Pearson

3 a Using the cosine rule: $R^2 = 25^2 + 35^2 - (2 \times 25 \times 35 \cos 80^\circ)$ $R^2 = 1850 - 303.88...$ *R* = 39.320... Using the sine rule: $\frac{\sin(\theta - 30^{\circ})}{25} = \frac{\sin 80^{\circ}}{39.320...}$ $\sin(\theta - 30^{\circ}) = \frac{25\sin 80^{\circ}}{39.320...}$

 $(\theta - 30^{\circ}) = 38.765...^{\circ}$

 $\theta = 68.765...^{\circ}$



The resultant force has a magnitude of 39.3 N (3 s.f.) and acts at 68.8° above the horizontal (3 s.f.).

b Using the cosine rule:

$$R^{2} = 20^{2} + 15^{2} - (2 \times 20 \times 15 \cos 105^{\circ})$$

$$R^{2} = 780.29...$$


$$R = 27.933...$$
Using the sine rule:

$$\frac{\sin(15^{\circ} + \theta)}{15} = \frac{\sin 105^{\circ}}{27.933...}$$

$$\sin(15^{\circ} + \theta) = \frac{15 \sin 105^{\circ}}{27.933...}$$

$$(15^{\circ} + \theta) = 31.244...^{\circ}$$


$$\theta = 16.244...^{\circ}$$



The resultant force has a magnitude of 27.9 N (3 s.f.) and acts at 16.2° above the horizontal (3 s.f.).

c Using the cosine rule then the sine rule, as before:

 $R^{2} = 5^{2} + 2^{2} - (2 \times 5 \times 2 \cos 5^{\circ})$ $R^2 = 9.0761...$ *R* = 3.0126... $\frac{\sin(\theta - 50^{\circ})}{2} = \frac{\sin 5^{\circ}}{3.0126...}$ $\sin(\theta-50^\circ)=\frac{2\sin 5^\circ}{3.0126...}$ $(\theta - 50^{\circ}) = 3.3169...$ $\theta = 53.316...^{\circ}$



The resultant force has a magnitude of 3.01 N (3 s.f.) and acts at 53.3° above the horizontal (3 s.f.).

Mechanics 1

Solution Bank



4 a Resolving horizontally: $B\cos\theta = 15\cos 30^\circ + 20\cos 30^\circ$

$$B\cos\theta = 35\frac{\sqrt{3}}{2} \tag{1}$$

Resolving vertically: $B\sin\theta = -15\sin 30^\circ + 20\sin 30^\circ$

$$B\sin\theta = \frac{5}{2} \tag{2}$$

$$(2) \div (1) \Longrightarrow$$
$$\frac{B\sin\theta}{B\cos\theta} = \frac{5}{2} \times \frac{2}{35\sqrt{3}}$$
$$\tan\theta = \frac{1}{7\sqrt{3}}$$
$$\theta = 4.7150...$$

$$(\mathbf{1})^{2} + (\mathbf{2})^{2} \Rightarrow$$

$$B^{2} \left(\cos^{2} \theta + \sin^{2} \theta\right) = \left(35\frac{\sqrt{3}}{2}\right)^{2} + \left(\frac{5}{2}\right)^{2}$$

$$B^{2} = \frac{(35^{2} \times 3) + 25}{4}$$

$$B = \frac{\sqrt{3700}}{2}$$

$$= 30.413...$$

B has a magnitude of 30.4 N (3 s.f.) and acts at 4.72 to the horizontal (3 s.f.).

25 N **b** Resolving horizontally: $B\cos\theta = 25\cos 50^\circ + 10\cos 30^\circ$ $B\cos\theta = 24.729...$ (1) Resolving vertically: $B\sin\theta = -10\sin 30^\circ + 25\sin 50^\circ$ 50% $B\sin\theta = 14.151...$ (2) 30° θ $(2) \div (1) \Rightarrow$ 0N $B\sin\theta$ 14.151... $\overline{B\cos\theta}^{-}$ 24.729... $\tan \theta = 0.57224...$ $\theta = 29.779...$ $(1)^2 + (2)^2 \Longrightarrow$ $B^{2}\left(\cos^{2}\theta + \sin^{2}\theta\right) = 14.151...^{2} + 24.729...^{2}$ $B = \sqrt{811.77...}$ = 28.491...


B has a magnitude of 28.5 N (3 s.f.) and acts at 29.8° below the horizontal (3 s.f.).

Mechanics 1

Solution Bank



4 c Resolving horizontally: $B \cos \theta = 20 \cos 20^{\circ} - 10 \cos 60^{\circ}$ $B \cos \theta = 13.793...$ (1) Resolving vertically: $B \sin \theta = 10 \sin 60^{\circ} - 20 \sin 20^{\circ}$ $B \sin \theta = 1.8198...$ (2)



 $\frac{B\sin\theta}{B\cos\theta} = \frac{1.8195...}{13.793...}$ $\tan\theta = 0.13193...$ $\theta = 7.5157...$

 $(2) \div (1) \Rightarrow$

$$(1)^{2} + (2)^{2} \Rightarrow$$

$$B^{2} (\cos^{2} \theta + \sin^{2} \theta) = 1.8195...^{2} + 13.793...^{2}$$

$$B = \sqrt{193.55...}$$

$$= 13.912...$$

B has a magnitude of 13.9 N (3 s.f.) and acts at 7.52° below the horizontal (3 s.f.).

5 a Using Newton's second law and resolving horizontally: F = ma

$$2\cos 30^\circ = 5a$$
$$2\frac{\sqrt{3}}{2} = 5a$$
$$a = \frac{\sqrt{3}}{5}$$

The box accelerates at $\frac{\sqrt{3}}{5}$ ms⁻²


b Resolving vertically:

 $5g = R + 2\sin 30^{\circ}$ $R = (5 \times 9.8) - 1$ R = 48The normal result

The normal reaction of the box with the floor is 48 N.

6 Using Newton's second law and resolving horizontally: F = ma

$$P\cos 45^{\circ} = 10 \times 2$$
$$P = \frac{20}{\cos 45^{\circ}}$$
$$P = 20\sqrt{2}$$
The force P is $20\sqrt{2}$ N.



R

5 kg

5g

30°

72N

Mechanics 1

Solution Bank



7 Using Newton's second law and resolving horizontally: F = ma $20 \cos 25^\circ = 0.5m$ $m = 2 \times 20 \cos 25^\circ$

$$m = 2 \times 20 \cos 25$$
$$m = 36.252...$$
The mass of the box is 36.3 kg.


8 Resolving vertically: $20g + 2T \sin 60^\circ = 80g$

$$2T\sin 60^{\circ} = 80g - 20g$$
$$2T\frac{\sqrt{3}}{2} = 60g$$
$$T = \frac{60g}{\sqrt{3}} = 20\sqrt{3}g$$
 as required.

9 Resolving vertically: $2 = 12 - F_2 \sin 30^\circ$ $F_2 = \frac{12 - 2}{\sin 30^\circ}$ $F_2 = 20$ Resolving horizontally: $2\sqrt{3} = F_1 - F_2 \cos 30^\circ$ $F_1 = 2\sqrt{3} + 20\cos 30^\circ$ $F_1 = 2\sqrt{3} + \frac{20\sqrt{3}}{2}$

 $F_1 = 12\sqrt{3}$

The forces F_1 and F_2 are $12\sqrt{3}$ N and 20 N respectively.



Mechanics 1

Solution Bank



Challenge Resolving vertically: $5 = F_1 \cos 45^\circ + F_2 \cos 60^\circ$ $5 = \frac{F_1}{\sqrt{2}} + \frac{F_2}{2}$ $\frac{F_1}{\sqrt{2}} = 5 - \frac{F_2}{2}$ (1) Resolving horizontally: $3 = F_1 \sin 45^\circ - F_2 \sin 60^\circ$ $3 = \frac{F_1}{\sqrt{2}} - \frac{F_2\sqrt{3}}{2}$ (2) Substituting $\frac{F_1}{\sqrt{2}} = 5 - \frac{F_2}{2}$ from (1), in (2):

$$\sqrt{2} = 2$$

$$3 = 5 - \frac{F_2}{2} - \frac{F_2\sqrt{3}}{2}$$

$$2 = \frac{F_2}{2} + \frac{F_2\sqrt{3}}{2}$$

$$4 = (\sqrt{3} + 1)F_2$$

$$F_2 = \frac{4}{\sqrt{3} + 1}$$

$$F_2 = \frac{4(\sqrt{3} - 1)}{3 - 1}$$

$$F_2 = 2\sqrt{3} - 2$$

Substituting $F_2 = 2\sqrt{3} - 2$ in (1):

$$\frac{F_1}{\sqrt{2}} = 5 - \left(\frac{2\sqrt{3} - 2}{2}\right)$$

$$\frac{F_1}{\sqrt{2}} = 6 - \sqrt{3}$$

$$F_1 = 6\sqrt{2} - \sqrt{6}$$

The forces F_1 and F_2 are $6\sqrt{2} - \sqrt{6}$ N and $2\sqrt{3} - 2$ N respectively.

