AQA Maths M2 Topic Questions from Papers Kinematics

1 A particle moves in a straight line and at time t has velocity v, where

$$v = 2t - 12e^{-t}, \quad t \ge 0$$

- (i) Find an expression for the acceleration of the particle at time t. (a) (2 marks)
 - State the range of values of the acceleration of the particle. (3 marks)
- (b) When t = 0, the particle is at the origin.

PMT

Find an expression for the displacement of the particle from the origin at time t.

(4 marks)

(Q3, Jan 2006)

A particle moves in a horizontal plane, in which the unit vectors i and i are directed east and 2 north respectively. At time t seconds, its position vector, r metres, is given by

$$\mathbf{r} = (2t^3 - t^2 + 6)\mathbf{i} + (8 - 4t^3 + t)\mathbf{j}$$

- (a) Find an expression for the velocity of the particle at time t. (3 marks)
- Find the velocity of the particle when $t = \frac{1}{3}$. (b) (2 marks)
 - State the direction in which the particle is travelling at this time. (1 mark)
- (c) Find the acceleration of the particle when t = 4. (3 marks)
- The mass of the particle is 6 kg. Find the magnitude of the resultant force on the particle when t = 4. (3 marks)

(Q1, June 2006)

PMT

3 Tom is on a fairground ride.

Tom's position vector, \mathbf{r} metres, at time t seconds is given by

$$r = 2 \cos t i + 2 \sin t j + (10 - 0.4t)k$$

The perpendicular unit vectors \mathbf{i} and \mathbf{j} are in the horizontal plane and the unit vector \mathbf{k} is directed vertically upwards.

Find Tom's position vector when t = 0. (1 mark) (a)

(ii) Find Tom's position vector when $t = 2\pi$. (1 mark)

Write down the first **two** values of t for which Tom is directly below his starting (iii) (2 marks) point.

(b) Find an expression for Tom's velocity at time t.

(3 marks)

Tom has mass 25 kg. (c)

> Show that the resultant force acting on Tom during the motion has constant magnitude. State the magnitude of the resultant force. (5 marks)

(Q5. Jan 2007)

A particle has mass 800 kg. A single force of (2400 i - 4800 t j) newtons acts on the particle 4 at time t seconds. No other forces act on the particle.

Find the acceleration of the particle at time t.

(2 marks)

At time t = 0, the velocity of the particle is $(6\mathbf{i} + 30\mathbf{j}) \,\mathrm{m} \,\mathrm{s}^{-1}$. The velocity of the particle at time t is $v m s^{-1}$.

Show that

$$\mathbf{v} = (6+3t)\mathbf{i} + (30-3t^2)\mathbf{j}$$
 (4 marks)

Initially, the particle is at the point with position vector $(2\mathbf{i} + 5\mathbf{j})$ m.

Find the position vector, \mathbf{r} metres, of the particle at time t.

(5 marks)

(Q3, June 2007)

5 A particle moves in a straight line and at time t it has velocity v, where

$$v = 3t^2 - 2\sin 3t + 6$$

- (a) (i) Find an expression for the acceleration of the particle at time t. (2 marks)
 - (ii) When $t = \frac{\pi}{3}$, show that the acceleration of the particle is $2\pi + 6$. (2 marks)
- When t = 0, the particle is at the origin.

Find an expression for the displacement of the particle from the origin at time t.

(4 marks)

(Q2, Jan 2008)

A particle moves in a horizontal plane under the action of a single force, **F** newtons. The unit vectors **i** and **j** are directed east and north respectively. At time *t* seconds, the position vector, **r** metres, of the particle is given by

$$\mathbf{r} = (t^3 - 3t^2 + 4)\mathbf{i} + (4t + t^2)\mathbf{j}$$

- (a) Find an expression for the velocity of the particle at time t. (2 marks)
- (b) The mass of the particle is 3 kg.
 - (i) Find an expression for \mathbf{F} at time t. (3 marks)
 - (ii) Find the magnitude of **F** when t = 3. (2 marks)
- (c) Find the value of t when \mathbf{F} acts due north. (2 marks) (Q4, Jan 2008)

7 A particle moves in a straight line and at time t seconds has velocity $v \,\mathrm{m}\,\mathrm{s}^{-1}$, where

$$v = 6t^2 + 4t - 7, \quad t \geqslant 0$$

- (a) Find an expression for the acceleration of the particle at time t. (2 marks)
- (b) The mass of the particle is 3 kg.

Find the resultant force on the particle when t = 4. (2 marks)

(c) When t = 0, the displacement of the particle from the origin is 5 metres.

Find an expression for the displacement of the particle from the origin at time t.

(4 marks)

PMT

(Q1, June 2008)

8 A particle moves along a straight line. At time t, it has velocity v, where

$$v = 4t^3 - 8\sin 2t + 5$$

When t = 0, the particle is at the origin.

Find an expression for the displacement of the particle from the origin at time t. (4 marks) (Q1, Jan 2009)

PMT

9 A particle moves on a horizontal plane, in which the unit vectors **i** and **j** are directed east and north respectively.

At time t seconds, the position vector of the particle is \mathbf{r} metres, where

$$\mathbf{r} = \left(2e^{\frac{1}{2}t} - 8t + 5\right)\mathbf{i} + (t^2 - 6t)\mathbf{j}$$

- (a) Find an expression for the velocity of the particle at time t. (3 marks)
- (b) (i) Find the speed of the particle when t = 3. (2 marks)
 - (ii) State the direction in which the particle is travelling when t = 3. (1 mark)
- (c) Find the acceleration of the particle when t = 3. (3 marks)
- (d) The mass of the particle is 7 kg.

Find the magnitude of the resultant force on the particle when t = 3. (3 marks) (Q3, Jan 2009)

A particle moves under the action of a force, **F** newtons. At time t seconds, the velocity, $\mathbf{v} \, \mathbf{m} \, \mathbf{s}^{-1}$, of the particle is given by

$$\mathbf{v} = (t^3 - 15t - 5)\mathbf{i} + (6t - t^2)\mathbf{j}$$

- (a) Find an expression for the acceleration of the particle at time t. (3 marks)
- (b) The mass of the particle is 4 kg.
 - (i) Show that, at time t,

$$\mathbf{F} = (12t^2 - 60)\mathbf{i} + (24 - 8t)\mathbf{j}$$
 (2 marks)

(ii) Find the magnitude of \mathbf{F} when t=2. (4 marks) (Q1, June 2009)

11 A particle moves so that at time t seconds its velocity $\mathbf{v} \, \mathbf{m} \, \mathbf{s}^{-1}$ is given by

$$\mathbf{v} = (4t^3 - 12t + 3)\mathbf{i} + 5\mathbf{j} + 8t\mathbf{k}$$

(a) When t = 0, the position vector of the particle is $(-5\mathbf{i} + 6\mathbf{k})$ metres.

Find the position vector of the particle at time t.

(4 marks)

(b) Find the acceleration of the particle at time t.

(2 marks)

- (c) Find the magnitude of the acceleration of the particle at time t. Do not simplify your answer. (2 marks)
- (d) Hence find the time at which the magnitude of the acceleration is a minimum.

(2 marks)

(e) The particle is moving under the action of a single variable force **F** newtons. The mass of the particle is 7 kg.

(2 manka)

Find the minimum magnitude of **F**.

(2 marks)

(Q4, Jan 2010)

A particle moves along a straight line through the origin. At time t, the displacement, s, of the particle from the origin is given by

$$s = 5t^2 + 3\cos 4t$$

Find the velocity of the particle at time t.

(3 marks)

(Q1, June 2010)

PMT

A particle has mass 200 kg and moves on a smooth horizontal plane. A single horizontal force, $\left(400\cos\left(\frac{\pi}{2}t\right)\mathbf{i} + 600t^2\mathbf{j}\right)$ newtons, acts on the particle at time t seconds.

The unit vectors **i** and **j** are directed east and north respectively.

- (a) Find the acceleration of the particle at time t. (2 marks)
- (b) When t = 4, the velocity of the particle is $(-3\mathbf{i} + 56\mathbf{j}) \,\mathrm{m \, s^{-1}}$. Find the velocity of the particle at time t. (5 marks)
- (c) Find t when the particle is moving due west. (3 marks)
- (d) Find the speed of the particle when it is moving due west. (2 marks)

(Q4, June 2010)

The velocity of a particle at time t seconds is $\mathbf{v} \, \mathbf{m} \, \mathbf{s}^{-1}$, where

$$\mathbf{v} = (4 + 3t^2)\mathbf{i} + (12 - 8t)\mathbf{j}$$

(a) When t = 0, the particle is at the point with position vector $(5\mathbf{i} - 7\mathbf{j})$ m.

Find the position vector, \mathbf{r} metres, of the particle at time t.

(4 marks)

(b) Find the acceleration of the particle at time t.

(2 marks)

(c) The particle has mass 2 kg.

Find the magnitude of the force acting on the particle when t = 1.

(4 marks)

(Q1, Jan 2011)

A particle moves in a horizontal plane under the action of a single force, **F** newtons. The unit vectors **i** and **j** are directed east and north respectively. At time t seconds, the velocity of the particle, $\mathbf{v} \, \mathbf{m} \, \mathbf{s}^{-1}$, is given by

PMT

$$\mathbf{v} = 4e^{-2t}\mathbf{i} + (6t - 3t^2)\mathbf{j}$$

- (a) Find an expression for the acceleration of the particle at time t. (3 marks)
- **(b)** The mass of the particle is 5 kg.
 - (i) Find an expression for the force \mathbf{F} acting on the particle at time t. (2 marks)
 - (ii) Find the magnitude of **F** when t = 0. (2 marks)
- (c) Find the value of t when \mathbf{F} acts due west. (2 marks)
- (d) When t = 0, the particle is at the point with position vector $(6\mathbf{i} + 5\mathbf{j})$ m.

Find the position vector, \mathbf{r} metres, of the particle at time t. (5 marks) (Q3, June 2011)

A particle, of mass 50 kg, moves on a smooth horizontal plane. A single horizontal force

$$[(300t - 60t^2)\mathbf{i} + 100e^{-2t}\mathbf{j}]$$
 newtons

acts on the particle at time t seconds.

The vectors \mathbf{i} and \mathbf{j} are perpendicular unit vectors.

- (a) Find the acceleration of the particle at time t. (2 marks)
- (b) When t = 0, the velocity of the particle is $(7\mathbf{i} 4\mathbf{j}) \,\mathrm{m \, s^{-1}}$. Find the velocity of the particle at time t. (4 marks)
- (c) Calculate the speed of the particle when t=1. (4 marks) (Q2, Jan 2012)

A particle moves in a straight line. At time t seconds, it has velocity $v \,\mathrm{m}\,\mathrm{s}^{-1}$, where

$$v = 6t^2 - 2e^{-4t} + 8$$

and $t \ge 0$.

- (a) (i) Find an expression for the acceleration of the particle at time t. (2 marks)
 - (ii) Find the acceleration of the particle when t = 0.5. (2 marks)
- **(b)** The particle has mass 4 kg.

Find the magnitude of the force acting on the particle when t = 0.5. (1 mark)

(c) When t = 0, the particle is at the origin.

Find an expression for the displacement of the particle from the origin at time t.

(4 marks)

(Q2, June 2012)

A particle moves on a horizontal plane, in which the unit vectors **i** and **j** are perpendicular.

At time t, the particle's position vector, \mathbf{r} , is given by

$$\mathbf{r} = 4\cos 3t\mathbf{i} - 4\sin 3t\mathbf{j}$$

(a) Prove that the particle is moving on a circle, which has its centre at the origin.

(2 marks)

- (b) Find an expression for the velocity of the particle at time t. (2 marks)
- (c) Find an expression for the acceleration of the particle at time t. (2 marks)
- (d) The acceleration of the particle can be written as

$$\mathbf{a} = k\mathbf{r}$$

where k is a constant.

Find the value of k. (2 marks)

(e) State the direction of the acceleration of the particle. (1 mark)

(Q4, June 2012)

A particle moves in a horizontal plane. The vectors \mathbf{i} and \mathbf{j} are perpendicular unit vectors in the horizontal plane. At time t seconds, the velocity of the particle, $\mathbf{v} \, \mathbf{m} \, \mathbf{s}^{-1}$, is given by

$$\mathbf{v} = 12\cos\left(\frac{\pi}{3}t\right)\mathbf{i} - 9t^2\mathbf{j}$$

- (a) Find an expression for the acceleration of the particle at time t. (2 marks)
- (b) The particle, which has mass 4 kg, moves under the action of a single force, F newtons.
 - (2 marks)

PMT

PMT

(i) Find an expression for the force F in terms of t.

,

(ii) Find the magnitude of **F** when t = 3.

- (2 marks)
- (c) When t = 3, the particle is at the point with position vector $(4\mathbf{i} 2\mathbf{j})$ m.

Find the position vector, \mathbf{r} metres, of the particle at time t.

(5 marks)

(Q2, Jan 2013)

A particle, of mass 3 kg, moves along a straight line. At time t seconds, the displacement, s metres, of the particle from the origin is given by

$$s = 8t^3 + 15$$

(a) Find the velocity of the particle at time t.

(2 marks)

- (b) Find the magnitude of the resultant force acting on the particle when t = 2. (4 marks)

 (Q1. June 2013)
- A particle, of mass 10 kg, moves on a smooth horizontal plane. At time t seconds, the acceleration of the particle is given by

$$\{(40t + 3t^2)\mathbf{i} + 20e^{-4t}\mathbf{j}\} \,\mathrm{m}\,\mathrm{s}^{-2}$$

where the vectors \mathbf{i} and \mathbf{j} are perpendicular unit vectors.

(a) At time t = 1, the velocity of the particle is $(6\mathbf{i} - 5e^{-4}\mathbf{j}) \,\mathrm{m}\,\mathrm{s}^{-1}$.

Find the velocity of the particle at time t.

(5 marks)

(b) Calculate the initial speed of the particle.

(3 marks)

(Q3, June 2013)