

Please write clearly in block capitals.	
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature I declare this is my own w	vork.

A-level FURTHER MATHEMATICS

Paper 2

Monday 3 June 2024

Afternoon

Time allowed: 2 hours

Materials

- You must have the AQA Formulae and statistical tables booklet for A-level Mathematics and A-level Further Mathematics.
- You should have a graphical or scientific calculator that meets the requirements of the specification.

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer each question in the space provided for that question.
 If you require extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do **not** write outside the box around each page or on blank pages.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 100.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
TOTAL		



Answer all questions in the spaces provided.

It is given that 1

$$\begin{bmatrix} 2 \\ 1 \\ 3 \end{bmatrix} \bullet \begin{bmatrix} 5 \\ \lambda \\ -6 \end{bmatrix} = 0$$

where λ is a constant.

Find the value of λ

Circle your answer.

[1 mark]

- -28
- -8
- 8
- 28
- 2 The movement of a particle is described by the simple harmonic equation

$$\ddot{x} = -25x$$

where x metres is the displacement of the particle at time t seconds, and \ddot{x} m s⁻² is the acceleration of the particle.

The maximum displacement of the particle is 9 metres.

Find the maximum speed of the particle.

Circle your answer.

[1 mark]

- 15 m s^{-1}
- 45 m s^{-1} 75 m s^{-1}
- 135 m s⁻¹

3	The	function	g	is	defined	by

$$g(x) = \operatorname{sech} x \qquad (x \in \mathbb{R})$$

Which one of the following is the range of $\ensuremath{g}\xspace$?

Tick (✓) one box.

[1 mark]

$$-\infty < g(x) \le -1$$



$$-1 \le g(x) < 0$$



$$0 < g(x) \le 1$$



$$1 \le g(x) \le \infty$$



The function f is a quartic function with real coefficients. 4

The complex number 5i is a root of the equation f(x) = 0

Which **one** of the following **must** be a factor of f(x)?

Circle your answer.

[1 mark]

$$(x^2 - 25)$$

$$(x^2 - 5)$$

$$(x^2 + 5)$$

$$(x^2-25)$$
 (x^2-5) (x^2+5) (x^2+25)



5	The first four terms of the series S can be written as	
	$S = (1 \times 2) + (2 \times 3) + (3 \times 4) + (4 \times 5) +$	
5 (a)	Write an expression, using \sum notation, for the sum of the first n terms of S	[1 mark]
5 (b)	Show that the sum of the first n terms of S is equal to	
	$\frac{1}{3}n(n+1)(n+2)$	[2 marks]



5

6	The cubic equation
	$x^3 + 5x^2 - 4x + 2 = 0$
	has roots α , β and γ
	Find a cubic equation, with integer coefficients, whose roots are 3α , 3β and 3γ [3 marks]
	Turn over for the next question



Do	not	write
ou	tside	e the
	ho	Y

A =	$\begin{bmatrix} p-2 & p \\ 0 & \vdots \\ $	7 – 1 1	$\mathbf{B} = \begin{bmatrix} 1 \\ 0 \end{bmatrix}$	$\begin{bmatrix} 2p-1 \\ 4-p \end{bmatrix}$	
Find the values	of p such th	nat A and B	are commu	tative under ma	trix multiplica
Fully justify you	r answer.				[



8	The vectors a , b , and c are such that $\mathbf{a} \times \mathbf{b} = \begin{bmatrix} 1 \\ \end{bmatrix}$ and $\mathbf{a} \times \mathbf{c} = \begin{bmatrix} 0 \\ \end{bmatrix}$	
	Work out $(\mathbf{a} - 4\mathbf{b} + 3\mathbf{c}) \times (2\mathbf{a})$	
		[4 marks]



Do	not	W	rite
ou	tside	e t	he
	ho	K	

$\frac{\mathrm{d}y}{\mathrm{d}x} = \frac{y^2 - x^2}{2x + 3y}$ Use Euler's step by step method once, and then the midpoint formula $y_{r+1} = y_{r-1} + 2h\mathrm{f}(x_r, y_r), \ x_{r+1} = x_r + h$ once, each with a step length of 0.02, to estimate the value of y when $x = -1.96$ Give your answer to five significant figures.	
$y_{r+1}=y_{r-1}+2h\mathrm{f}(x_r,y_r),\ x_{r+1}=x_r+h$ once, each with a step length of 0.02, to estimate the value of y when $x=-1.96$ Give your answer to five significant figures.	
once, each with a step length of 0.02, to estimate the value of y when $x = -1.96$ Give your answer to five significant figures.	
Give your answer to five significant figures.	
[4 ma	rks]



9

Turn over for the next question
rum over for the next question



Do	not	write
ou	tside	e the
	box	X

)	The matrix C is defined by	
	$\mathbf{C} = \begin{bmatrix} 3 & 2 \\ -4 & 5 \end{bmatrix}$	
	Prove that the transformation represented by C has no invariant lines	
	of the form $y = kx$	F4
		[4 mark



Do	not	write
ou	tside	e the
	box	X

11	Latifa and Sam are studying polynomial equations of degree greater than 2, with real coefficients and no repeated roots.
	Latifa says that if such an equation has exactly one real root, it must be of degree 3
	Sam says that this is not correct.
	State, giving reasons, whether Latifa or Sam is right. [3 marks]

Turn over for the next question



Do	not	ν	vrit	(
ou	tside	Э	th	θ
	ho	v		

12	The transformation S is represented by the matrix $\mathbf{M} = \begin{bmatrix} 1 & -6 \\ 2 & 7 \end{bmatrix}$	
	The transformation T is a reflection in the line $y=x\sqrt{3}$ and is represented by the matrix N	
	The point $P(x, y)$ is transformed first by S, then by T	
	The result of these transformations is the point $Q(3, 8)$	
	Find the coordinates of P	
	Give your answers to three decimal places.	[5 marks]



		Do not write
		outside the box
_		
_		
	Turn over for the next question	
	Talli o tol lio nom quosion	



Do not write outside the box

13 (a)	Use the method of differences to show that	
	$\sum_{r=2}^{n} \frac{1}{(r-1)r(r+1)} = \frac{1}{4} - \frac{1}{2n} + \frac{1}{2(n+1)}$	
		narks]



Find the smallest in	nteger <i>n</i> such that	
	$\sum_{r=2}^{n} \frac{1}{(r-1)r(r+1)} > 0.24999$	
	$\sum_{r=2}^{2} (r-1)r(r+1)$	ro 1 1
		[3 marks]



Do not write outside the box	


14	The matrix M is defined as
	$\mathbf{M} = \begin{bmatrix} 5 & 2 & 1 \\ 6 & 3 & 2k + 3 \\ 2 & 1 & 5 \end{bmatrix}$
	where k is a constant.
14 (a)	Given that ${\bf M}$ is a non-singular matrix, find ${\bf M}^{-1}$ in terms of k [5 marks]



Using your answ equations below	er to part (a) , show that the solution to the is independent of the value of k	set of simultaneous
·	5x + 2y + z = 1 6x + 3y + (2k+3)z = 4k+3	
	2x + y + 5z = 9	[4



15 The diagram shows the line y = 5 - x



On the diagram above, sketch the graph of $y = |x^2 - 4x|$, including all parts of the graph where it intersects the line y = 5 - x

(You do not need to show the coordinates of the points of intersection.)

[3 marks]



15 (b)	Find the solution of the inequality	
	$ x^2-4x >5-x$	
	Give your answer in an exact form.	
		[4 marks]





16 The function f is defined by

$$f(x) = \frac{ax + 5}{x + b}$$

where a and b are constants.


The graph of y = f(x) has asymptotes x = -2 and y = 3

16 (a) Write down the value of a and the value of b

[2 marks]

16 (b) The diagram shows the graph of y = f(x) and its asymptotes.

The shaded region R is enclosed by the graph of y = f(x), the x-axis and the y-axis.



16 (b) (i) The shaded region R is rotated through 360° about the x-axis to form a solid.

Find the volume of this solid.


Give your answer to three significant figures.

[3 marks]

40 (1) (11)	
16 (b) (ii)	The shaded region <i>R</i> is rotated through 360° about the <i>y</i> -axis to form a solid.
	Find the volume of this solid.
	Give your answer to three significant figures.
	[4 marks]



17 The Argand diagram below shows a circle C



17 (a) Write down the equation of the locus of C in the form

$$|z-w|=a$$

where \boldsymbol{w} is a complex number whose real and imaginary parts are integers, and \boldsymbol{a} is an integer.

		[z marks]

17 (b)	It is given that z_1 is a complex number representing a point on C . Of all the complex numbers which represent points on C , z_1 has the least argument.	
17 (b) (i)	Find $ z_1 $	
	Give your answer in an exact form.	[3 marks]



	Do not write outside the box
arks]	

17 (b) (ii)	Show that $\arg z_1 = \arcsin\left(\frac{6\sqrt{3}-2}{13}\right)$	[4 marks]



Use the binomial	series for $(1+x)^n$ and the Maclaurin's series for s	in x
to find the series	expansion for $\frac{1}{(1 + \sin \theta)^4}$ up to and including the	term in $ heta^3$



19	Solve the differential equation	
	$\frac{\mathrm{d}^2 y}{\mathrm{d}x^2} + 4\frac{\mathrm{d}y}{\mathrm{d}x} - 45y = 21e^{5x} - 0.3x + 27x^2$	
	given that $y = \frac{37}{225}$ and $\frac{dy}{dx} = 0$ when $x = 0$	
		[10 marks]



-	



rks]		7 101
box		Do not write
rks]		outside the box
rks]		
rks]		
rks]		
	rks]	
_		
1		

20	The integral I_n is d			
		$I_n = \int_0^{\frac{\pi}{4}} \cos^n x \mathrm{d}x$	$(n \ge 0)$	
20 (a)	Show that I_n	$= \left(\frac{n-1}{n}\right) I_{n-2} + \frac{1}{n\left(2^{\frac{n}{2}}\right)}$	$(n \ge 2)$	[6 marks]



- - -		
- - -		
- - -		
- - -		
(b) U	se the result from part (a) to show that $\int_0^{\frac{\pi}{4}} \cos^6 x \mathrm{d}x = \frac{a\pi + b}{192}$	
w	here a and b are integers to be found.	[3 mark
_		
- - -		






30

END OF QUESTIO	NS	







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.		



Question number	Additional page, if required. Write the question numbers in the left-hand margin.	



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED Copyright information For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and

AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.



Copyright © 2024 AQA and its licensors. All rights reserved.

