



Cambridge International AS & A Level

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--



FURTHER MATHEMATICS

9231/43

Paper 4 Further Probability & Statistics

May/June 2021

1 hour 30 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [].

This document has **12** pages.

- 2 A company is developing a new flavour of chocolate by varying the quantities of the ingredients. A random selection of 9 flavours of chocolate are judged by two tasters who each give marks out of 100 to each flavour of chocolate.

Chocolate	<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>	<i>G</i>	<i>H</i>	<i>I</i>
Taster 1	72	86	75	92	98	79	87	60	62
Taster 2	84	72	74	95	85	87	82	75	68

Carry out a Wilcoxon matched-pairs signed-rank test at the 10% significance level to investigate whether, on average, there is a difference between marks awarded by the two tasters. [7]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

A series of horizontal dotted lines for writing, starting below the page number and ending above the footer.

- 4 X is a discrete random variable which takes the values $0, 2, 4, \dots$. The probability generating function of X is given by

$$G_X(t) = \frac{1}{3-2t^2}.$$

- (a) Find $E(X)$ and $\text{Var}(X)$.

[5]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

5 Chai packs china mugs into cardboard boxes. Chai’s manager suspects that breakages occur at random times and that the number of breakages may follow a Poisson distribution. He takes a small sample of observations and finds that the number of breakages in a one-hour period has a mean of 2.4 and a standard deviation of 1.5.

(a) Explain how this information tends to support the manager’s suspicion. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

The manager now takes a larger sample and claims that the numbers of breakages in a one-hour period follow a Poisson distribution. The numbers of breakages in a random sample of 180 one-hour periods are summarised in the following table.

Number of breakages	0	1	2	3	4	5	6	7 or more
Frequency	21	33	46	31	23	16	10	0

The mean number of breakages calculated from this sample is 2.5.

(b) Use the data from this larger sample to carry out a goodness of fit test, at the 10% significance level, to test the claim. [8]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

6 The continuous random variable X has probability density function f given by

$$f(x) = \begin{cases} \frac{1}{8} & 0 \leq x < 1, \\ \frac{1}{28}(8-x) & 1 \leq x \leq 8, \\ 0 & \text{otherwise.} \end{cases}$$

(a) Find the cumulative distribution function of X . [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Find the value of the constant a such that $P(X \leq a) = \frac{5}{7}$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

The random variable Y is given by $Y = \sqrt[3]{X}$.

(c) Find the probability density function of Y . [5]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Additional Page

If you use the following lined page to complete the answer(s) to any question(s), the question number(s) must be clearly shown.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.