



Cambridge International AS & A Level

CANDIDATE
NAMECENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

MATHEMATICS**9709/11**

Paper 1 Pure Mathematics 1

October/November 2024**1 hour 50 minutes**

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [].

This document has **20** pages. Any blank pages are indicated.



[4]

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN



- 2** The curve $y = x^2 - \frac{a}{x}$ has a stationary point at $(-3, b)$.


Find the values of the constants a and b .

[4]

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the page.



3



The diagram shows a sector of a circle, centre O , where $OB = OC = 15$ cm. The size of angle BOC is $\frac{2}{5}\pi$ radians. Points A and D on the lines OB and OC respectively are joined by an arc AD of a circle with centre O . The shaded region is bounded by the arcs AD and BC and by the straight lines AB and DC . It is given that the area of the shaded region is $\frac{209}{5}\pi$ cm².

Find the perimeter of the shaded region. Give your answer in terms of π .

[5]

This image shows a full page of a handwriting practice worksheet. It consists of multiple rows of horizontal dashed lines spaced evenly down the page, providing a guide for letter height and placement. The background is plain white, and there are no margins or additional markings.



- 4** Show that the curve with equation $x^2 - 3xy - 40 = 0$ and the line with equation $3x + y + k = 0$ meet for all values of the constant k . [5]

[illegible]



5 The equation of a curve is such that $\frac{dy}{dx} = 4x - 3\sqrt{x} + 1$.

(a) Find the x -coordinate of the point on the curve at which the gradient is $\frac{11}{2}$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Given that the curve passes through the point (4, 11), find the equation of the curve. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....





6 Circles C_1 and C_2 have equations

$$x^2 + y^2 + 6x - 10y + 18 = 0 \quad \text{and} \quad (x-9)^2 + (y+4)^2 - 64 = 0$$

respectively.

(a) Find the distance between the centres of the circles.

[4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

P and Q are points on C_1 and C_2 respectively. The distance between P and Q is denoted by d .

(b) Find the greatest and least possible values of d .

[3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....





A graph of a function $y = f(x)$ on the interval $[0, \frac{7}{2}]$. The function is represented by a solid curve that starts on the y-axis and decreases to a point labeled A . A vertical dashed line connects point A to the x-axis at the value $\frac{7}{2}$. The origin is labeled O .

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN



(b) Find the area of the region bounded by the curve and the lines $x = 0$, $x = \frac{7}{2}$ and $y = 0$. [4]

[illegible]



- DO NOT WRITE IN THIS MARGIN

[3]

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting or typing. There are no margins, text, or other markings on the page.



(b) Solve the equation $\sin^2\theta + 2\cos^2\theta = 4\sin\theta + 3$ for $0^\circ < \theta < 360^\circ$.

[5]

[illegible]



[4]

[illegible]



(b) It is given that $y = 9x + k$ is a tangent to the curve.

Find the value of the constant k .

[4]

This image shows a full page of white paper with horizontal dotted lines, typical of primary school writing paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



- 10 An arithmetic progression has first term 5 and common difference d , where $d > 0$. The second, fifth and eleventh terms of the arithmetic progression, in that order, are the first three terms of a geometric progression.

(a) Find the value of d .

[3]

[illegible]



- (b) The sum of the first 77 terms of the arithmetic progression is denoted by S_{77} . The sum of the first 10 terms of the geometric progression is denoted by G_{10} .

Find the value of $S_{77} - G_{10}$.

[5]

[illegible]



11 The function f is defined by $f(x) = 3 + 6x - 2x^2$ for $x \in \mathbb{R}$.

- (a) Express $f(x)$ in the form $a - b(x - c)^2$, where a , b and c are constants, and state the range of f . [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (b) The graph of $y = f(x)$ is transformed to the graph of $y = h(x)$ by a reflection in one of the axes followed by a translation. It is given that the graph of $y = h(x)$ has a minimum point at the origin.

Give details of the reflection and translation involved. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....





The function g is defined by $g(x) = 3 + 6x - 2x^2$ for $x \leq 0$.

- (c) Sketch the graph of $y = g(x)$ and explain why g is a one-one function. You are **not** required to find the coordinates of any intersections with the axes. [2]

- (d)** Sketch the graph of $y = g^{-1}(x)$ on your diagram in **(c)**, and find an expression for $g^{-1}(x)$. You should label the two graphs in your diagram appropriately and show any relevant mirror line. [4]





DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

* 0000800000019 *



BLANK PAGE

DO NOT WRITE IN THIS MARGIN



**BLANK PAGE**

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

