



Cambridge International AS & A Level

CANDIDATE
NAME

CENTRE
NUMBER

| | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

CANDIDATE
NUMBER

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|



MATHEMATICS

9709/06

Paper 6 Probability & Statistics 2

For examination from 2020

SPECIMEN PAPER

1 hour 15 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [].

This document has **14** pages. Blank pages are indicated.

1 Leaves from a certain type of tree have lengths that are distributed with standard deviation 3 cm. A random sample of 9 of these leaves is taken and the mean length of this sample is found to be 11 cm.

(a) Calculate a 95% confidence interval for the population mean length [3]

| | | | |
|---|---|---|---|
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |

(b) Write down the probability that the width of a 95% confidence interval will lie below the population mean [1]

| | | | |
|---|---|---|---|
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |
| · | · | · | · |

3 The number of calls received at a small call centre has a Poisson distribution with mean 4 calls per 5 minutes period

(a) Find the probability exactly 4 calls in 18 minutes [2]

| | | | |
|---|---|---|---|
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |

(b) Find the probability at least 3 calls in 3 minutes [3]

| | | | |
|---|---|---|---|
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |

The number of calls received at a large call centre has a Poisson distribution with mean 4 calls per 5 minute period.

- (c) Use an appropriate distribution to find the probability that the number of calls received in a 5 minute period is between 4 and 9 inclusive. [5]

| | | | |
|---|---|---|---|
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |

4 The lifetimes, in hours, of Light bulbs and Earlow light bulbs have the independent distributions $N(\sigma^2)$ and $N(\sigma^2)$ respectively.


(a) Find the probability that the total of the lifetimes of five randomly chosen Light bulbs is less than σ . [4]

| | | |
|---|---|---|
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |

(b) Find the probability that the lifetime of a randomly chosen Earth bulb is at least three times that of a randomly chosen light bulb. [6]

| | | | |
|---|---|---|---|
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |
| • | • | • | • |

5



The diagram shows the graph of the probability density function of a random variable X , where

$$f(x) = \begin{cases} \frac{2}{9}(3x - x^2) & 0 \leq x \leq 3, \\ 0 & \text{otherwise.} \end{cases}$$

(a) State the value of $E(X)$ and $\text{Var}(X)$. [4]

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . |

(b) State the value of $P(5 \leq X \leq 7)$.

[1]

| | | | |
|---|---|---|---|
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |

(c) Given that $P(1 \leq X \leq 2) = \frac{13}{27}$, find $P(X > 2)$.

[2]

| | |
|---|---|
| . | . |
| . | . |
| . | . |
| . | . |
| . | . |
| . | . |
| . | . |
| . | . |
| . | . |
| . | . |
| . | . |
| . | . |
| . | . |
| . | . |
| . | . |
| . | . |
| . | . |
| . | . |
| . | . |
| . | . |
| . | . |
| . | . |

6 At a certain hospital it was found that the probability that a patient did not arrive for an appointment was 0.1. The hospital carries out some publicity in the hope that this probability will be reduced. They wish to test whether the publicity has worked.

A random sample of 60 appointments is selected and the number of patients that do not arrive is noted. This figure is used to carry out a test at the 5% significance level.

(a) Explain why the test is one-tailed and state suitable hypotheses. [2]

| | | | |
|---|---|---|---|
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |

(b) Use a binomial distribution to find the critical region and find the probability of a Type I error. [5]

| | | | |
|---|---|---|---|
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |
| . | . | . | . |

-
-
-
-
-
-
-
-
-
-
-
-
-
-
-

(c) If act 3 p tien s u 6 th 0h arrive .

State the co ls inf th test,e p ain g r as wer.

[2

-
-
-
-
-
-
-
-
-
-
-

7 The mean weight of bags of carrots is μ kilograms. An inspector wishes to test whether $\mu = 20$. He weighs a random sample of 20 bags and his results are summarised as follows.

$\Sigma x = 430 \quad \Sigma x^2 = 9000$

Carry out the test at the 10% significance level. [7]

| | | |
|---|---|---|
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |

Additional page

If you see the following grid please do not attempt to answer the question(s) to any question(s), the question number(s) must be clearly written

| | | |
|---|---|---|
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |
| . | . | . |

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.