

1. The cubic equation

$$2x^3 - 3x^2 + 5x + 7 = 0$$

has roots α , β and γ .

Without solving the equation, determine the exact value of

(i) $\alpha^2 + \beta^2 + \gamma^2$ (3)

(ii) $\frac{3}{\alpha} + \frac{3}{\beta} + \frac{3}{\gamma}$ (3)

(iii) $(5 - \alpha)(5 - \beta)(5 - \gamma)$ (3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



2. [With respect to the **right-hand rule**, a rotation through θ° anticlockwise about the z -axis is represented by the matrix
- $$\begin{pmatrix} \cos \theta & -\sin \theta & 0 \\ \sin \theta & \cos \theta & 0 \\ 0 & 0 & 1 \end{pmatrix}$$

Given that the matrix \mathbf{M} , where

$$\mathbf{M} = \begin{pmatrix} -\frac{\sqrt{3}}{2} & \frac{1}{2} & 0 \\ -\frac{1}{2} & -\frac{\sqrt{3}}{2} & 0 \\ 0 & 0 & 1 \end{pmatrix}$$

represents a rotation through α° anticlockwise about the z -axis with respect to the **right-hand rule**,

- (a) determine the value of α . (1)

- (b) Hence determine the smallest possible positive integer value of k for which $\mathbf{M}^k = \mathbf{I}$ (2)

The 3×3 matrix \mathbf{N} represents a reflection in the plane with equation $y = 0$

- (c) Write down the matrix \mathbf{N} . (1)

The point A has coordinates $(-2, 4, 3)$

The point B is the image of the point A under the transformation represented by matrix \mathbf{M} followed by the transformation represented by matrix \mathbf{N} .

- (d) Show that the coordinates of B are $(2 + \sqrt{3}, 2\sqrt{3} - 1, 3)$ (2)

Given that O is the origin,

- (e) show that, to 3 significant figures, the size of angle AOB is 66.9° (2)

- (f) Hence determine the area of triangle AOB , giving your answer to 3 significant figures. (2)



7. (i) Prove by induction that, for all positive integers n ,

$$\sum_{r=1}^n \frac{1}{r(r+1)} = \frac{n}{n+1}$$

(5)

(ii) Prove by induction that, for all positive integers n ,

$$f(n) = 3^{2n+4} - 2^{2n}$$

is divisible by 5

(5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



8.




Figure 1




Figure 2

Figure 1 shows the central vertical cross-section, $OABCDEO$, of the design for a solid glass ornament.

Figure 2 shows the finite region, R , which is bounded by the y -axis, the horizontal line CB , the vertical line BA , and the curve AO .

The ornament is formed by rotating the region R through 360° about the y -axis.

The curve AO is modelled by the equation

$$x = ky^2 + \sqrt{y} \quad 0 \leq y \leq 4$$

where k is a constant.

The point A has coordinates $(0.4, 4)$ and the point B has coordinates $(0.4, 4.5)$

The units are centimetres.

- (a) Determine the value of k according to this model. (2)
- (b) Use algebraic integration to determine the exact volume of glass that would be required to make the ornament, according to the model. (7)
- (c) State a limitation of the model. (1)

When the ornament was manufactured, 9 cm^3 of glass was required.

- (d) Use this information and your answer to part (b) to evaluate the model, explaining your reasoning. (1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



