

Mark Scheme

Summer 2023

Pearson Edexcel GCE Advanced Subsiduary Level Further Mathematics (8FM0) Paper 24 : Further Statistics 2 Final

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <u>www.edexcel.com</u> or <u>www.btec.co.uk</u>. Alternatively, you can get in touch with us using the details on our contact us page at <u>www.edexcel.com/contactus</u>.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2023 Publications Code 8FM0_24_2306_MS* All the material in this publication is copyright © Pearson Education Ltd 2023

PMT

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

EDEXCEL GCE MATHEMATICS

General Instructions for Marking

- 1. The total number of marks for the paper is 40.
- 2. The Edexcel Mathematics mark schemes use the following types of marks:
 - **M** marks: method marks are awarded for 'knowing a method and attempting to apply it', unless otherwise indicated.
 - **A** marks: Accuracy marks can only be awarded if the relevant method (M) marks have been earned.
 - **B** marks are unconditional accuracy marks (independent of M marks)
 - Marks should not be subdivided.
- 3. Abbreviations

These are some of the traditional marking abbreviations that will appear in the mark schemes.

- bod benefit of doubt
- ft follow through
- the symbol $\sqrt[4]{}$ will be used for correct ft
- cao correct answer only
- cso correct solution only. There must be no errors in this part of the question to obtain this mark
- isw ignore subsequent working
- awrt answers which round to
- SC: special case
- oe or equivalent (and appropriate)
- dep dependent
- indep independent
- dp decimal places
- sf significant figures
- ***** The answer is printed on the paper
- The second mark is dependent on gaining the first mark
- 4. For misreading which does not alter the character of a question or materially simplify it, deduct two from any A or B marks gained, in that part of the question affected.
- Where a candidate has made multiple responses <u>and indicates which response</u> <u>they wish to submit</u>, examiners should mark this response.
 If there are several attempts at a question <u>which have not been crossed out</u>, examiners should mark the final answer which is the answer that is the <u>most</u> <u>complete</u>.

- 6. Ignore wrong working or incorrect statements following a correct answer.
- 7. Mark schemes will firstly show the solution judged to be the most common response expected from candidates. Where appropriate, alternatives answers are provided in the notes. If examiners are not sure if an answer is acceptable, they will check the mark scheme to see if an alternative answer is given for the method used.

8FM0-24 May 2023 Final

Que	estion	Scheme	Marks	AOs		
	l(a)	Applicant TaskABCDEFGHI P 13.53.5682669 Q 25.5489135.57	M1 M1	1.1b 1.1b		
1		$\sum p^{2} = 282.5 \qquad \sum q^{2} = 284.5 \qquad \sum pq = 271.25$ $"271.25" - \frac{45 \times 45}{9}$				
		$r_{s} = \frac{1}{\sqrt{\left("282.5" - \frac{45^{2}}{9}\right)\left("284.5" - \frac{45^{2}}{9}\right)}}$ Must be using ranks	M1	1.1b		
		$r_s = 0.7907$ awrt 0.791	A1	1.1b		
			(4)			
		$H_0: \rho = 0$ $H_1: \rho > 0$	<u>B1</u>	2.5		
		Critical Value $\rho = 0.7833$	BI	l.lb		
	(b)	$r_s = 0.7907$ lies in the critical region/reject H ₀ /significant	M1	2.1		
		There is evidence of a positive correlation between the ranks of <u>scores</u> for tasks P and Q	A1ft	2.2b		
			(4)			
(c)		P and R are not in agreement so they will give <u>different</u> information about the applicants (oe) <u>or</u> P and Q and Q and R are in some agreement so they will give <u>similar</u>	M1	2.4		
	(-)	Information about the applicants (oe)	A 1	2.01		
		P and K	$\frac{AI}{(2)}$	2.20		
			(1	0 marks)		
		Notes				
(a)	M1:	For an attempt to rank at least one row (at least 4 correct) [May have no t	ied ranks]			
	M1:	For an attempt to rank both rows using tied ranks (at least 4 correct)				
		for those who have incorrect rankings but show some working of				
		$"271.25" - \frac{45 \times 45}{9}$				
M1 :		$r_s = \frac{9}{\left(\frac{282.5}{-45^2} \right) \left(\frac{284.5}{-45^2} \right)}$ May be implied by a correct answ	wer			
		<u> үс 9) 9)</u>				
	A1:	awrt 0.791 (NB 0.796 is M1M1 M1A0)				
		For use of $\sum d^2 = 1^2 + 2^2 + 0.5^2 + 2^2 + 1^2 + 1^2 + 3^2 + 0.5^2 + 2^2 [= 24.5]$ - allo	w use of "their	<i>d</i> " and		
	ALT	$r_s = 1 - \frac{6 \times "24.5"}{9 \times 80} (= 0.7958)$ they can get M1M1M1A0 (But dep on <u>so</u>	ome attempt to rank)			
(h)	B1:	Both hypotheses stated in terms of ρ or ρ_c				
	B1:	for the correct critical value of 0.7833 (use of pmcc 0.7498 is B0)				
M1: for comparing their 0.791 with their 0.7833 (could have 0.74			ing a correct st	atement		
	A1ft:	For a correct ft contextual conclusion with no contradictions seen.	C			
		Must mention "scores" and either "task" or "P and Q"				
(c)	M1: A1:	For a correct explanation to support their answer. Must have idea of "different for a correct deduction from the information i.e. choosing P and R only	erent" or "simi	lar" tasks		

Ques	stion	Scheme	Marks	AOs
2((a)	$\int_{[1]}^{[t]} \frac{9x}{16} - \frac{x^3}{16} \mathrm{d}x = \left[\frac{9x^2}{32} - \frac{x^4}{64}\right]_{[1]}^{[t]} \qquad \underline{\mathrm{or}} \qquad \frac{9x^2}{32} - \frac{x^4}{64}[+c]$	M1	1.1b
		$F(x) = \begin{cases} 0 & x < 1\\ \frac{9x^2}{32} - \frac{x^4}{64} - \frac{17}{64} & 1 \le x \le 3\\ 1 & x > 3 \end{cases}$	B1 A1	1.1b 1.1b
			(3)	
0	b)	P(X > 1.8) = 1 - F(1.8) oe	M1	1.1b
		= 0.5184	A1	1.1b
			(2)	
(c)		$E(X^{-1}) = \int_{1}^{3} x^{-1} \left(\frac{9}{16}x - \frac{1}{16}x^{3}\right) dx \text{ or } \int_{1}^{3} \frac{9}{16} - \frac{1}{16}x^{2} dx$	M1	1.1b
		$E(3X^{-1}+2) = 3 \times \left[\frac{9}{16}x - \frac{1}{48}x^3\right]_1^3 + 2 \text{or} 3 \times \frac{7}{12} + 2$	dM1	1.1b
		= 3.75	A1	1.1b
		.2	(3)	
Alternative		$E(3X^{-1}+2) = \int_{1}^{3} \left(\frac{9}{16}x - \frac{1}{16}x^{3}\right) (3x^{-1}+2) dx$	M1	
		$= \left[\frac{27}{16}x - \frac{1}{16}x^3 + \frac{9}{16}x^2 - \frac{1}{32}x^4\right]_1^3$	M1	
(d)		$\frac{\mathrm{df}(x)}{\mathrm{d}x} = \frac{9}{16} - \frac{3}{16}x^2$	M1	1.1b
		$\frac{9}{16} - \frac{3}{16}x^2 = 0$	dM1	1.1b
		$\frac{3}{16}x^2 = \frac{9}{16} \Rightarrow x = \sqrt{3}$ * and either a sketch <u>or</u> full statement	A1cso*	2.1
			(3)	
		Notes	(11 ma	arks)
(a)	M1:	for correct method to integrate $f(x)$. e.g. $\frac{(9-x^2)^2}{-64}$ or $1 - \frac{(9-x^2)^2}{-64}$ Allow one sign error.		rror.
	B1:	1 st and 3 rd line correct need $x < 1$ and $x > 3$		
	A1:	for correct middle line including $1 \le x \le 3$		
(b)	M1:	for a correct method to find prob. Must have $1 - \dots$ and 1.8 substituted into their $F(x)$		
	A1:	awrt 0.518 or $\frac{324}{625}$		
(c)	M1:	for a correct expression to find $E(X^{-1})$ or $E(3X^{-1}+2)$		
	dM1	for an attempt to integrate their correct expression (at least 1 term correct)		
	A1:	3.75 oe [NB E(X) = 1.85 leading to $E(3X^{-1}+2) = \frac{134}{37} = 3.62$ scores M0M0A0]		
(d)	M1:	for differentiating $f(x)$ with at least one term correct		
	dM1	for setting up an equation to find the mode. Allow subst of $\sqrt{3}$		
	A1	$x = \sqrt{3}$ and either a sketch through (0, 0), (3, 0) and showing max between them <u>or</u>		
	cso*	statement to show mode not on the boundary $f(\sqrt{3}) = 0.6495 > 0.5 f(1) = 0.5 and f(3) = 0$		

Que	stion	Scheme	Marks	AOs
3(a)		$\left[S_{vv} = 526407.8 - \frac{2174.9^2}{9} = 831.132\right]S_{vv} = 831.132$		
		$r = \frac{5.1376}{\sqrt{831.132} \times 0.0487}$	M1	1.1b
		<i>r</i> = 0.80753 awrt 0.808	Al	1.1b
			(2)	
(b)		[Positive] correlation reasonably close to 1 is consistent with a linear relationship or strong (oe eg "high") positive correlation, so is consistent	B1ft	2.4
			(1)	
(c)		$b = \frac{5.1376}{0.0487} [= 105.49]$	M1	3.3
		$a = \frac{2174.9}{9} - "105.49" \times \frac{17.63}{9}$ or $a = 241.655 "105.49" \times 1.958$	M1	1.1b
		v = 105.5h + 35.0	A1	1.1b
			(3)	
(d)	The sum of the residuals should be zero	B1	2.4
			(1)	
(e)	Residual = $2.27 - 1.04$ [=1.23]	M1	3.1b
		$v = "105.5" \times 1.96 + "35.0" + "1.23"$	MI	3.4
		= 245.01 awrt 245	$AI\pi$ (2)	1.10
			(3)	marke)
		Notes	01)	mar Koj
(a)	M1:	for a complete correct method to find r. Correct expressions for $S_{\nu\nu}$ and r		
	A1:	for awrt 0.808		
(b)	B1ft	ft their answer to part (a). For a correct reason. If $r < 0.58$ allow "weak" correlation or correlation is close to 0 so is not consistent		
(c)	M1:	for use of a correct model. i.e. a correct expression for b (or 105 or better)		
	M1:	for use of a correct model i.e. a correct expression (ft) for <i>a</i> (or 35 or better)		
	A1:	for the equation on the regression line with $b = 105.5$ or awrt 105 and $a = awrt 35.0$ [condone $a = 35$ but not awrt 35]		
(d)	B1:	for a correct explanation		
(e)	M1:	for a correct method to calculate the actual residual		
	M1:	for using the model to estimate the speed. Must be \hat{v} + their actual residual (using 2.27)		
	A1ft	for awrt 243 or ft their values of a and b		

Question		Scheme	Marks	AOs
4(a)		P(-4 < X < 2) = P(-3 < X < 2)	M1	1.1b
		$\frac{2+3}{k+3} = \frac{1}{3} \qquad \text{or} \qquad k = 2 + 2 \times (2 - 3)$	M1	1.1b
		<i>k</i> = 12	A1	1.1b
			(3)	
(b)		$\frac{a+b}{2} = 6$ and $\frac{1}{12}(b-a)^2 = 192$	M1	3.1a
		$\frac{1}{12}(a - (12 - a))^2 = 192 \underline{\text{or}} \frac{1}{12}((12 - b) - b)^2 = 192 \text{(oe)}$	M1	1.1b
		a = -18 or b = 30	A1	1.1b
		$P(Y > 7.5) = \frac{"30" - 7.5}{"30" - ("-18")} \begin{bmatrix} =\frac{15}{32} & \text{or} & 0.46875 \text{ (accept 0.469 or better)} \end{bmatrix}$	M1	3.4
		$R \sim B(5,"0.46875")$	M1	3.3
		$P(R \ge 2) = 0.7710$	A1	1.1b
			(6)	
			(9	marks)
Notes				
(a)	M1:	for realising they need to consider $P(-3 < X < 2)$		
	M1:	for a correct equation for k or allow $\frac{2+4}{k+3} = \frac{1}{3} \left[\rightarrow k = 15 \right]$ or $k = 2 + 2 \times (2 - 4) [= 14]$		
	A1:	12 cao [NB M0M1A0 is possible here, often implied by $k = 15$]		
(b)	M1:	for translating the problem into 2 correct equations (using 6 and 192)		
	M1:	for a correct method used to eliminate <i>a</i> or <i>b</i> (e.g. an equation in <i>a</i> or <i>b</i>) also allow for $a + b = 12$ and $b - a = 48$		
	A1:	for a correct <u>single</u> value for $a \text{ or } b$ ($a = 30$ and $b = -18$ is A0)		
	M1:	for using their model to find $P(Y > 7.5) = p [P(Y < 7.5) = \frac{17}{32}]$ is M0 unless it leads to 0.771]		
	M1:	for stating or using the correct model i.e. $B(5, p)$ where p is a probability based on Y and 7.5 NB use of $B(5, \frac{17}{32})$ is OK here and typically scores M0M1A0		
	A1:	for awrt 0.771		

PMT