

Please check the examination details below before entering your candidate information

Candidate surname

Other names

**Pearson Edexcel  
Level 3 GCE**

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--	--

**Tuesday 25 June 2019**

Morning (Time: 1 hour 30 minutes)

Paper Reference **9FM0/4B**

**Further Mathematics  
Advanced  
Paper 4B: Further Statistics 2**

**You must have:**

Mathematical Formulae and Statistical Tables (Green), calculator

Total Marks

**Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for algebraic manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.**

### Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided  
– *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Answers should be given to three significant figures unless otherwise stated.

### Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 8 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets  
– *use this as a guide as to how much time to spend on each question.*

### Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P61184A

©2019 Pearson Education Ltd.

1/1/1/



  
Pearson

Answer ALL questions. Write your answers in the spaces provided.

- 1 A machine is set to fill pots with yoghurt such that the mean weight of yoghurt in a pot is 505 grams.

To check that the machine is working properly, a random sample of 8 pots is selected. The weight of yoghurt, in grams, in each pot is as follows

508    510    500    500    498    503    508    505

Given that the weights of the yoghurt delivered by the machine follow a normal distribution with standard deviation 5.4 grams,

- (a) find a 95% confidence interval for the mean weight,  $\mu$  grams, of yoghurt in a pot. Give your answers to 2 decimal places. (4)
- (b) Comment on whether or not the machine is working properly, giving a reason for your answer. (1)
- (c) State the probability that a 95% confidence interval for  $\mu$  will not contain  $\mu$  grams. (1)
- (d) Without carrying out any further calculations, explain the changes, if any, that would need to be made in calculating the confidence interval in part (a) if the standard deviation was unknown. Give a reason for your answer. (2)  
You may assume that the weights of the yoghurt delivered by the machine still follow a normal distribution.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA






- 2 A large field of wheat is split into 8 plots of equal area. Each plot is treated with a different amount of fertiliser,  $f$  grams/m<sup>2</sup>. The yield of wheat,  $w$  tonnes, from each plot is recorded. The results are summarised below.

$$\sum f = 28 \quad \sum w = 303 \quad \sum w^2 = 13447 \quad S_{ff} = 42 \quad S_{fw} = 269.5$$

- (a) Calculate the product moment correlation coefficient between  $f$  and  $w$  (2)
- (b) Interpret the value of your product moment correlation coefficient. (1)
- (c) Find the equation of the regression line of  $w$  on  $f$  in the form  $w = a + bf$  (3)
- (d) Using your equation, estimate the decrease in yield when the amount of fertiliser decreases by 0.5 grams/m<sup>2</sup> (1)

The residuals of the data recorded are calculated and plotted on the graph below.



- (e) With reference to this graph, comment on the suitability of the model you found in part (c). (2)
- (f) Suggest how you might be able to refine your model. (1)





















- 5 Alexa believes that students are equally likely to achieve the same percentage score on each of two tests, paper I and paper II. She randomly selects 8 students and gives them each paper I and paper II. The percentage scores for each paper are recorded.

The following paired data are collected.

Student	<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>	<i>G</i>	<i>H</i>
Paper I (%)	70	70	84	80	64	65	65	90
Paper II (%)	64	76	72	74	68	64	58	76

Test, at the 1% significance level, whether or not there is evidence to support Alexa's belief. State your hypotheses clearly and show your working.

(7)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA





- 6 A company manufactures bolts. The diameter of the bolts follows a normal distribution with a mean diameter of 5 mm.

Stan believes that the mean diameter of the bolts is less than 5 mm. He takes a random sample of 10 bolts and measures their diameters. He calculates some statistics but spills ink on his work before completing them. The only information he has left is as follows

$$4.5 \ 4.5 \ 5.5 \ 4.8 \ 4.9 \ 4.7 \ 5$$


---


$$X \sim N(5)$$


---


$$\sum x = 48.4$$


---


$$\bar{x} =$$


---


$$99\% \text{ confidence interval for the variance is } = (0.01712, 0.23280)$$


---

Stating your hypotheses clearly, test, at the 5% level of significance, whether or not Stan's belief is supported.

(9)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA





- 7 A manufacturer makes two versions of a toy. One version is made out of wood and the other is made out of plastic.

The weights,  $W$  kg, of the wooden toys are normally distributed with mean 2.5 kg and standard deviation 0.7 kg. The weights,  $X$  kg, of the plastic toys are normally distributed with mean 1.27 kg and standard deviation 0.4 kg. The random variables  $W$  and  $X$  are independent.

- (a) Find the probability that the weight of a randomly chosen wooden toy is more than double the weight of a randomly chosen plastic toy.

(6)

The manufacturer packs  $n$  of these wooden toys and  $2n$  of these plastic toys into the same container. The maximum weight the container can hold is 252 kg.

The probability of the contents of this container being overweight is 0.2119 to 4 decimal places.

- (b) Calculate the value of  $n$ .

(8)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA













