Please check the examination det  Candidate surname	ails below	before ente	Other names
Pearson Edexcel International Advanced Level	Centre	Number	Candidate Number
Sample Assessment Materials fo	or first te	aching Se	eptember 2018
(Time: 1 hour 30 minutes)		Paper Re	eference <b>WFM02/01</b>
Mathematics International Advance Further Pure Mathema		•	y/Advanced Level
You must have: Mathematical Formulae and Sta	etistical T	ahles cal	Total Marks

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

## Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
   there may be more space than you need.
- You should show sufficient working to make your methods clear.
   Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

## Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 8 questions in this question paper. The total mark for this paper is 75.
- The marks for each question are shown in brackets
  - use this as a guide as to how much time to spend on each question.

## **Advice**

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.

Turn over ▶







<b>Answer ALL questions.</b>	Write your answers i	n the spaces	s provided.
monet fill questions.	witte your answers i	n the space.	provided.

1.	Using algebra,	find the set	of values	of $x$ for	which
----	----------------	--------------	-----------	------------	-------

$$\frac{x}{x+2} < \frac{2}{x+5}$$

(7)

				Í	
					ì
		-	ø		
				ø	ø
$^{\wedge}$	á		Ų.		
	ú		4	2	
	d			,	
	₫	i	b	ė	ė
			4		ρ
	ú				2
	×	×	×	ø	ę
				2	
	S		ø	4	
		۲			4
	٦	6	ú	4	
		4		۳	К
	١				ĸ
		۲	5		٦
		ч	_	_	
	ø	•	۲	۰	ч

		Leave
Question 1 continued		Dialik
<b>C</b>		
		01
		Q1
	(Total for Question 1 is 7 marks)	
	(Total for Question 1 is / marks)	

2. (a) Express  $\frac{1}{(r+6)(r+8)}$  in partial fractions.

(1)

(b) Hence show that

$$\sum_{r=1}^{n} \frac{2}{(r+6)(r+8)} = \frac{n(an+b)}{56(n+7)(n+8)}$$

wh	ere	a	and	b	are	integers	to	be	found	d.
----	-----	---	-----	---	-----	----------	----	----	-------	----

		1
- 4	/	ı 1
	•	


Question 2 continued	b
Question 2 continued	
	_

estion 2 continued		

	į			
			È	
			2	
			7	
			2	

Question 2 continued	blank
	Q2
(Total for Question 2 is 5 marks)	
(Total for Question 2 is 5 marks)	$\overline{}$

3. (a) Show that the substitution  $z = y^{-2}$  transforms the differential equation

$$\frac{\mathrm{d}y}{\mathrm{d}x} + 2xy = x\mathrm{e}^{-x^2}y^3 \quad \text{(I)}$$

into the differential equation

$$\frac{\mathrm{d}z}{\mathrm{d}x} - 4xz = -2x\mathrm{e}^{-x^2} \quad \text{(II)}$$

(b) Solve differential equation (II) to find z as a function of x.

**(5)** 

(c) Hence find the general solution of differential equation (I), giving your answer in the form  $y^2 = f(x)$ .

(1)


estion 3 continued	

uestion 3 continued	

	į			
			È	
			2	
			7	
			2	

		Leave
Question 3 continued		blank
Question 5 continued		
		Q3
	(Total for Question 3 is 10 marks)	

**4.** A transformation T from the z-plane to the w-plane is given by

$$w = \frac{z - 1}{z + 1}, \quad z \neq -1$$

The line in the z-plane with equation y = 2x is mapped by T onto the curve C in the w-plane.

(a) Show that C is a circle and find its centre and radius.

**(7)** 

The region y < 2x in the z-plane is mapped by T onto the region R in the w-plane.

(b) Sketch circle *C* on an Argand diagram and shade and label region *R*.

**(2)** 

estion 4 continued	

estion 4 continued	

	į			
			È	
			2	
			7	
			2	

Ougstion 4 continued		Leave blank
Question 4 continued		
		<b>)</b> 4
(Total for Question 4 is 9		
(10tai 101 Question 4 is 9	mai KSj	

- Given that  $y = \cot x$ ,
  - (a) show that

$$\frac{\mathrm{d}^2 y}{\mathrm{d}x^2} = 2\cot x + 2\cot^3 x \tag{3}$$

(b) Hence show that

$$\frac{\mathrm{d}^3 y}{\mathrm{d}x^3} = p \cot^4 x + q \cot^2 x + r$$

where p, q and r are integers to be found.

**(3)** 

(c) Find the Taylor series expansion of cot x in ascending powers of  $\left(x - \frac{\pi}{3}\right)$  up to and including the term in  $\left(x - \frac{\pi}{3}\right)^3$ .

1	3	1

	L b
uestion 5 continued	

stion 5 continued	

			ì		
			7		
			ì		
			ž		
				ę	
	٩		Ξ	Ž	Z
S	q d	ĕ	5	Š	ï
S	1	į	ī	į	į
>	1	į	3	į	į
3	1		5		
S	ĺ		2		
3	1		1		
3	1		2		
3	1		2		
3	1				
3	1				
3					
3					
\ \ \					
	1				
	1				
	1				
	1				

Question 5 continued		Leave
Question o continued		
		Q5
	(Total for Question 5 is 9 marks)	

**6.** (a) Find the general solution of the differential equation

$$\frac{\mathrm{d}^2 y}{\mathrm{d}x^2} - 2\frac{\mathrm{d}y}{\mathrm{d}x} - 3y = 2\sin x \quad \text{(I)}$$

(8)

Given that y = 0 and  $\frac{dy}{dx} = 1$  when x = 0

(b) find the particular solution of differential equation (I).

**(5)** 

	Leave
	blank
Question 6 continued	
	1

estion 6 continued	

	į			
			È	
			2	
			7	
			2	

		Leave blank
Question 6 continued		
		Q6
	(Total for Question 6 is 13 marks)	

7.




Figure 1

Figure 1 shows the two curves given by the polar equations

$$r = \sqrt{3} \sin \theta$$
,  $0 \leqslant \theta \leqslant \pi$ 

$$r = 1 + \cos \theta, \quad 0 \leqslant \theta \leqslant \pi$$

(a) Verify that the curves intersect at the point P with polar coordinates  $\left(\frac{3}{2}, \frac{\pi}{3}\right)$ .

The region R, bounded by the two curves, is shown shaded in Figure 1.

(b) Use calculus to find the exact area of R, giving your answer in the form  $a(\pi - \sqrt{3})$ , where a is a constant to be found.

**(6)** 

nestion 7 continued	

	į			
			È	
			2	
			7	
			2	

Question 7 continued		b
		Q'
	(Total for Question 7 is 8 marks)	

**8.** (a) Show that

$$\left(z + \frac{1}{z}\right)^3 \left(z - \frac{1}{z}\right)^3 = z^6 - \frac{1}{z^6} - k\left(z^2 - \frac{1}{z^2}\right)$$

where k is a constant to be found.

(3)

Given that  $z = \cos \theta + i \sin \theta$ , where  $\theta$  is real,

(b) show that

(i) 
$$z^n + \frac{1}{z^n} = 2\cos n\theta$$

(ii) 
$$z^n - \frac{1}{z^n} = 2i\sin n\theta$$

(3)

(c) Hence show that

$$\cos^3\theta \sin^3\theta = \frac{1}{32} (3\sin 2\theta - \sin 6\theta)$$
 (4)

(d) Find the exact value of

$$\int_0^{\frac{\pi}{8}} \cos^3 \theta \sin^3 \theta \, \mathrm{d}\theta \tag{4}$$

Question 8 continued	blank
Question o continueu	

estion 8 continued			

Question 8 continued	blank
Question o continueu	

Pure Mathematics – Sample Assessment Materials (SAMs) – Issue 3 – June 2018 © Pearson Education Limited 2018