

Please check the examination details below before entering your candidate information

Candidate surname

Other names

Pearson Edexcel
International
Advanced Level

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--

Friday 15 January 2021

Morning (Time: 1 hour 30 minutes)

Paper Reference **WFM02/01**

Mathematics

**International Advanced Subsidiary/Advanced Level
Further Pure Mathematics F2**

You must have:

Mathematical Formulae and Statistical Tables (Blue), calculator

Total Marks

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- You should show sufficient working to make your methods clear.
Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 8 questions in this question paper. The total mark for this paper is 75.
- The marks for each question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.

Turn over ►

P66641A

©2021 Pearson Education Ltd.

1/1/1



Pearson

Leave
blank

1. The transformation T from the z -plane, where $z = x + iy$, to the w -plane, where $w = u + iv$, is given by

$$w = \frac{z + pi}{iz + 3} \quad z \neq 3i \quad p \in \mathbb{Z}$$

The point representing $i(1 + \sqrt{3})$ is invariant under T .

Determine the value of p .

(3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Leave blank

Question 2 continued

(This area contains 30 horizontal lines for writing)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total 6 marks)

Q2



Leave
blank

3. Use algebra to obtain the set of values of x for which

$$|x^2 + x - 2| < \frac{1}{2}(x + 5)$$

(7)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Leave blank

Question 3 continued

Lined area for writing the answer to Question 3.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Q3

(Total 7 marks)



P 6 6 6 4 1 A 0 1 1 3 2

- 4. (a) Show that the substitution $y^2 = \frac{1}{z}$ transforms the differential equation

$$\frac{dy}{dx} + 2y = 3xy^3 \quad y \neq 0 \quad \text{(I)}$$

into the differential equation

$$\frac{dz}{dx} - 4z = -6x \quad \text{(II)} \quad \text{(3)}$$

- (b) Obtain the general solution of differential equation (II). (5)

- (c) Hence obtain the general solution of differential equation (I), giving your answer in the form $y^2 = f(x)$ (1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Leave blank

Question 4 continued

A large rectangular area with horizontal ruling lines for writing answers. The area is bounded by a thin line on the top, left, and bottom, and a vertical line on the right side. The lines are spaced evenly down the page.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 6 6 6 4 1 A 0 1 3 3 2

DO NOT WRITE IN THIS AREA

Question 4 continued

Lined writing area for the question response.

Leave blank

(Total 9 marks)

Q4



Leave blank

5. Given that

$$(2 - x^2) \frac{d^2y}{dx^2} + 5x \left(\frac{dy}{dx} \right)^2 = 3y$$

(a) show that

$$\frac{d^3y}{dx^3} = \frac{1}{(2 - x^2)} \left(2x \frac{d^2y}{dx^2} \left(1 - 5 \frac{dy}{dx} \right) - 5 \left(\frac{dy}{dx} \right)^2 + 3 \frac{dy}{dx} \right) \tag{5}$$

Given also that $y = 3$ and $\frac{dy}{dx} = \frac{1}{4}$ at $x = 0$

(b) obtain a series solution for y in ascending powers of x with simplified coefficients, up to and including the term in x^3 (4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Leave
blank

6. (a) Determine the general solution of the differential equation

$$\frac{d^2y}{dx^2} + 2\frac{dy}{dx} + 5y = 6\cos x \quad (7)$$

(b) Find the particular solution for which $y = 0$ and $\frac{dy}{dx} = 0$ at $x = 0$ (5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



7.




Figure 1

Figure 1 shows a sketch of curve C with polar equation

$$r = 3 \sin 2\theta \quad 0 \leq \theta \leq \frac{\pi}{2}$$

The point P on C has polar coordinates (R, ϕ) . The tangent to C at P is perpendicular to the initial line.

(a) Show that $\tan \phi = \frac{1}{\sqrt{2}}$ (4)

(b) Determine the exact value of R . (2)

The region S , shown shaded in Figure 1, is bounded by C and the line OP , where O is the pole.

(c) Use calculus to show that the exact area of S is

$$p \arctan \frac{1}{\sqrt{2}} + q\sqrt{2}$$

where p and q are constants to be determined.

Solutions relying entirely on calculator technology are not acceptable. (7)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Leave blank

Question 7 continued

Lined area for writing the answer to Question 7 continued.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Leave
blank

8. Given that $z = e^{i\theta}$

(a) show that $z^n + \frac{1}{z^n} = 2 \cos n\theta$

where n is a positive integer.

(2)

(b) Show that

$$\cos^6 \theta = \frac{1}{32} (\cos 6\theta + 6 \cos 4\theta + 15 \cos 2\theta + 10)$$

(5)

(c) Hence solve the equation

$$\cos 6\theta + 6 \cos 4\theta + 15 \cos 2\theta = 0 \quad 0 \leq \theta \leq \pi$$

Give your answers to 3 significant figures.

(4)

(d) Use calculus to determine the exact value of

$$\int_0^{\frac{\pi}{3}} (32 \cos^6 \theta - 4 \cos^2 \theta) d\theta$$

Solutions relying entirely on calculator technology are not acceptable.

(5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Leave
blank

Question 8 continued

Lined writing area for the answer to Question 8 continued.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



