

Write your name here

Surname

Other names

Pearson Edexcel
International
Advanced Level

Centre Number

--	--	--	--	--	--

Candidate Number

--	--	--	--	--	--

Core Mathematics C12

Advanced Subsidiary

Wednesday 24 May 2017 – Morning

Time: 2 hours 30 minutes

Paper Reference

WMA01/01**You must have:**

Mathematical Formulae and Statistical Tables (Blue)

Total Marks

--

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B). Coloured pencils and highlighter pens must not be used.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided – *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information

- The total mark for this paper is 125.
- The marks for **each** question are shown in brackets – *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P51402A

©2017 Pearson Education Ltd.

1/1/1/1/1/1/



Pearson

7.




Figure 3

Figure 3 shows a sketch of part of the curve with equation $y = f(x)$.

The curve crosses the y -axis at the point $(0, 8)$.

The line with equation $y = 10$ is the only asymptote to the curve.

The curve has a single turning point, a minimum point at $(2, 5)$, as shown in Figure 3.

- (a) State the coordinates of the minimum point of the curve with equation $y = f\left(\frac{1}{4}x\right)$ (1)
- (b) State the equation of the asymptote to the curve with equation $y = f(x) - 3$ (1)

The curve with equation $y = f(x)$ meets the line with equation $y = k$, where k is a constant, at two distinct points.

- (c) State the set of possible values for k . (2)
- (d) Sketch the curve with equation $y = -f(x)$. On your sketch, show clearly the coordinates of the turning point, the coordinates of the intersection with the y -axis and the equation of the asymptote. (3)



Leave
blank

Question 7 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



12.




Figure 4

Figure 4 shows a sketch of part of the curve C with equation

$$y = x^3 - 9x^2 + 26x - 18$$

The point $P(4, 6)$ lies on C .

(a) Use calculus to show that the normal to C at the point P has equation

$$2y + x = 16$$

(5)

The region R , shown shaded in Figure 4, is bounded by the curve C , the x -axis and the normal to C at P .

(b) Show that C cuts the x -axis at $(1, 0)$

(1)

(c) Showing all your working, use calculus to find the exact area of R .

(6)

(Solutions based entirely on graphical or numerical methods are not acceptable.)



