

Write your name here

Surname

Other names

**Pearson Edexcel**  
**International**  
**Advanced Level**

Centre Number

--	--	--	--	--	--

Candidate Number

--	--	--	--	--

# Statistics S2

**Advanced/Advanced Subsidiary**

Monday 26 June 2017 – Afternoon

**Time: 1 hour 30 minutes**

Paper Reference

**WST02/01****You must have:**

Mathematical Formulae and Statistical Tables (Blue)

Total Marks

--

**Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.**

## Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B). Coloured pencils and highlighter pens must not be used.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided – *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Values from the statistical tables should be quoted in full. When a calculator is used, the answer should be given to an appropriate degree of accuracy.

## Information

- The total mark for this paper is 75.
- The marks for **each** question are shown in brackets – *use this as a guide as to how much time to spend on each question.*

## Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P50716A

©2017 Pearson Education Ltd.

1/1/1



Pearson

1. At a particular junction on a train line, signal failures are known to occur randomly at a rate of 1 every 4 days.
- (a) Find the probability that there are no signal failures on a randomly selected day. (2)
- (b) Find the probability that there is at least 1 signal failure on each of the next 3 days. (2)
- (c) Find the probability that in a randomly selected 7-day week, there are exactly 5 days with no signal failures. (3)

Repair works are carried out on the line. After these repair works, the number,  $f$ , of signal failures in a 32-day period is recorded.

A test is carried out, at the 5% level of significance, to determine whether or not there has been a decrease in the rate of signal failures following the repair works.

- (d) State the hypotheses for this test. (1)
- (e) Find the largest value of  $f$  for which the null hypothesis should be rejected. (3)

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---



Leave blank

Question 1 continued

Lined area for writing the answer to Question 1.

DO NOT WRITE IN THIS AREA

Q1

--	--

(Total 11 marks)



Leave  
blank

2. *Crispy-crisps* produces packets of crisps. During a promotion, a prize is placed in 25% of the packets. No more than 1 prize is placed in any packet. A box contains 6 packets of crisps.

(a) (i) Write down a suitable distribution to model the number of prizes found in a box.

(ii) Write down one assumption required for the model. (2)

(b) Find the probability that in 2 randomly selected boxes, only 1 box contains exactly 1 prize. (3)

(c) Find the probability that a randomly selected box contains at least 2 prizes. (2)

Neha buys 80 boxes of crisps.

(d) Using a normal approximation, find the probability that no more than 30 of the boxes contain at least 2 prizes. (5)

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Leave blank

**Question 2 continued**

Lined writing area with multiple horizontal lines for text entry.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Leave  
blank

**Question 2 continued**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Leave  
blank

**Question 2 continued**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**Q2**

--	--

**(Total 12 marks)**



3. The random variable  $X$  has probability density function given by

$$f(x) = \begin{cases} ax + b & 1 \leq x < 4 \\ \frac{3}{2} - \frac{1}{4}x & 4 \leq x \leq 6 \\ 0 & \text{otherwise} \end{cases}$$

as shown in Figure 1, where  $a$  and  $b$  are constants.




Figure 1

- (a) Show that the median of  $X$  is 4 (2)
- (b) Find the value of  $a$  and the value of  $b$  (5)
- (c) Specify fully the cumulative distribution function of  $X$  (5)

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---







Leave  
blank

### Question 3 continued

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Leave  
blank

**Question 3 continued**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

[Lined area for writing the answer to Question 3]

**Q3**

**(Total 12 marks)**



Leave blank

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

4. In a large population, past records show that 1 in 200 adults has a particular allergy.

In a random sample of 700 adults selected from the population, estimate

- (a) (i) the mean number of adults with the allergy,
  - (ii) the standard deviation of the number of adults with the allergy.
- Give your answer to 3 decimal places.

**(3)**

A doctor claims that the past records are out of date and the proportion of adults with the allergy is higher than the records indicate.

A random sample of 500 adults is taken from the population and 5 are found to have the allergy.

A test of the doctor's claim is to be carried out at the 5% level of significance.

- (b) (i) State the hypotheses for this test.
- (ii) Using a suitable approximation, carry out the test.

**(6)**

It is also claimed that 30% of those with the allergy take medication for it daily.

To test this claim, a random sample of  $n$  people with the allergy is taken. The random variable  $Y$  represents the number of people in the sample who take medication for the allergy daily.

A two-tailed test, at the 1% level of significance, is carried out to see if the proportion differs from 30%

The critical region for the test is  $Y = 0$  or  $Y \geq w$

- (c) Find the smallest possible value of  $n$  and the corresponding value of  $w$

**(4)**

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---









Leave blank

- 5. A call centre records the length of time,  $T$  minutes, its customers wait before being connected to an agent. The random variable  $T$  has a cumulative distribution function given by

$$F(t) = \begin{cases} 0 & t < 0 \\ 0.3t - 0.004t^3 & 0 \leq t \leq 5 \\ 1 & t > 5 \end{cases}$$

- (a) Find the proportion of customers waiting more than 4 minutes to be connected to an agent. (2)
- (b) Given that a customer waits more than 2 minutes to be connected to an agent, find the probability that the customer waits more than 4 minutes. (3)
- (c) Show that the upper quartile lies between 2.7 and 2.8 minutes. (2)
- (d) Find the mean length of time a customer waits to be connected to an agent. (4)

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA





Leave blank

Question 5 continued

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA





Leave blank

**Question 5 continued**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Q5

--	--

**(Total 11 marks)**



Leave blank

- 6. At a men's tennis tournament there are 3, 4 or 5 sets in a match.

Over many years, data collected show that 50% of matches last for exactly 3 sets, 30% of matches last for exactly 4 sets and 20% of matches last for exactly 5 sets.

A random sample of 3 tennis matches is taken. The number of sets in each match is recorded as  $S_1, S_2$  and  $S_3$  respectively.

The random variable  $M$  represents the maximum value of  $S_1, S_2$  and  $S_3$

- (a) List all the samples where  $M \neq 5$  (2)

- (b) Find the sampling distribution of  $M$  (4)

- (c) Write down the mode of  $S_1$  and the mode of  $M$  (1)

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Leave  
blank

**Question 6 continued**

A series of horizontal lines for writing, starting from the top and ending at the bottom of the question area.

**Q6**

**(Total 7 marks)**



P 5 0 7 1 6 A 0 2 1 2 4





Leave  
blank

**Question 7 continued**

Lined area for writing the answer to Question 7.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Q7

(Total 9 marks)

**TOTAL FOR PAPER: 75 MARKS**

**END**

