

Please check the examination details below before entering your candidate information

Candidate surname

Other names

Pearson Edexcel
International
Advanced Level

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--

Sample Assessment Materials for first teaching September 2018

(Time: 1 hour 30 minutes)

Paper Reference **WST03/01**

Mathematics

International Advanced Subsidiary/Advanced Level
Statistics S3

You must have:

Mathematical Formulae and Statistical Tables, calculator

Total Marks

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 8 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.

Turn over ►

S59770A

©2018 Pearson Education Ltd.

1/1/1/1/1/



Pearson

Leave
blank

Question 1 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Lined writing area for the question response.

(Total for Question 1 is 5 marks)

Q1

Leave blank

2. Nine dancers, Adilzhan (*A*), Bianca (*B*), Chantelle (*C*), Lee (*L*), Nikki (*N*), Ranjit (*R*), Sergei (*S*), Thuy (*T*) and Yana (*Y*), perform in a dancing competition.

Two judges rank each dancer according to how well they perform. The table below shows the rankings of each judge starting from the dancer with the strongest performance.

Rank	1	2	3	4	5	6	7	8	9
Judge 1	<i>S</i>	<i>N</i>	<i>B</i>	<i>C</i>	<i>T</i>	<i>A</i>	<i>Y</i>	<i>R</i>	<i>L</i>
Judge 2	<i>S</i>	<i>T</i>	<i>N</i>	<i>B</i>	<i>C</i>	<i>Y</i>	<i>L</i>	<i>A</i>	<i>R</i>

- (a) Calculate Spearman's rank correlation coefficient for these data. (5)

- (b) Stating your hypotheses clearly, test at the 1% level of significance, whether or not the two judges are generally in agreement. (4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Leave blank

Question 2 continued

DO NOT WRITE IN THIS AREA

(Total for Question 2 is 9 marks)

Q2

3. The number of accidents on a particular stretch of motorway was recorded each day for 200 consecutive days. The results are summarised in the following table.

Number of accidents	0	1	2	3	4	5
Frequency	47	57	46	35	9	6

- (a) Show that the mean number of accidents per day for these data is 1.6 (1)

A motorway supervisor believes that the number of accidents per day on this stretch of motorway can be modelled by a Poisson distribution.

She uses the mean found in part (a) to calculate the expected frequencies for this model. Her results are given in the following table.

Number of accidents	0	1	2	3	4	5 or more
Frequency	40.38	64.61	r	27.57	11.03	s

- (b) Find the value of r and the value of s , giving your answers to 2 decimal places. (3)

- (c) Stating your hypotheses clearly, use a 10% level of significance to test the motorway supervisor's belief. Show your working clearly. (7)

Leave
blank

Question 3 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Q3

(Total for Question 3 is 11 marks)

Leave blank

4. A farm produces potatoes. The potatoes are packed into sacks. The weight of a sack of potatoes is modelled by a normal distribution with mean 25.6 kg and standard deviation 0.24 kg

- (a) Find the probability that two randomly chosen sacks of potatoes differ in weight by more than 0.5 kg (6)

Sacks of potatoes are randomly selected and packed onto pallets.

The weight of an empty pallet is modelled by a normal distribution with mean 20.0 kg and standard deviation 0.32 kg

Each full pallet of potatoes holds 30 sacks of potatoes.

- (b) Find the probability that the total weight of a randomly chosen full pallet of potatoes is greater than 785 kg (5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Leave
blank

Question 4 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Q4

(Total for Question 4 is 11 marks)

Leave blank

5. A Head of Department at a large university believes that gender is independent of the grade obtained by students on a Business Foundation course. A random sample was taken of 200 male students and 160 female students who had studied the course.

The results are summarised below.

		Male	Female
Grade	Distinction	18.5%	27.5%
	Merit	63.5%	60.0%
	Unsatisfactory	18.0%	12.5%

Stating your hypotheses clearly, test the Head of Department's belief using a 5% level of significance. Show your working clearly. (12)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Leave
blank

Question 5 continued

Lined area for writing the answer to Question 5.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

6. As part of an investigation, a random sample was taken of 50 footballers who had completed an obstacle course in the early morning. The time taken by each of these footballers to complete the obstacle course, x minutes, was recorded and the results are summarised by

$$\sum x = 1570 \quad \text{and} \quad \sum x^2 = 49\,467.58$$

- (a) Find unbiased estimates for the mean and variance of the time taken by footballers to complete the obstacle course in the early morning. (4)

An independent random sample was taken of 50 footballers who had completed the same obstacle course in the late afternoon. The time taken by each of these footballers to complete the obstacle course, y minutes, was recorded and the results are summarised as

$$\bar{y} = 30.9 \quad \text{and} \quad s_y^2 = 3.03$$

- (b) Test, at the 5% level of significance, whether or not the mean time taken by footballers to complete the obstacle course in the early morning, is greater than the mean time taken by footballers to complete the obstacle course in the late afternoon. State your hypotheses clearly. (7)
- (c) Explain the relevance of the Central Limit Theorem to the test in part (b). (1)
- (d) State an assumption you have made in carrying out the test in part (b). (1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Leave blank

Question 6 continued

A large rectangular area containing numerous horizontal lines for writing, intended for the continuation of Question 6.

DO NOT WRITE IN THIS AREA

(Total for Question 6 is 13 marks)

Q6

--	--

Leave
blank

7. A fair six-sided die is labelled with the numbers 1, 2, 3, 4, 5 and 6
The die is rolled 40 times and the score, S , for each roll is recorded.

(a) Find the mean and the variance of S .

(2)

(b) Find an approximation for the probability that the mean of the 40 scores is less than 3

(3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Leave
blank

8. A factory produces steel sheets whose weights X kg, are such that $X \sim N(\mu, \sigma^2)$

A random sample of these sheets is taken and a 95% confidence interval for μ is found to be $(29.74, 31.86)$

- (a) Find, to 2 decimal places, the standard error of the mean. (3)
- (b) Hence, or otherwise, find a 90% confidence interval for μ based on the same sample of sheets. (3)

Using four different random samples, four 90% confidence intervals for μ are to be found.

- (c) Calculate the probability that at least 3 of these intervals will contain μ . (3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Leave
blank

Question 8 continued

20 blank lines for writing the answer to Question 8.

(Total for Question 8 is 9 marks)

Q8

TOTAL FOR PAPER IS 75 MARKS

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA