

Please check the examination details below before entering your candidate information

Candidate surname					Other names				
Centre Number				Candidate Number					
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Pearson Edexcel Level 3 GCE									
Thursday 25 May 2023									
Afternoon					Paper reference		8MA0/22		
Mathematics									
Advanced Subsidiary									
PAPER 22: Mechanics									
You must have: Mathematical Formulae and Statistical Tables (Green), calculator								Total Marks	

Candidates may use any calculator allowed by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Unless otherwise indicated, wherever a value of g is required, take $g = 9.8 \text{ m s}^{-2}$ and give your answer to either 2 significant figures or 3 significant figures.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- The total mark for this part of the examination is 30. There are 4 questions.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P74090A

©2022 Pearson Education Ltd.

N:1/1/1/



Pearson

1.




Figure 1

Two children, Pat (P) and Sam (S), run a race along a straight horizontal track.

Both children start from rest at the same time and cross the finish line at the same time.

In a model of the motion:

Pat accelerates at a constant rate from rest for 5 s until reaching a speed of 4 m s^{-1} and then maintains a constant speed of 4 m s^{-1} until crossing the finish line.

Sam accelerates at a constant rate of 1 m s^{-2} from rest until reaching a speed of $X \text{ m s}^{-1}$ and then maintains a constant speed of $X \text{ m s}^{-1}$ until crossing the finish line.

Both children take 27.5 s to complete the race.

The velocity-time graphs shown in Figure 1 describe the model of the motion of each child from the instant they start to the instant they cross the finish line together.

Using the model,

- (a) explain why the areas under the two graphs are equal, (1)
- (b) find the acceleration of Pat during the first 5 seconds, (1)
- (c) find, in metres, the length of the race, (2)
- (d) find the value of X , giving your answer to 3 significant figures. (4)



Question 1 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Lined writing area for the answer.



DO NOT WRITE IN THIS AREA

Question 1 continued

Handwriting practice area consisting of 25 horizontal lines for the student's answer.

(Total for Question 1 is 8 marks)



2. A small stone is projected vertically upwards with speed 39.2 ms^{-1} from a point O .

The stone is modelled as a particle moving freely under gravity from when it is projected until it hits the ground 10 s later.

Using the model, find

- (a) the height of O above the ground, (3)
- (b) the total length of time for which the speed of the stone is less than or equal to 24.5 ms^{-1} (3)
- (c) State one refinement that could be made to the model that would make your answer to part (a) more accurate. (1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



3.

In this question you must show all stages of your working.

Solutions relying entirely on calculator technology are not acceptable.

A fixed point O lies on a straight line.

A particle P moves along the straight line such that at time t seconds, $t \geq 0$, after passing through O , the velocity of P , $v \text{ m s}^{-1}$, is modelled as

$$v = 15 - t^2 - 2t$$

- (a) Verify that P comes to instantaneous rest when $t = 3$ (1)
- (b) Find the magnitude of the acceleration of P when $t = 3$ (3)
- (c) Find the total distance travelled by P in the interval $0 \leq t \leq 4$ (4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



4.




Figure 2

A car of mass 1200 kg is towing a trailer of mass 400 kg along a straight horizontal road using a tow rope, as shown in Figure 2.

The rope is horizontal and parallel to the direction of motion of the car.

- The resistance to motion of the car is modelled as a constant force of magnitude $2R$ newtons
- The resistance to motion of the trailer is modelled as a constant force of magnitude R newtons
- The rope is modelled as being light and inextensible
- The acceleration of the car is modelled as $a \text{ m s}^{-2}$

The driving force of the engine of the car is 7400 N and the tension in the tow rope is 2400 N.

Using the model,

(a) find the value of a

(5)

In a refined model, the rope is modelled as having mass and the acceleration of the car is found to be $a_1 \text{ m s}^{-2}$

(b) State how the value of a_1 compares with the value of a

(1)

(c) State one limitation of the model used for the resistance to motion of the car.

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



