Please check the examination details belo	ow before ente	ering your candidate information
Candidate surname		Other names
Centre Number Candidate Nu Pearson Edexcel Level		<u> </u>
Thursday 23 May 20		
Afternoon	Paper reference	8MA0/22
Mathematics Advanced Subsidiary PAPER 22: Mechanics		
You must have: Mathematical Formulae and Statistica	l Tables (Gre	een), calculator

Candidates may use any calculator allowed by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use black ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Unless otherwise indicated, wherever a value of g is required, take $g = 9.8 \text{ m s}^{-2}$ and give your answer to either 2 significant figures or 3 significant figures.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- The total mark for this part of the examination is 30. There are 4 questions.
- The marks for **each** question are shown in brackets
- use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over





1.




Figure 1

Figure 1 shows the speed-time graph for the journey of a car moving in a long queue of traffic on a straight horizontal road.

At time t = 0, the car is at rest at the point A.

The car then accelerates uniformly for 5 seconds until it reaches a speed of $5\,\mathrm{m\,s^{-1}}$

For the next 15 seconds the car travels at a constant speed of $5\,\mathrm{m\,s^{-1}}$

The car then decelerates uniformly until it comes to rest at the point B.

The total journey time is 30 seconds.

(a) Find the distance AB.

(3)

(b) Sketch a distance-time graph for the journey of the car from A to B.

(3)

P 7	' 2	8 4	1 /	Δ	0	2 .	1 :	2	

$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
Ø
00000
XXX
HIS
\times
E E
\times
× in
R
T W
$\times \times \times$
6
**
DO N
\times O \times
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
$\langle \times \times \times \times \times \rangle$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
<
< X # K K >
02
LO LO
\sim
\otimes
Z
盟
Œ
×××
Ö
(XXXX)
Ö
$\times \square \times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
⋖
× 02×
N
7
Z
: •
0
ă
V VB-QEV
$\times\!\!\times\!\!\times\!\!\times$

Question 1 continued	
	(Total for Question 1 is 6 marks)



2. In this question you must show all stages of your working.

Solutions relying on calculator technology are not acceptable.

A particle is moving along a straight line.

At time t seconds, t > 0, the velocity of the particle is $v \text{ m s}^{-1}$, where

$$v = 2t - 7\sqrt{t} + 6$$

(a) Find the acceleration of the particle when t = 4

(3)

When t = 1 the particle is at the point X.

When t = 2 the particle is at the point Y.

Given that the particle does not come to instantaneous rest in the interval 1 < t < 2

(b) show that $XY = \frac{1}{3} \left(41 - 28\sqrt{2} \right)$ metres.

(4)





$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
>>>>
>>>>
$\times\!\!\times\!\!\times$
AM.
· vo
$\times \times$
× oc
$\times \times \times$
×a.
×3
\times O \cdot
DO NOT WRITE IN THIS AREA
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
>>>>
$\times\!\!\times\!\!\times$
>>>>
$\times\!\!\times\!\!\times$
>>>>
$\times\!\!\times\!\!\times$
>>>
$\times 66$
AREA
V)
$\times \mp $
E
A THE
WRITE
TWRITE
OT WRITE
NOTWRITE
NOT WRITE IN THIS.
$\otimes \otimes$
$\otimes \otimes$
00
A D0
EA DO
REA DO
AREA DO
SAREA DO
SAREA DO
HIS AREA DO
THIS AREA DO
THIS AREA DO
IN THIS AREA DO
TE IN THIS AREA DO
TE IN THIS AREA DO
RITE IN THIS AREA DO
WRITE IN THIS AREA DO
WRITE IN THIS AREA DO
WRITE IN THIS AREA DO
NOT WRITE IN THIS AREA DO
NOT WRITE IN THIS AREA DO
WRITE IN THIS AREA DO

Question 2 continued	
	(Total for Question 2 is 7 marks)



3.	[In this question, \mathbf{i} and \mathbf{j} are perpendicular unit vectors in a horizontal plane.]	
J.		
	A particle <i>P</i> is moving on a smooth horizontal surface under the action of two forces.	
	Given that	
	• the mass of P is 2 kg	
	• the two forces are $(2\mathbf{i} + 4\mathbf{j})N$ and $(c\mathbf{i} - 2\mathbf{j})N$, where c is a constant	
	• the magnitude of the acceleration of <i>P</i> is $\sqrt{5}$ m s ⁻²	
	find the two possible values of c .	
	the two possess values of c.	(5)

XXXX	
$\times\!\!\times\!\!\times$	
$\times\!\!\times\!\!\times\!\!\times$	
$\times\!\!\times\!\!\times\!\!\times$	
$\times\!\!\times\!\!\times\!\!\times$	
$\times\!\!\times\!\!\times\!\!\times$	
$\times\!\!\times\!\!\times$	
$\times\!\!\times\!\!\times\!\!\times$	
$\times\!\!\times\!\!\times\!\!\times$	
$\times\!\!\times\!\!\times\!\!\times$	
$\times\!\!\times\!\!\times\!\!\times$	
DO NOT WRITE IN THIS AREA	
$\times\!\!\times\!\!\times\!\!\times$	
XX 62X	
$\times\!\!\times\!\!\times\!\!\times$	
X	
\times	
∞	
\times	
XXXX	
$\times\!\!\times\!\!\times\!\!\times$	
\times	
\times	
\times	
$\langle \! \rangle \! \rangle \! \rangle \! \rangle$	
$\times\!\!\times\!\!\times\!\!\times$	
$\times\!\!\times\!\!\times\!\!\times$	
$\times\!\!\times\!\!\times\!\!\times$	
\times	
$\times\!\!\times\!\!\times\!\!\times$	
$\times\!\!\times\!\!\times\!\!\times$	
\times	
$\times\!\!\times\!\!\times\!\!\times$	
$\times\!\!\times\!\!\times\!\!\times$	
$\times\!\!\times\!\!\times\!\!\times$	
$\times\!\!\times\!\!\times\!\!\times$	
$\times\!\!\times\!\!\times\!\!\times$	
$\times\!\!\times\!\!\times\!\!\times$	
X02	
$\times \times \times \times$	
$\propto \propto r \times$	
X Xmillion v	
多	
F	
E IN T	
TE IN T	
TE IN T	
NTE IN T	
RITE IN T	
VRITE IN TH	
WRITEINT	
WRITE IN TH	
TWRITEINT	
ST WRITE IN TH	
OT WRITE IN TH	
VOT WRITE IN TH	
NOTWRITEINT	
3 NOT WRITE IN TH	
O NOT WRITE IN THIS AREA	
DO NOT WRITE IN TH	
٥	
٥	
EA	
REA	
REA	
AREA	
AREA	
SAREA	
SAREA	
HIS AREA D	
HIS AREA D	
THIS AREA D	
THIS AREA D	
THIS AREA D	
IN THIS AREA D	
IN THIS AREA D	
E IN THIS AREA D	
TE IN THIS AREA D	
TE IN THIS AREA D	
RITE IN THIS AREA D	
RITE IN THIS AREA D	
RITE IN THIS AREA D	
WRITE IN THIS AREA D	
I WRITE IN THIS AREA D	
I WRITE IN THIS AREA D	
I WRITE IN THIS AREA D	
I WRITE IN THIS AREA D	
NOT WRITE IN THIS AREA D	
NOT WRITE IN THIS AREA D	
I WRITE IN THIS AREA D	

Question 3 continued	
	(Total for Question 3 is 5 marks)



4.




Figure 2

Figure 2 shows a car towing a trailer along a straight horizontal road.

The mass of the car is 800 kg and the mass of the trailer is 600 kg.

The trailer is attached to the car by a towbar which is parallel to the road and parallel to the direction of motion of the car and the trailer.

The towbar is modelled as a light rod.

The resistance to the motion of the car is modelled as a constant force of magnitude 400 N.

The resistance to the motion of the trailer is modelled as a constant force of magnitude *R* newtons.

The engine of the car is producing a constant driving force that is horizontal and of magnitude 1740 N.

The acceleration of the car is $0.6 \,\mathrm{m\,s^{-2}}$ and the tension in the towbar is T newtons.

Using the model,

(a) show that
$$R = 500$$

(3)

(b) find the value of *T*.

(3)

At the instant when the speed of the car and the trailer is 12.5 m s⁻¹, the towbar breaks.

The trailer moves a further distance d metres before coming to rest.

The resistance to the motion of the trailer is modelled as a constant force of magnitude 500 N.

Using the model,

- (c) show that, after the towbar breaks, the deceleration of the trailer is $\frac{5}{6}$ m s⁻²
- (d) find the value of d.

(3)

(1)

In reality, the distance d metres is likely to be different from the answer found in part (d).

(e) Give two **different** reasons why this is the case.

(2)

	$\times \times \times$
X	$\times\!\!\times\!\!\times$
×	\Longrightarrow
$\langle \rangle$	$\times\!\!\times\!\!\times$
×	$\times\!\!\times\!\!\times$
Ķ	$\Leftrightarrow >$
\times	\Longrightarrow
X.	$\times\!\!\times\!\!\times$
×	$\times\!\!\times\!\!\times$
×>	$\Leftrightarrow \Leftrightarrow$
	$\times\!\!\times\!\!\!\times$
×	⋖
X	WRITE IN THIS ARE
\times	77
X	0 4
X	
	2.8
$\stackrel{\scriptstyle <}{\scriptstyle >}$	
×	**
×	
\approx	
×	₩
X	
X	
X	
\times	
	RIKK
X	
×	
$\stackrel{\wedge}{\sim}$	***
X	α
X	
\times	
\times	
×	
X	\times
$\stackrel{\scriptstyle \times}{\scriptstyle \sim}$	\odot
×	
×	
X	
×	
\otimes	DO NOT
X	WK.
×	\Longrightarrow
\otimes	$\times\!\!\!\times$
X	$\times\!\!\times\!\!\times$
×	$\Leftrightarrow >$
\otimes	$\Leftrightarrow >$
\otimes	$\times\!\!\times\!\!\times$
X	$\times\!\!\times\!\!\times$
×	$\times\!\!\times\!\!\times$
	\Longrightarrow
Ø.	$\times\!\!\times\!\!\times$
X	$\times\!\!\times\!\!\times$
×	\sim
$\stackrel{\sim}{\sim}$	\Longrightarrow
×	$\times\!\!\times\!\!\times$
	XXX
\times	$\sim\sim$
×	>>>
X	$\times\!\!\times\!\!\times$
X	XX
×	$\otimes \!\!\!>$
×	AREA
×	KIKK
X	X 2
$\stackrel{\wedge}{>}$	
X.	
X	×××
\otimes	tm
$\stackrel{>}{>}$	8
$\stackrel{>}{\sim}$	\$
	Z Z
× ×	S E
	S T L
	N T T IS
	INTHIS
	EIN THIS
	TE IN THIS
	TE IN THIS
	STE IN THIS
	RITE IN THIS
	WRITE IN THIS
	WRITE IN THIS
	CWRITEIN THIS
	TWRITE IN THIS
	OT WRITE IN THIS
	IOT WRITE IN THIS
	NOT WRITE IN THIS
	NOTWRITEINTHIS
	O NOT WRITE IN THIS
	OO NOT WRITE IN THIS
	O NOT WRITE
	DO NOT WRITE IN THIS
	O NOT WRITE
	DO NOT WRITE
	DO NOT WRITE
	A DO NOT WRITE
	EA DO NOT WRITE
	REA DO NOT WRITE
	REA DO NOT WRITE
	REA DO NOT WRITE
	AREA DO NOT WRITE
	S AREA DO NOT WRITE
	S AREA DO NOT WRITE
	S AREA DO NOT WRITE
	HIS AREA DO NOT WRITE
	THIS AREA DO NOT WRITE
	THIS AREA DO NOT WRITE
	HIS AREA DO NOT WRITE
	THIS AREA DO NOT WRITE
	IN THIS AREA DO NOT WRITE
	THIS AREA DO NOT WRITE
	TE IN THIS AREA DO NOT WRITE
	TE IN THIS AREA DO NOT WRITE
	TE IN THIS AREA DO NOT WRITE
	RITE IN THIS AREA DO NOT WRITE
	RITE IN THIS AREA DO NOT WRITE
	WRITE IN THIS AREA DO NOT WRITE
	WRITE IN THIS AREA DO NOT WRITE
	WRITE IN THIS AREA DO NOT WRITE
	WRITE IN THIS AREA DO NOT WRITE
	WRITE IN THIS AREA DO NOT WRITE
	RITE IN THIS AREA DO NOT WRITE

Question 4 continued	



Question 4 continued

X	X	X	8	
X	Ş	ζ	Š	Š
2	8	۶	S	
×	X	Š	8	
X	8	Š	Ź	
\otimes	2	S	S	
X	X	Š	2	
2	2	S	S	
Ş	ž		B	S
8	1	1	n H	
Ş	ě	Ĉ	Ž	
X	L	7	ě	
×	ě	q	K	
X	Š	Š	2	
Ŕ	2		3	?
×	ş	Ž	3	
X		ď,	ž	
Ş.	Į	Ż	3	
X	4		ě	
Š.	Ž	Š	3	2
X	S	Z	2	
Ż	ŧ	ş	Ä	?
×	ŀ	è	è	
8	ž	Š	3	
<	Į	Į	3	8
8	Ž	2	ě	
Ż	ž	X	3	2
X	ŀ	è	è	
Ŕ	è	Ŕ	š	
X	3	z	Ź	
2	ũ	Ż	5	
Ş	š	\geq	2	۶
8	Ç		Į	3
Ś	Í	Š	3	
X	8	7	2	
Š	Ó	Š	8	
8	8	8	Ź	Ś
×	2	S	S	2
Ķ	Š	X	2	
X	2	S	S	
Ņ	Š	Š	8	
8	8	S	Š	
Ķ.	Š	Š	8	2
X	S	S	Ž	
Ż	2	S	S	>
×	X	Š	2	
X	2	۶	S	
X.			2	
8	X	×	×	
Š.	X	Š	8	
×	ě	į	ř	
Ŕ	î	ζ	ä	
X	ä	ð	Ž	Ś
X	Ę		Š	
×.	ø	٩	C	S
8	Š	S	×	
			к	
Ż	2	!	5	
8	2		5	
			5	
× ×			5	
*			5	

Question 4 continued

8	
8	
8	
8	
8	
$\stackrel{\times}{\stackrel{>}{\sim}}$	
×	
8	
8	
8	
8	
×	
×	
8	
8	
8	
$\stackrel{\times}{\sim}$	
×	
8	
8	
×	
×	
8	
8	
8	
8	
8	
8	
8	
$\frac{8}{8}$	
§	
8	
Š	
<u> </u>	
8	
×	
§	
×	
8	
8 '	

Question 4 continued				
	(Total for Question 4 is 12 marks)			
TO A	VALEOD MECHANICO IO 20 MA DIZO			
101	AL FOR MECHANICS IS 30 MARKS			