1. $f(x) = 2x^3 + 5x^2 + 2x + 15$

(a) Use the factor theorem to show that $(x + 3)$ is a factor of $f(x)$.

(2)

(b) Find the constants a, b and c such that

$$f(x) = (x + 3)(ax^2 + bx + c)$$

(2)

(c) Hence show that $f(x) = 0$ has only one real root.

(2)

(d) Write down the real root of the equation $f(x – 5) = 0$

(1)

2. $f(x) = ax^3 + 10x^2 - 3ax - 4$

Given that $(x - 1)$ is a factor of $f(x)$, find the value of the constant a.

You must make your method clear.

(3)

3. $f(x) = (x - 4)(x^2 - 3x + k) - 42$ where k is a constant

Given that $(x + 2)$ is a factor of $f(x)$, find the value of k.

(3)

4.



Figure 4

Figure 4 shows a sketch of part of the curve C_1 with equation

$$y = 2x^3 + 10 \qquad x > 0$$

and part of the curve C_2 with equation

$$y = 42x - 15x^2 - 7 \qquad x > 0$$

(a) Verify that the curves intersect at $x = \frac{1}{2}$

(2)

The curves intersect again at the point P

(b) Using algebra and showing all stages of working, find the exact x coordinate of P

(5)

5. (i) In an arithmetic series, the first term is a and the common difference is d.

Show that

$$S_n = \frac{n}{2}[2a + (n-1)d]$$

(3)

(ii) James saves money over a number of weeks to buy a printer that costs £64

He saves £10 in week 1, £9.20 in week 2, £8.40 in week 3 and so on, so that the weekly amounts he saves form an arithmetic sequence.

Given that James takes n weeks to save exactly £64

(a) show that

$$n^2 - 26n + 160 = 0$$

(2)

(b) Solve the equation

$$n^2 - 26n + 160 = 0$$

(1)

(c) Hence state the number of weeks James takes to save enough money to buy the printer, giving a brief reason for your answer.

(1)

6. **In this question you must show all stages of your working.**

Solutions relying entirely on calculator technology are not acceptable.

$$f(x) = 4x^3 + 5x^2 - 10x + 4a \qquad x \in \mathbb{R}$$

where a is a positive constant.

Given $(x - a)$ is a factor of $f(x)$,

(a) show that

$$a(4a^2 + 5a - 6) = 0$$

(2)

(b) Hence

(i) find the value of a

(ii) use algebra to find the exact solutions of the equation

$$f(x) = 3$$

(4)