## **Statistics 1**

## Solution Bank



1

#### **Exercise 2D**

1 **a**  $Q_2 = \frac{16+1}{2}$  th value = 8.5th value

1009, 1013, 1014, 1017, 1017, 1017, 1018, 1019, 1021, 1022, 1024, 1024, 1025, 1027, 1029, 1031

$$Q_2 = \frac{1019 + 1021}{2} = 1020 \text{ hPa}$$

**b**  $Q_1 = 4.5$ th value

$$Q_1 = 1017 \text{ hPa}$$

 $Q_3 = 12.5$ th value

$$Q_3 = 1024.5 \text{ hPa}$$

2  $Q_2 = \frac{95+1}{2}$ th value = 48th value

$$Q_2 = 37$$

 $Q_1 = 24$ th value

$$O_1 = 37$$

 $Q_3 = 72$ nd value

$$Q_3 = 38$$

3 Median value is the 13th value. This is in the first class.

Let *m* be the median.

$$\frac{m-0}{1.5-0} = \frac{13-0}{18-0} \text{ so } m \approx 1.08 \text{ (3 sf)}$$

**4 a** Median:  $\frac{31}{2}$  = 15.5th value

Using interpolation:

$$\frac{Q_2 - 399.5}{449.5 - 399.5} = \frac{15.5 - 9}{19 - 9}$$

$$Q_2 = 432 \text{ kg}$$

**b**  $Q_1: \frac{31}{4} = 7.75$ th value, so  $Q_1$  is in class 350 - 399

$$\frac{Q_1 - 349.5}{399.5 - 349.5} = \frac{7.75 - 3}{9 - 3}$$

$$\frac{Q_1 - 349.5}{50} = \frac{4.75}{6}$$

$$Q_1 = 39.58 + 349.5 = 389$$

# **Statistics 1**

### Solution Bank



**4 c**  $Q_3: 3 \times \frac{31}{4} = 23.25$ th value, so  $Q_3$  is in class 450 - 499

$$\frac{Q_3 - 449.5}{499.5 - 449.5} = \frac{23.25 - 19}{26 - 19}$$

$$\frac{Q_3 - 449.5}{50} = \frac{4.25}{7}$$

$$Q_3 = 30.36 + 449.5 = 480$$

d Three-quarters of the cows weigh less than 480 kg.

5 a Estimate for the mean =  $\frac{(25 \times 6) + (35 \times 10) + (45 \times 18) + (55 \times 13) + (65 \times 2)}{49}$  $= \frac{2155}{49}$ = 44.0 minutes (to 3 sf)

**b** 65th: 
$$\frac{65}{100} \times 49 = 31.85$$

$$\frac{P_{65} - 40}{50 - 40} = \frac{31.85 - 16}{34 - 16}$$

$$P_{65} = 48.8$$

$$\mathbf{c} \quad \frac{P_{90} - 50}{60 - 50} = \frac{44.1 - 34}{47 - 34}$$

$$P_{90} = 57.8$$

90th percentile = 57.8 minutes, so more than 10% of customers have to wait longer than 57.8 minutes – not 56 minutes as stated by the firm.

6 a 
$$\frac{P_{80}-2.5}{3.0-2.5} = \frac{80-61}{89-61}$$

$$P_{80} = 2.84$$
 (to 2 d.p.)

80th percentile = 2.84 m, so 80% of condors have a wingspan of less than 2.84 m.

**b** The 90th percentile is in the  $3.0 \le w$  class. There is no upper boundary for this class, so it is not possible to estimate the 90th percentile.