






2 Anna is investigating the relationship between exercise and resting heart rate. She takes a random sample of 19 people in her year at school and records for each person

- their resting heart rate,  $h$  beats per minute
- the number of minutes,  $m$ , spent exercising each week

Her results are shown on the scatter diagram.



(a) Interpret the nature of the relationship between  $h$  and  $m$

(1)

Anna codes the data using the formulae

$$x = \log_{10} m$$

$$y = \log_{10} h$$

The product moment correlation coefficient between  $x$  and  $y$  is  $-0.897$

(b) Test whether or not there is significant evidence of a negative correlation between  $x$  and  $y$

You should

- state your hypotheses clearly
- use a 5% level of significance
- state the critical value used

(3)

The equation of the line of best fit of  $y$  on  $x$  is

$$y = -0.05x + 1.92$$

(c) Use the equation of the line of best fit of  $y$  on  $x$  to find a model for  $h$  on  $m$  in the form

$$h = am^k$$

where  $a$  and  $k$  are constants to be found.

(5)

3. Amar is studying the flight of a bird from its nest.

He measures the bird's height above the ground,  $h$  metres, at time  $t$  seconds for 10 values of  $t$

Amar finds the equation of the regression line for the data to be  $h = 38.6 - 1.28t$

(a) Interpret the gradient of this line.

(1)

The product moment correlation coefficient between  $h$  and  $t$  is  $-0.510$


(b) Test whether or not there is evidence of a negative correlation between the height above the ground and the time during the flight.

You should

- state your hypotheses clearly
- use a 5% level of significance
- state the critical value used

(3)

Jane draws the following scatter diagram for Amar's data.



(c) With reference to the scatter diagram, state, giving a reason, whether or not the regression line  $h = 38.6 - 1.28t$  is an appropriate model for these data.

(1)

Jane suggests an improved model using the variable  $u = (t - k)^2$  where  $k$  is a constant.

She obtains the equation  $h = 38.1 - 0.78u$

(d) Choose a suitable value for  $k$  to write Jane's improved model for  $h$  in terms of  $t$  only.

(1)