

AQA Qualifications



Unit 2: Foundation 43602F Mark scheme

43602F June 2016

Version: 1.0 Final

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts: alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available from aqa.org.uk

Copyright © 2016 AQA and its licensors. All rights reserved.

AQA retains the6copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

# **Glossary for Mark Schemes**

GCSE examinations are marked in such a way as to award positive achievement wherever possible. Thus, for GCSE Mathematics papers, marks are awarded under various categories.

If a student uses a method which is not explicitly covered by the mark scheme the same principles of marking should be applied. Credit should be given to any valid methods. Examiners should seek advice from their senior examiner if in any doubt.

- M Method marks are awarded for a correct method which could lead to a correct answer.
- **M dep** A method mark dependent on a previous method mark being awarded.
- A Accuracy marks are awarded when following on from a correct method. It is not necessary to always see the method. This can be implied.
- **B** Marks awarded independent of method.
- **B dep** A mark that can only be awarded if a previous independent mark has been awarded.
- ft Follow through marks. Marks awarded following a mistake in an earlier step.
- **SC** Special case. Marks awarded within the scheme for a common misinterpretation which has some mathematical worth.
- **oe** Or equivalent. Accept answers that are equivalent. eg, accept 0.5 as well as  $\frac{1}{2}$
- [*a*, *b*] Accept values between *a* and *b* inclusive.
- **3.14...** Accept answers which begin 3.14 eg 3.14, 3.142, 3.1416

Examiners should consistently apply the following principles

#### Diagrams

Diagrams that have working on them should be treated like normal responses. If a diagram has been written on but the correct response is within the answer space, the work within the answer space should be marked. Working on diagrams that contradicts work within the answer space is not to be considered as choice but as working, and is not, therefore, penalised.

## Responses which appear to come from incorrect methods

Whenever there is doubt as to whether a candidate has used an incorrect method to obtain an answer, as a general principle, the benefit of doubt must be given to the candidate. In cases where there is no doubt that the answer has come from incorrect working then the candidate should be penalised.

#### Questions which ask candidates to show working

Instructions on marking will be given but usually marks are not awarded to candidates who show no working.

## Questions which do not ask candidates to show working

As a general principle, a correct response is awarded full marks.

#### Misread or miscopy

Candidates often copy values from a question incorrectly. If the examiner thinks that the candidate has made a genuine misread, then only the accuracy marks (A or B marks), up to a maximum of 2 marks are penalised. The method marks can still be awarded.

#### Further work

Once the correct answer has been seen, further working may be ignored unless it goes on to contradict the correct answer.

#### Choice

When a choice of answers and/or methods is given, mark each attempt. If both methods are valid then M marks can be awarded but any incorrect answer or method would result in marks being lost.

# Work not replaced

Erased or crossed out work that is still legible should be marked.

#### Work replaced

Erased or crossed out work that has been replaced is not awarded marks.

#### Premature approximation

Rounding off too early can lead to inaccuracy in the final answer. This should be penalised by 1 mark unless instructed otherwise.

#### **Continental notation**

Accept a comma used instead of a decimal point (for example, in measurements or currency), provided that it is clear to the examiner that the candidate intended it to be a decimal point.

Q	Answer	Mark	Comments		
	8 × 0.3(0) or 2.4(0) or 6 × 0.45 or 2.7(0)	M1	8 × 30 or 240 or 6 × 45 or 270		
	8 × 0.3 + 6 × 0.45 or 2.4(0) + 2.7(0) or 5.1(0) or 4.9	M1	8 × 30 + 6 × 45 or 240 + 270 or 510 or 490		
	4.90	A1	SC2 4.60		
1(a)	Additional Guidance				
	£4.90p		M1M1A <sup>2</sup>		
	£ 490p	M1M1A0			
	8 × 30 = 210 6 × 45 = 180 210 + 180 = 380 6.20		M1M1A0		
	10 – 2.4(0) – 2.7(0) is at least M <sup>-</sup>	1M1			

Q	Answer	Mark	Comments		
	30x + 45y	B1	oe ignore attempts to factorise do not accept other further wor	king	
	Ad	ditional C	Guidance		
	Accept correct expression followed by = any numerical value eg $30x + 45y = 5.10$				
	$30 \times x + 45 \times y$ or $x \times 30 + y \times 45$			B1	
	$x \times 30p + y \times 45p$			B0	
	x30 + y45			B0	
1(b)	30x + 45y with answer $15(2x + 3y)$			B1	
	30x + 45y with answer $15(x + 3y)$			B1	
	30x + 45y with answer 5(6x + 7y)			B1	
	30x + 45y with answer $2x + 3y$			B0	
	30x + 45y with answer $75xy$			В0	

	(1, 2)	B1			
2(a)	Additional Guidance				
	Do not accept (1 <i>x</i> , 2 <i>y</i> )				
	If answer line blank, check grid				

Q	Answer	Mark	Comments
2(b)	C plotted at $(2, -3)$	B1	Need not be labelled Mark intention

2(a)	(-2, -2)	B1		
	Additional Guidance			
2(c)	(-2 , -4)			B0
	If answer line blank, check grid			

Q	Answer	Mark	Comments			
	Alternative method 1					
	2300 – 1650	M1				
	650	A1	Allow 650 + 1650 = 2300			
	650 and Yes	Q1ft	Strand (iii) ft M1 and correct decision for their 650			
	Alternative method 2					
	2300 – 550	M1				
	1750	A1	Allow 550 + 1750 = 2300			
	1750 and Yes	Q1ft	Strand (iii) ft M1 and correct decision for their 1750			
	Alternative method 3					
•	1650 + 550	M1				
3	2200	A1				
	2200 and Yes	Q1ft	Strand (iii) ft M1 and correct decision for	their 2200		
	Alternative method 4					
	2300 – 1650 – 550	M1				
	100	A1	Allow 1650 + 550 + 100 = 2300	)		
	100 and Yes	Q1ft	Strand (iii) ft M1 and correct decision for their 100			
	Additional Guidance					
	Accept any indication of Yes					
	650 – 550 = 150, Yes			M1A1Q1		
	650 – 550 = 100 so £100 left			M1A1Q1		

Q	Answer	Mark	Comments
	1 and 7	B1	either order
4(a)	Ad	ditional C	Guidance
	Accept one and seven		

<b>4(b)</b> 3 B1
------------------

	Alternative method 1					
	A correctly evaluated trial using white tiles and blue tiles	M1				
	eg 2 x 80 + 3 x 50 = 310					
	A second correctly evaluated trial with more white tiles than blue tiles and at least 390 tiles in total	M1dep				
	eg $2 \times 80 + 3 \times 50 = 310$ and $3 \times 80 + 3 \times 50 = 390$					
	3 (boxes of white tiles)	A1	SC2	_		
5	and 4 (boxes of blue tiles)		Answer of 5W + 1B or 4W + 3	В		
	Alternative method 2					
	(80), 160, 240					
	and (50), 100, 150, 200	M1				
	240 and 200 selected	M1	240 + 200 is M2			
	3 (boxes of white tiles)		SC2			
	and 4 (boxes of blue tiles)	A1	Answer of 5W + 1B or 4W + 3	В		
	Additional Guidance					
	130, 260, 390, (520)			M1M1A0		
	130, 260			M1M0A0		

Q	Answer	Mark	Comments		
			Ι		
	11	B1	Accept ±11		
	Additional Guidance				
6(a)	Do not accept –11 only				
	Do not accept 11 × 11 (= 121) or 11 <sup>2</sup> (= 121)			В0	

6(b)	9	B1		
------	---	----	--	--

6(c)	Tenths or $\frac{1}{10}$ or seven tenths or 7 tenths or $\frac{7}{10}$ or 0.7	B1		
	Additional Guidance			
	Do not accept tens, seven tens, 7 tens			B0

<b>6(d)</b> 3.55	B1	
------------------	----	--

7(a) 40 and 80	B1	either order
----------------	----	--------------

Q	Answer	Mark	Comments
	Alternative method 1		
	A correctly evaluated trial of two numbers, with one 50% bigger than the other	M1	eg 10 + 15 = 25
7(b)	12 and 18	A1	either order
1 (0)	Alternative method 2		
	x + 1.5x = 30 or $2.5x = 30$	M1	
	or 30 ÷ 2.5		
	12 and 18	A1	either order

	25	B1		
8(a)	Ad	ditional G	Guidance	
	25 - 11 = 14 with no or incorrect answe	er		B0

	19 + 5 or 24	M1		
8(b)	8	A1	SC1 $\frac{14}{3}$ or $4\frac{2}{3}$ or $4.6$	
	Ad	ditional G	Guidance	
	Embedded answer without $(y =) 8$			M1A0

Q	Answer	Mark	Comments	
	7c + 2d or $2d + 7c$	B1	Do not accept further working	
8(c)	Ad	ditional (	Guidance	
	Accept 7C + 2D			B1
	7c + 2d = 9cd			B0

8(d)	7 × 3 or 21 or 2 × -4 or -8	M1	
	13	A1	

Q	Answer	Mark	Comments	
	Alternative method 1			
	1 ÷ 0.2 or 5 or 1 ÷ 0.25 or 4	M1	oe 5 × 0.2 = 1 or 4 × 0.25 = 1	
	their 5 × 3 or 15 or their 4 × 3 or 12	M1		
	12	A1	with no incorrect working SC2 answer 12 with incorrect o units	conversion of
	Alternative method 2			
	Any correct scaling	M1	eg 0.4 kg = 6 (pancakes)	
9	1 kg = 5 × 3 (pancakes) or 1 kg = 15 (pancakes) or 1 litre = 4 × 3 (pancakes) or 1 litre = 12 (pancakes)	M1		
	12	A1	with no incorrect working SC2 answer 12 with incorrect o units	conversion of
	Ad	ditional (	Guidance	
	Correct scaling values 0.4 kg 0.5 litres 6 pancakes 0.6 kg 0.75 litres 9 pancakes 0.8 kg 1.0 litres 12 pancakes 1.0 kg 1.25 litres 15 pancakes			
	Incorrect conversions may cancel out for eg 20 g × 5 = 100 (1 kg) 25 ml × 4 = 100 (1 litre) $3 \times 4 = 12$	or SC2		SC2

Q	Answer	Mark	Comments	
	(0).08 or $\frac{8}{100}$	B1	oe decimal or fraction	
40(-)	Ad	ditional C	Guidance	
10(a)	Condone use of comma eg 0,08			B1
	Accept $\frac{2}{25}$ or $\frac{4}{50}$ or 0.080 etc			B1

	0.4(0) or 40% or 0.35 or 30% or any two of $\frac{4}{10}$ , $\frac{3.5}{10}$ , $\frac{3}{10}$ or any two of $\frac{40}{100}$ , $\frac{35}{100}$ , $\frac{30}{100}$	M1	oe fractions with common den	ominators
10(b)	0.3 35% <u>2</u> 5	A1	oe values	
	Ad	ditional G	Guidance	
	Beware of correct answer with an incorr	ect conve	rsion	
	$\frac{2}{5}$ = 60% and 0.3 = 30% followed by 0.3	3 35%	2 5 on answer line	M1A0

<b>11(a)</b> 100	B1		
------------------	----	--	--

|--|

|--|

Q Answer Mark Comments
------------------------

<b>12(a)</b> Straight line from (090 to (1100, 120)	0) B1	
---	----------	--

12(b)	Straight line from (1030, 0) to (1200, 120)	B1ft	ft (1200, their 120) from their distance at 1100 in part (a)	
-------	--	------	--	--

	80	B1ft	ft speed from their distance-time graph for Train <i>B</i>	
	Ad	ditional C	Guidance	
12(c)	<b>2(c)</b> If their distance-time graph for Train B goes from (1030, 0) to (1200, 120) the answer for (c) must be 80			
	For ft their distance-time graph for Train B must be a straight line for at least 90 minutes			

13(a)	Identifies or implies 12 or -12 as the difference or -9 as first value or their -9 - 12 correctly evaluated as second value	M1	
	-9 and -21	A1	

Q	Answer	Mark	Comments
	(third term = ) $4a$ or (fourth term = ) $8a$ or $7a$ ( = 63) or $15a$	M1	
13(b)	$a = 63 \div 7 \text{ or } a = 9$ or $8 \times 9$ or $15 \times 9$	M1	seen or implied
	135	A1	
	Additional Guidance		
	a = 9 is implied by second term 18 or third term 36 or fourth term 72, not from an incorrect sequence		

	0.8 × 1550 or 1240	M1	oe	
	1950 ÷ 3 × 2 or 1300	M1	oe	
	their 1300 – 0.05 × their 1300 or 0.95 × their 1300 or 1235	M1	their 1300 can be their 124 1250	l0 if greater than
	1240 and 1235	A1	as final values	
14	(Car) B	Q1ft	Strand (iii)	
14			ft for correct decision base with at least M2 scored and value	
			SC2 1368 and 1200	
			or 1162.5(0) and 1202.5(0)	
			SC1 1368 or 1162.5(0)	or 1202.5(0)
	Additional Guidance			
	Car A = 1240 and Car B = 1300 with c	orrect dec	ision of Car A	M1M1M0A0Q1ft

Q	Answer	Mark	Comments
15	$\frac{6}{20} \text{ or } 0.3(0) \text{ or } 6 \div 20 (\times 100)$ or $6 \times 5$	M1	oe fraction $\frac{3}{10}$ or $\frac{30}{100}$
	30	A1	SC1 70
	Additional Guidance		
	Percentage build up scores 0 or 2		

	12x + 28 or $-5x + 10$ or $5x - 10$	M1		
16	12 <i>x</i> + 28 – 5 <i>x</i> + 10	A1	Fully correct	
	7 <i>x</i> + 38	A1ft	ft M1 scored and correct simplification of their four terms with two in $x$ Do not ignore further work SC2 $7x + 18$	
	Additional Guidance			
	Answer 7 <i>x</i> + 38			
	Do not allow further work eg $7x + 38 = 45x$			
	Allow further work in trying to solve equation after $7x + 38$ seen to score A1 for final accuracy mark			

Q	Answer	Mark	Comments	
	15 : 65	B1	oe eg $\frac{15}{80}:\frac{65}{80}$	
47(0)	3 : 13	B1ft	ft their 15 : 65 written in simple division to both sides of ratio	est form, with
17(a)	Additional Guidance		Guidance	
	13:3 implies 65:15			B0B1ft
15:80 followed by 3:16			B0B1ft	

	Alternative method 1		
	150 ÷ (5 – 2) or 150 ÷ 3 or 50	M1	
	their 50 × 7 or their 50 × 5 or 250 and their 50 × 2 or 100	M1 dep	
	350	A1	SC1 210
17(b)	Alternative method 2		
	$\frac{5}{2} = \frac{x + 150}{x}$	M1	oe $5x = 2(x + 150)$
	(x =) 100 and (x + 150 =) 250	M1	
	350	A1	SC1 210
	Additional Guidance		
	250 and 100 is at least M1M1		

Q	Answer	Mark	Comments	
~		mark		
	Alternative method 1			
	$\frac{3}{12} (+) \frac{2}{12} \text{ or } \frac{5}{12}$ or $\frac{6}{24} (+) \frac{4}{24}$ or $\frac{10}{24}$	M1	oe common denominator	
	1 - their $\frac{5}{12}$ or $\frac{7}{12}$ or 12 - their 5 or 1 - their $\frac{10}{24}$ or $\frac{14}{24}$ or 24 - their 10 or 14 (blue discs)	M1	oe their $\frac{5}{12}$ must be from $\frac{1}{4} + \frac{1}{6}$	
	7	A1		
	Alternative method 2		1	
18	Multiple of 12 for total number of discs or Number of red discs and white discs in ratio 3 : 2	M1	implied by LCM of 12 eg 6R, 4W	
	Numbers of discs in ratio 3 : 2 : 7	M1	eg 6R, 4W, 14B	
	7	A1		
	Additional Guidance			
	7 out of 12 on answer line			M1M1A1
	$\frac{7}{12}$ on answer line			M1M1A0
	3 (red) 2 (white) 7 (blue) without 7 on answer line			M1M1A0
	$\frac{1}{4} + \frac{1}{6} = \frac{2}{10}$ $1 - \frac{2}{10}$			M0M1A0



