



GCSE

Mathematics

Paper 2 43652F

Mark scheme

43652F

June 2015

Version 1 Final

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts: alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available from aqa.org.uk



Glossary for Mark Schemes

GCSE examinations are marked in such a way as to award positive achievement wherever possible. Thus, for GCSE Mathematics papers, marks are awarded under various categories.

If a student uses a method which is not explicitly covered by the mark scheme the same principles of marking should be applied. Credit should be given to any valid methods. Examiners should seek advice from their senior examiner if in any doubt.

| | |
|------------------------|--|
| M | Method marks are awarded for a correct method which could lead to a correct answer. |
| A | Accuracy marks are awarded when following on from a correct method. It is not necessary to always see the method. This can be implied. |
| B | Marks awarded independent of method. |
| ft | Follow through marks. Marks awarded for correct working following a mistake in an earlier step. |
| SC | Special case. Marks awarded for a common misinterpretation which has some mathematical worth. |
| M dep | A method mark dependent on a previous method mark being awarded. |
| B dep | A mark that can only be awarded if a previous independent mark has been awarded. |
| oe | Or equivalent. Accept answers that are equivalent. e.g. accept 0.5 as well as $\frac{1}{2}$ |
| [a, b] | Accept values between a and b inclusive. |
| [a, b) | Accept values $a \leq \text{value} < b$ |
| 3.14... | Accept answers which begin 3.14 e.g. 3.14, 3.142, 3.1416 |
| Q | Marks awarded for quality of written communication |
| Use of brackets | It is not necessary to see the bracketed work to award the marks. |

Examiners should consistently apply the following principles

Diagrams

Diagrams that have working on them should be treated like normal responses. If a diagram has been written on but the correct response is within the answer space, the work within the answer space should be marked. Working on diagrams that contradicts work within the answer space is not to be considered as choice but as working, and is not, therefore, penalised.

Responses which appear to come from incorrect methods

Whenever there is doubt as to whether a candidate has used an incorrect method to obtain an answer, as a general principle, the benefit of doubt must be given to the candidate. In cases where there is no doubt that the answer has come from incorrect working then the candidate should be penalised.

Questions which ask candidates to show working

Instructions on marking will be given but usually marks are not awarded to candidates who show no working.

Questions which do not ask candidates to show working

As a general principle, a correct response is awarded full marks.

Misread or miscopy

Candidates often copy values from a question incorrectly. If the examiner thinks that the candidate has made a genuine misread, then only the accuracy marks (A or B marks), up to a maximum of 2 marks are penalised. The method marks can still be awarded.

Further work

Once the correct answer has been seen, further working may be ignored unless it goes on to contradict the correct answer.

Choice

When a choice of answers and/or methods is given, mark each attempt. If both methods are valid then M marks can be awarded but any incorrect answer or method would result in marks being lost.

Work not replaced

Erased or crossed out work that is still legible should be marked.

Work replaced

Erased or crossed out work that has been replaced is not awarded marks.

Premature approximation

Rounding off too early can lead to inaccuracy in the final answer. This should be penalised by 1 mark unless instructed otherwise.

Paper 2 Foundation Tier

| Q | Answer | Mark | Comments |
|------|---|------|----------------------------|
| 1(a) | Acute | B1 | |
| 1(b) | Obtuse | B1 | |
| 1(c) | Parallel | B1 | |
| 1(d) | Perpendicular | B1 | |
| 2(a) | 15:50 | B1 | |
| 2(b) | 1 hour 15 minutes or 1:15 or 1.15 or 75 or 1.25 or 8 or 4 or 315 (minutes) or $5\frac{1}{4}$ or 5.25 or 5:15 or 5.15 or 18:30 | M1 | oe Check programme list |
| | 5 hours 15 minutes | A1 | |
| | Additional Guidance | | |
| | 13:15 | | M0 |
| 2(c) | 2:30 | B1 | Swimming and Cricket |
| | 12:15 | B1 | End of Highlights |
| | Additional Guidance | | |
| | 14:30, 14:30, 00:15 | | BOB0 |

| Q | Answer | Mark | Comments |
|-------------|---|-------------|------------------------------------|
| 3 | True | B1 | |
| | False | B1 | |
| | False | B1 | |
| 4 | 4 correct connections | B2 | All 4 correct B2 2 or 3 correct B1 |
| | Additional Guidance | | |
| | From left to right: cylinder, hexagon, rhombus and cuboid | | |
| 5 | Blue 4 | B1 | |
| | White 3 and Yellow 1 | B1 | |
| 6(a) | 15 | B1 | |

| Q | Answer | Mark | Comments |
|-------------|---|------|---|
| 6(b) | 6 circles drawn for the 3 rd shape | B1 | Any orientation or shape |
| | 8 circles drawn for the 4 th shape | B1 | Any orientation or shape SC1 Shape 4 has 2 more circles than shape 3 |
| | Additional Guidance | | |
| | Count the number of circles and ignore what the shape looks like 5 circles for Pattern 3 and 7 circles for Pattern 4 | SC1 | |
| 7(a) | 30 or 43 or 25 | M1 | |
| | 98 | A1 | Answers may be on the diagram |

| Q | Answer | Mark | Comments |
|--|---|------|--|
| 7(b) | $5\frac{1}{2}$ symbols drawn for beds | B1 | |
| | Chairs = 60 or 6 symbols drawn for chairs or Tables = 40 or 4 symbols drawn for tables or 155 – 55 or 100 seen or implied or chairs and tables add up to 100 or 10 symbols for chairs and tables or their number of chairs equals their number of tables plus 20 | M1 | |
| | 6 symbols drawn for chairs and 4 symbols drawn for tables | A1 | |
| | $5\frac{1}{2}$ symbols drawn for beds and 6 symbols drawn for chairs and 4 symbols drawn for tables and all symbols drawn match their key | Q1 | Strand (ii) Lengths of rows consistent with number of symbols SC2 for fully correct pictogram with the 10 changed in the key |
| | Additional Guidance | | |
| <p>The M mark can be awarded from the table or the pictogram regardless of any contradictions, eg 70 and 30 in the table, 7 symbols and 2 symbols for chairs and tables in the pictogram scores the M1</p> <p>Accept any symbol for the first three marks, even if they have used 3 different symbols, eg $5\frac{1}{2}$ beds, 6 chairs and 4 tables would score 3 marks out of 4</p> <p>Half symbols can be open or closed</p> <p>For the Q mark, the pictogram must be fully correct and chairs must be the longest row, beds the next longest and tables must be the shortest row</p> <p>For the Q mark if another symbol is used, it must be the only symbol used and it must be defined in the key</p> | | | |

| Q | Answer | Mark | Comments |
|------|--|------|--|
| 8(a) | T | B1 | |
| 8(b) | R | B1 | |
| | Q | B1 | |
| 9(a) | 120 for D or 60 for E or 60 for F and C or 40 for F $\frac{30}{360}$ or $30 \div 360$ or $\frac{360}{30}$ or $360 \div 30$ or 12 or $\frac{240}{12}$ or $240 \div 12$ or $\frac{60}{3}$ or $60 \div 3$ or $\frac{360}{240}$ or 1.5 or $\frac{240}{360}$ or 0.67 or 0.66(...) | M1 | oe |
| | 20 | A1 | |
| | Additional Guidance | | |
| | 0.67 \times 30 = 20.1, answer 20 0.66 \times 30 = 19.8, answer 20 60 \times 0.3 = 18, answer 20 (M1 for the 60) 60 \times 0.3, answer 20 (M1 for the 60) Answer 20% Answer 20° | | M1A1 M1A1 M1A0 M1A0 M1A0 M1A0 |

| Q | Answer | Mark | Comments | |
|-----------------------------------|---|------|--|----------------|
| 9(b) | $\frac{60}{360}$ or $\frac{40}{240}$ or $60 \div 360$ or $40 \div 240$ or 0.16(...) or 0.17 | B1 | oe | |
| | $\frac{1}{6}$ | B1ft | ft for simplifying their fraction fully Note $\frac{1}{6}$ with no working scores 2 marks | |
| | Additional Guidance | | | |
| | The second B1 is for simplifying their fraction fully No follow through from part a Ignore attempts to convert $\frac{1}{6}$ to decimal or percentage | | | |
| | Answer 1 out of 6 Answer 1 in 6 | | | B1 B0 B1 B0 |
| | $\frac{30}{360} = \frac{1}{12}$ | | | B0 B1ft |
| | $\frac{90}{360} = \frac{1}{4}$ | | | B0 B1ft |
| | $\frac{20}{240} = \frac{1}{12}$ | | | B0 B1ft |
| | $\frac{60}{240} = \frac{1}{4}$ | | | B0 B1ft |
| | $\frac{120}{240} = \frac{1}{2}$ | | | B0 B1ft |
| | $\frac{60}{90} = \frac{2}{3}$ | | | B0 B1ft |
| $\frac{60}{240} = \frac{30}{120}$ | | | B0 B0 | |

| Q | Answer | Mark | Comments |
|------------------------|---|------|----------|
| 10(a) | 15x or 15 × x or x × 15 | B1 | oe |
| | Additional Guidance | | |
| | Condone the use of a different letter, but not <i>p</i> | | |
| | 15 <i>r</i> or 15 × <i>r</i> or <i>r</i> × 15 | B1 | |
| | 15 <i>x</i> pence | B1 | |
| | 15 <i>xp</i> or 15 <i>p</i> × <i>x</i> or <i>x</i> × 15 <i>p</i> | B1 | |
| | cost = 15 <i>x</i> or <i>c</i> = 15 <i>x</i> or price = 15 <i>x</i> etc | B1 | |
| | 15 <i>p</i> | B0 | |
| 15 × <i>p</i> | B0 | | |
| <i>x</i> 15 | B0 | | |
| 15 <i>x</i> = <i>x</i> | B0 | | |

| Q | Answer | Mark | Comments |
|--|------------------------------|------|--|
| 10(b) | $30y + 120w$ or $30(y + 4w)$ | B2 | oe B1 for $30y$ or $120w$ or $0.3y + 1.2w$ Do not ignore fw for B2 SC1 for $30p + 120c$ |
| | Additional Guidance | | |
| | $30yp + 120wp$ | B2 | |
| | $30p + 120w$ | B1 | |
| | $30y = 120w$ | B1 | |
| | $0.3y + 120w$ | B1 | |
| | $30y + 1.20w$ | B1 | |
| | $30y + w120$ | B1 | |
| | $30y + 120w = 150yw$ | B1 | |
| | $30w + 120y$ | B0 | |
| $30a + 120b$ | B0 | | |
| $y30 + w120$ | B0 | | |
| $30p + 120p$ | B0 | | |
| $30py + 120pw$ | B0 | | |
| Use of letters other than y or w is B0 | | | |
| Ignore p as units | | | |

| Q | Answer | Mark | Comments |
|-------|---|-------|---|
| 10(c) | 5 – 1.35 or (£)3.65 or 500 – 135 or 365 or subtract any 3 items from (£)5 with an answer given or add any 3 items with an answer given | M1 | |
| | their 3.65 or 365 and an attempt to add any 3 items with an answer given or subtract any 2 or 3 items from their 3.65 or 365 with an answer given or add the correct 3 items to 1.35 or 135 or subtract the correct 3 items from (£)5 or 500 | M1dep | |
| | Pen, calculator and calculator in any order | A1 | oe Accept 1.25, 1.20, and 1.20 Accept 2 calculators and 1 pen in any order SC2 for any combination using 3 of the 4 things that the shop sells that adds up to 3.65 eg 1 pen, 1 calculator, 4 protractors |
| | Additional Guidance | | |
| | 5 – 1.25 – 1.20 – 1.20 with no answer given 1 pen, 1 calculator, 4 protractors 8 rulers, 1 calculator, 1 pen Answers given do not have to be correct for method marks Units need to be consistent | | M1M1A0 SC2 SC2 |

| Q | Answer | Mark | Comments |
|-------|---|--------------------------------|----------|
| 10(d) | $1.25 + 0.15 + 0.30 + 1.20$ or 2.90 seen or $125 + 15 + 30 + 120$ or 290 seen | M1 | oe |
| | $20 \div \text{their } 2.9$ or [6.8, 6.9] or $2000 \div \text{their } 290$ or 6×2.9 or 17.4 or 7×2.9 or 20.3 or $x \times \text{their } 2.9$ or $(x + 1) \times \text{their } 2.9$ where $x \times \text{their } 2.9 \leq 20 \leq (x + 1) \times \text{their } 2.9$ | M1dep | oe |
| | 6 | A1 | |
| | Additional Guidance | | |
| | $1.25 + 0.15 + 0.30 + 1.20 = 2.95$, $20 \div 2.95 = 6.78$, answer 6 $1.25 + 0.15 + 0.30 + 1.20 = 2.40$, $8 \times 2.40 = 19.20$, answer 8 $1.25 + 0.15 + 0.30 + 1.20 = 2.40$, 9×2.40 6 scores full marks unless clearly from wrong working | M1M1A0 M1M1A0 M1M1A0 | |

| Q | Answer | Mark | Comments |
|-------|--|------------------------------------|----------|
| 11(a) | $\frac{3}{5} \times 180$ or 108 or $\frac{1}{4} \times 180$ or 45 or $\frac{3}{5} \times \frac{1}{4}$ or $\frac{3}{20}$ | M1 | oe |
| | $\frac{1}{4} \times 108$ or $\frac{3}{5} \times 45$ $\frac{3}{5} \times \frac{1}{4} \times 180$ or $\frac{3}{20} \times 180$ | M1dep | oe |
| | 27 | A1 | |
| | Additional Guidance | | |
| | $\frac{1}{4}$ of 108 $\frac{1}{4}$ of 108 = 27 (recovered) $\frac{3}{5}$ of 180 (unless recovered) | M1M0A0 M1M1A1 M0M0A0 | |

| Q | Answer | Mark | Comments | |
|-------|---|-------|-------------------------------|----------|
| 11(b) | $\frac{30}{100} \times 180$ or $\frac{70}{100} \times 180$ or 126 | M1 | oe | |
| | 54 | A1 | | |
| | Additional Guidance | | | |
| | Answer 54% | | | M1A0 |
| 12 | 2 or 4 or 7 or 8 or 10 or 7 and 9 and 2 and 3 and 5 or 37 and 39 and 42 and 43 and 45 or 206 or 5×35 or 175 | M1 | oe Check diagram | |
| | $2 + 4 + 7 + 8 + 10$ or 31 or 2×1.45 or 2.9 or 4×1.45 or 5.8 or 7×1.45 or 10.15 or 8×1.45 or 11.6 or 10×1.45 or 14.5 or $(37 + 39 + 42 + 43 + 45) - (5 \times 35)$ or $206 - 175$ or 31 or 206×1.45 or 298.70 | M1dep | oe | |
| | their 31×1.45 or $2.9 + 5.8 + 10.15 + 11.6 + 14.5$ or $(206 \times 1.45) - (175 \times 1.45)$ | M1dep | oe | |
| | 44.95 | A1 | SC2 for 35.50 SC1 for 35.5 | |
| | Additional Guidance | | | |
| | 7, 9, 2, 3 and 5 can be indicated on the diagram 4495 | | | M1M1M1A0 |

| Q | Answer | Mark | Comments |
|----|--|------|---|
| 14 | Correct ruled line across at least 5cm squares wide | B4 | tolerance $\pm \frac{1}{2}$ small square B3 Correct ruled line less than 5cm squares wide or At least 2 correct points plotted and no incorrect points with no line or incorrect line B2 At least 2 correct points plotted and some incorrect points with no line or incorrect line or At least 2 correct points calculated B1 1 correct point plotted or calculated |
| | | | Additional Guidance |
| | Here are some correct conversions: (0, 32) (5, 41) (10, 50) (15, 59) (20, 68) (25, 77) (30, 86) (35, 95) For B1, if calculation not seen the point must be clearly identified, and is not implied by any line, but (0, 32) can be implied by their line A correctly plotted point implies a correct calculation Mark the line first, if the line is correct ignore incorrect points 2 or more lines, joined or not joined, scores a maximum of B2 Bar charts are B0 unless correct points are clearly marked Vertical line graphs can indicate correct points using the top of each line | | |

| Q | Answer | Mark | Comments |
|--|---|-------|---------------------------------|
| 15 | 6 (cm) or 4.5 (cm) | B1 | oe Accept 60 (mm) or 45 (mm) |
| | their 6 – their 4.5 or 1.5 | M1 | oe |
| | $\frac{\text{their 6}}{\text{their 1.5}} \times 20$ or $\frac{\text{their 4.5}}{\text{their 1.5}} \times 20$ or 60 | M1dep | oe |
| | 80 | A1 | |
| | Additional Guidance | | |
| <p>Answer 80 with or without units implies full marks</p> <p>For the B mark accept no units or correct units, but not incorrect units</p> <p>Beware of 60 as it could be the height of the smaller building or it could be the measurement of the larger building in millimetres</p> <p>60 as the height of the smaller building</p> <p>60 with no working</p> <p>60 mm with no other working</p> <p>1.5</p> <p>Check the diagram</p> | <p>B1M1M1A0</p> <p>B1M1M1A0</p> <p>B1M0M0A0</p> <p>B1M1</p> | | |

| Q | Answer | Mark | Comments |
|--|--|------|--|
| 16(a) | Alternative Method 1 | | |
| | $4 \times 4 \times 5 \times 3 \times 1.98$ | M3 | Allow one omission M2 for $4 \times 4 \times 5 \times 3 \times 1.98$ with two omissions M1 for one correct product |
| | £475.20 | A1 | |
| | Additional Guidance | | |
| <p>1 omission – all M3</p> <p>$4 \times 5 \times 3 \times 1.98$ or 118.8</p> <p>$4 \times 4 \times 3 \times 1.98$ or 95.04</p> <p>$4 \times 4 \times 5 \times 1.98$ or 158.4</p> <p>$4 \times 4 \times 5 \times 3$ or 240</p> <p>2 omissions – all M2</p> <p>$5 \times 3 \times 1.98$ or 29.7</p> <p>$4 \times 3 \times 1.98$ or 23.76</p> <p>$4 \times 5 \times 1.98$ or 39.6</p> <p>$4 \times 5 \times 3$ or 60</p> <p>$4 \times 4 \times 1.98$ or 31.68</p> <p>$4 \times 4 \times 3$ or 48</p> <p>$4 \times 4 \times 5$ or 80</p> <p>Any 1 correct product – all M1</p> <p>4×4 or 16</p> <p>4×5 or 20</p> <p>4×3 or 12</p> <p>4×1.98 or 7.92</p> <p>5×3 or 15</p> <p>5×1.98 or 9.9</p> <p>3×1.98 or 5.94</p> | | | |

Question 16(a) continues on the next page

| Q | Answer | Mark | Comments |
|-----------------------|---|-------|---|
| 16(a) cont | Alternative Method 2 | | |
| | 0.25 × 0.25 or 0.0625 or 5 × 3 or 15 or 5 ÷ 0.25 or 20 or 3 ÷ 0.25 or 12 | M1 | oe 25 × 25 or 625 or 500 × 300 or 150 000 or 500 ÷ 25 or 20 or 300 ÷ 25 or 12 |
| | their 15 ÷ their 0.0625 or 5 ÷ 0.25 and 3 ÷ 0.25 or 20 and 12 | M1dep | their 150 000 ÷ their 625 |
| | their 240 (× 1.98) or 475.2 or their 20 x their 12 (× 1.98) | M1dep | |
| | (£)475.20 | A1 | Correct money notation |
| | Additional Guidance | | |
| | Condone (£)475.20p | | |

| Q | Answer | Mark | Comments |
|--------------|--|-------|---|
| 16(b) | Alternative Method 1 | | |
| | $6 \times 6 - 5 \times 5$ or $36 - 25$ or 11 | M1 | |
| | $390 \div (6 \times 6)$ or 10.83(...) or 390×11 or 4290 | M1 | oe |
| | their 10.83(...) \times their 11 or 119.166(...) or their $4290 \div 36$ | M1dep | or their $10.83(\dots) \times (36 - 25)$ |
| | [119.00, 119.25] | Q1 | Strand (i) correct money notation Accept 119 |
| | Alternative Method 2 | | |
| | $390 \div (6 \times 6)$ or 10.83(...) | M1 | |
| | $(5 \times 5) \times$ their 10.83(...) or [270.75, 271) | M1 | oe |
| | $390 -$ their [270.75, 271) | M1dep | |
| | [119.00, 119.25] | Q1 | Strand (i) correct money notation Accept 119 |

| Q | Answer | Mark | Comments |
|-------|--|-------|--|
| 17(a) | 180 – 100 or 80 | M1 | |
| | 40 | A1 | |
| | Additional Guidance | | |
| | Embedded answer $100 + 2 \times 40 = 180$ | | M1A0 |
| 17(b) | $360 \div 8$ or 135 seen | M1 | oe $180 - [[(8 - 2) \times 180] \div 8]$ |
| | 45 | A1 | |
| | Additional Guidance | | |
| | $90 \div 2 = 45$ is a valid method using symmetry | | M1A1 |
| 17(c) | Angle ABD is 90 or angle $ADB = w$ seen or implied or angle $ADB =$ angle CBD seen or implied or angle BCD is 65 or angle ABC is $180 - 65$ or 115 or angle ADC is $180 - 65$ or 115 or 155 seen | M1 | oe $(360 - 65 - 65 - 90 - 90)$ or 50 May be on diagram |
| | $180 - 65 - 90$ or $180 - 155$ or $115 - 90$ or angle ADB is 25 | M1dep | oe $(360 - 65 - 65 - 90 - 90) \div 2$ or $50 \div 2$ or $90 - 65$ |
| | 25 | A1 | |
| | Additional Guidance | | |
| | For the first M1 angles must be clearly identified either in the diagram or in the working Use of the right angle symbol is acceptable for 90 May extend side to obtain a valid angle Working space takes precedence over diagram | | |

| Q | Answer | Mark | Comments | |
|-----------|---|------------------------------------|---|--|
| 18 | 850 × 1.18 or 1003 | M1 | oe (990 + 15) ÷ 1.18 or 990 ÷ 1.18 or 838.9(...) | |
| | 1003 and 1005 or 2 | A1 | 851.(...) or 852 or 1.(...) | |
| | Laura and 1003 and 1005 or Laura and 2 or UK and 1003 and 1005 or UK and 2 or Laura and 851.(...) or 852 or Laura and 1.(...) or UK and 851.(...) or 852 or UK and 1.(...) | Q1ft | Strand (iii) decision to match their calculation ft their comparison of values with M1 scored, both values must be in the same currency | |
| | Additional Guidance | | | |
| | Accept name, country or price (e.g. the (£)850 saddle) for final answer 990 ÷ 1.18 = 838.(...), Steve (or Holland) 990 ÷ 1.18 = 838.(...), 15 ÷ 1.18 = 12.(...), 838 + 12 = 850, they both cost the same Laura with no valid working For the Q mark, follow through their comparison of values with M1 scored, but both values must be in the same currency and one of the values used in the comparison must be from the M1 that was awarded | M1A0Q1ft M1A0Q1ft M0A0Q0 | | |

| Q | Answer | Mark | Comments |
|--------------|---|------|---------------------------------|
| 19(a) | $6x - 3 + 2x - 6$ or $8x$ or -9 | M1 | Allow one error |
| | $8x - 9$ | A1 | Do not ignore fw |
| | Additional Guidance | | |
| | $8x + -9$ 4 correct terms seen $8x - 9$, followed by an equation solved or unsolved eg $8x - 9 = -x$ or $8x - 9 = 0$, $8x = 9$, $x = \frac{9}{8}$ | | M1A0 M1 M1A0 |
| 19(b) | $\frac{3}{2} < n \leq 5$ or 2, 3, 4 or 2, 4, 5 or 2, 3, 5 or 3, 4, 5 or 1, 2, 3, 4, 5 or 2, 3, 4, 5, 6 | M1 | |
| | 2, 3, 4, 5 | A1 | SC1 for 4, 5, 6, 7, 8, 9 and 10 |
| | Additional Guidance | | |
| | 4, 5, 6 Embedded answers are ambiguous so M0 | | M0 M0 |

| Q | Answer | Mark | Comments |
|---|---|------|---|
| 19(c) | $12x - 20$ | B1 | oe $\frac{22}{4}$ or 5.5 or $3x - 5 = \frac{22}{4}$ or $x - \frac{5}{3} = \frac{22}{12}$ |
| | $12x = 22 + 20$ or their $12x = 22 + \text{their } 20$ | M1 | oe $3x = \text{their } \frac{22}{4} + 5$ or $x = \frac{22}{12} + \frac{5}{3}$ |
| | $\frac{42}{12}$ or $\frac{7}{2}$ or 3.5 | A1ft | oe ignore fw On ft accept answers to 1dp or better |
| | Additional Guidance | | |
| $12x - 5 = 22, 12x = 22 + 5, x = \frac{27}{12}$ $12x - 20 = 22, 12x = 22 + 20, x = \frac{44}{12}$ $7x - 9 = 22, 7x = 22 + 9, x = \frac{31}{7}$ $12x - 20 = 22, 12x = 44, x = \frac{44}{12}$ T&I scores 3 or 0 | B0M1A1ft B1M1A0 B0M1A1ft B1M0A0 | | |

| Q | Answer | Mark | Comments |
|-------|--|------------|-----------------------------------|
| 20 | $\frac{150}{800} (\times 100)$ or $\frac{150}{650+150} (\times 100)$ or 0.1875 | M1 | oe |
| | 18.75 or 18.8 or 19 | A1 | oe SC1 for 81.25 or 81 or 81.3 |
| | Additional Guidance | | |
| | $\frac{800}{150}$ 19 with no working 19 is incorrect only if clearly from wrong working Build up methods score 0 or 2 | M0 M1A1 | |
| 21(a) | 720 ÷ 6 or 120 | M1 | 720 ÷ 6 × 5 or 600 |
| | 600 and 120 | A1 | |
| | Additional Guidance | | |
| | 120 and 600 (order reversed) | M1A0 | |

| Q | Answer | Mark | Comments | |
|--|---|-------|-----------|----------|
| 21(b) | 135 + 70 + 35 or 240 | M1 | | |
| | their 240 ÷ 6 or 40 | M1dep | | |
| | 2 × their 40 or 80 | M1dep | | |
| | 10 | A1 | ignore fw | |
| | Additional Guidance | | | |
| | Gemma 10, Beth 5, answer 15 scores full marks | | | M1M1M1A1 |
| (120 and) 80 and 40 may be written next to the 3 : 2 : 1 in the question | | | M1M1M1A0 | |
| Beware of 10 from incorrect working | | | | |
| eg 135 ÷ 3 = 45, 70 ÷ 2 = 35, 35 ÷ 1 = 35, answer 10 scores 0 | | | M0M0M0A0 | |
| 22 | $\frac{1}{3}$ or $\frac{2}{6}$ or 0.33(...) or 72 ÷ 6 or 12 or 72 ÷ 6 × 2 | M1 | oe | |
| | 24 | A1 | oe | |
| | Additional Guidance | | | |
| | 24 out of 72 | | | M1A1 |
| $\frac{24}{72}$ | | | M1A0 | |
| 2 out of 6 or 1 out of 3 | | | M0 | |

| Q | Answer | Mark | Comments |
|----|--|-------|------------------------------|
| 23 | (Diameter or side of square =) $\sqrt{36}$ or 6 or (radius =) 3 | M1 | 6 × 6 (= 36) |
| | $\pi \times 6$ or $2 \times \pi \times 3$ | M1dep | |
| | [18.8, 18.9] or 6π | A1 | Accept 19 with working shown |
| | Additional Guidance | | |
| | Accept [3.14, 3.142] for π Ignore further working after 6π , that is if they incorrectly work 6π out award full marks Do not accept $\pi 6$ for the A mark 6 or 3 may be on diagram but must be correct, eg radius must be 3, not 6 | | |

| Q | Answer | Mark | Comments | |
|-------------------------------|--|-------|--|------|
| 24 | $2x + 2x - 10 + x + 25 + 2x + 30$ or $ax + 45$ or $7x + b$ | M1 | Allow one error in their 7 terms oe $25 + 30 - 10$ or 45 | |
| | $2x + 2x - 10 + x + 25 + 2x + 30 = 360$ or $7x + 45$ or their $ax + 45 = 360$ or their $7x + b = 360$ | M1dep | oe $360 - \text{their } 45$ or 315 | |
| | $7x + 45 = 360$ | M1dep | oe their $315 \div 7$ | |
| | 45 | A1 | | |
| | Additional Guidance | | | |
| | $x = 45$ with no working | | | M3A1 |
| | $45 + 315 = 360, \frac{315}{7} = 45$ | | | M3A1 |
| | $2x = 90, x = 45$ (no incorrect working seen) | | | M3A1 |
| | $360 - 45 = 215, \frac{215}{7} = 30.714$ | | | M3A0 |
| | $45 + 215 = 360, \frac{215}{7} = 30.714$ | | | M3A0 |
| Embedded answer | | | M3A0 | |
| Beware of $25 + 30 - 10 = 45$ | | | M1 | |