

GCSE MATHEMATICS 8300/2F

Foundation Tier Paper 2 Calculator

Mark scheme

June 2024

Version 1.0 Final



Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

No student should be disadvantaged on the basis of their gender identity and/or how they refer to the gender identity of others in their exam responses.

A consistent use of 'they/them' as a singular and pronouns beyond 'she/her' or 'he/him' will be credited in exam responses in line with existing mark scheme criteria.

Further copies of this mark scheme are available from aqa.org.uk

Copyright information

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Copyright © 2024 AQA and its licensors. All rights reserved.

Glossary for Mark Schemes

GCSE examinations are marked in such a way as to award positive achievement wherever possible. Thus, for GCSE Mathematics papers, marks are awarded under various categories.

If a student uses a method which is not explicitly covered by the mark scheme the same principles of marking should be applied. Credit should be given to any valid methods. Examiners should seek advice from their senior examiner if in any doubt.

M	Method marks are awarded for a correct method which could lead to a correct answer.
A	Accuracy marks are awarded when following on from a correct method. It is not necessary to always see the method. This can be implied.
В	Marks awarded independent of method.
ft	Follow through marks. Marks awarded for correct working following a mistake in an earlier step.
sc	Special case. Marks awarded for a common misinterpretation which has some mathematical worth.
M dep	A method mark dependent on a previous method mark being awarded.
B dep	A mark that can only be awarded if a previous independent mark has been awarded.
oe	Or equivalent. Accept answers that are equivalent.
	eg accept 0.5 as well as $\frac{1}{2}$
[a, b]	Accept values between a and b inclusive.
[a, b)	Accept values a ≤ value < b
3.14	Accept answers which begin 3.14 eg 3.14, 3.142, 3.1416
Use of brackets	It is not necessary to see the bracketed work to award the marks.

Examiners should consistently apply the following principles.

Diagrams

Diagrams that have working on them should be treated like normal responses. If a diagram has been written on but the correct response is within the answer space, the work within the answer space should be marked. Working on diagrams that contradicts work within the answer space is not to be considered as choice but as working, and is not, therefore, penalised.

Responses which appear to come from incorrect methods

Whenever there is doubt as to whether a student has used an incorrect method to obtain an answer, as a general principle, the benefit of doubt must be given to the student. In cases where there is no doubt that the answer has come from incorrect working then the student should be penalised.

Questions which ask students to show working

Instructions on marking will be given but usually marks are not awarded to students who show no working.

Questions which do not ask students to show working

As a general principle, a correct response is awarded full marks.

Misread or miscopy

Students often copy values from a question incorrectly. If the examiner thinks that the student has made a genuine misread, then only the accuracy marks (A or B marks), up to a maximum of 2 marks are penalised. The method marks can still be awarded.

Further work

Once the correct answer has been seen, further working may be ignored unless it goes on to contradict the correct answer.

Choice

When a choice of answers and/or methods is given, mark each attempt. If both methods are valid then M marks can be awarded but any incorrect answer or method would result in marks being lost.

Work not replaced

Erased or crossed out work that is still legible should be marked.

Work replaced

Erased or crossed out work that has been replaced is not awarded marks.

Premature approximation

Rounding off too early can lead to inaccuracy in the final answer. This should be penalised by 1 mark unless instructed otherwise.

Continental notation

Accept a comma used instead of a decimal point (for example, in measurements or currency), provided that it is clear to the examiner that the student intended it to be a decimal point.

Q	Answer	Mark	Comments
	27 100	B1	
1(a)	Ade	ditional G	Guidance
	Ignore attempt to simplify after correct	t answer	seen

Q	Answer	Mark	Comments		
	0.4	B1	oe decimal eg 0.40		
1(b)	Additional Guidance				
	.4			B1	

Q	Answer	Mark	Comments
1(c)	35	B1	

Q	Answer	Mark	Comments		
	5 <i>x</i>	B1			
2(a)	Additional Guidance				
	$5 \times x$ or $x \times 5$ or $x \times 5$			В0	

Q	Answer	Mark	Comments	
	10w	B1		
2(b)	2(b) Additional Guidance			
	$10 \times w$ or $w \times 10$ or $w10$			В0

Q	Answer	Mark	Comments		
	2	B1			
2(c)	Additional Guidance				
_(*)	$\frac{2}{1}$ or 2 ÷ 1			В0	

Q	Answer	Mark	Comments		
	y ³	B1			
2(d)	Additional Guidance				
	$y^2 \times y$ or $y \times y^2$			В0	

Q	Answer	Mark	Comments
3(a)	C	B1	

Q	Answer	Mark	Comments
3(b)	a or d	B1	accept a and d

Q	Answer	Mark	Comments
	0	B1	oe
3(c)	Ad	ditional G	Buidance
	Accept none, zero, nought etc		

Q	Answer	Mark	Comments	
	9.03	B1		
	Ad			
4(a)	9.03p			B1
	903p on the answer line	B1		
	903 on the answer line with £ not crossed out			В0

Q	Answer	Mark	Comments	
	2.56	B1		
	Additional Guidance			
4(b)	2.56p			B1
	256p on the answer line			B1
	256 on the answer line with £ not crossed out			В0

Q	Answer	Mark	Comments	
5(a)	5×20 or 100 or 2×20 or 40 or $5-2$ or 3 or 5×4 or 20 and 2×4 or 8 and $20-8$ or 12	M1	oe eg 20 + 20 + 20 eg 20 + 20 + 20 + 20 + 20 may be by the diagram	
	60	A1		
	Ad	ditional G	Guidance	
	Answer 60b BOD 60 bottles			M1A1
	Further work eg $60 + 30 = 90$			M1A0

Q	Answer	Mark	Comments	
	Alternative method 1			
	$6\frac{1}{4} \times 20 \text{ or } 125$	M1	oe eg $6 \times 20 + \frac{1}{4} \times 20$ of may be by the diagram	r 120 + 5
	their 125 × 17.5(0)	M1	oe	
	2187.5(0)	A1		
	Alternative method 2			
	$6\frac{1}{4} \times 17.5(0)$ or 109.375 or	M1	oe eg $6 \times 17.5(0) + \frac{1}{4} \times 1$	17.5(0)
	109.37 or 109.38		or 105 + 4.375	
	their 109.375 × 20	M1	oe	
	2187.5(0)	A1		
5(b)	Alternative method 3			
	20 × 17.5(0) or 350	M1	oe	
	their $350 \times 6\frac{1}{4}$	M1	oe eg their $350 \times 6 + \frac{1}{4} \times 6 = \frac{1}{4$	their 350
			or 2100 + 87.5(0)	
	2187.5(0)	A1		
	Additional Guidance			
	2187.50p			M1M1A1
	Alt 1			
	6 × 20 = 120			M0
	120 × 17.5(0)			M1A0
	Alt 2			
	6 × 17.5(0) = 105			M0
	105 × 20			M1A0

Q	Answer	Mark	Comments	
	DC or CD	B1		
6(5)	Additional Guidance			
6(a)	CDE			В0
	C : D			В0

Q	Answer	Mark	Comments		
	Rectangle drawn with an area of 10		any orientation		
			B1 10 seen		
		B2	or		
			any polygon drawn different given shape with an area of		
6(b)	Additional Guidance B1 may be awarded for correct work with no shape or incorrect shape, even if this is seen amongst multiple shapes				
	Mark intention				
	10 may be seen on the diagram				
	Draws the given shape reflected or in a different orientation			В0	

Q	Answer	Mark	Comments		
	Alternative method 1: one side me	asured			
	7.4 (cm) or 74 (mm) or 2.9 (inches)	B1	± 2 mm allow [2.8, 3)		
	their 7.4 \times 3 or their 74 \times 3 or their 2.9 \times 3 or [21.6, 22.8] or [216, 228] or [8.4, 9)	M1	oe their 7.4 must be [7, 8] their 74 must be [70, 80] their 2.9 must be [2.6, 3.2]		
	[21.6, 22.8] cm or [216, 228] mm or [8.4, 9) inches	A1ft	ft their 7.4 or their 2.9 with B0M1 awarded		
7	Alternative method 2: more than one side measured				
	Each side measured as 7.4 (cm) or 74 (mm) or 2.9 (inches)	B1	± 2 mm allow [2.8, 3)		
	their 7.4 + their 7.4 + their 7.4 or their 74 + their 74 + their 74 or their 2.9 + their 2.9 + their 2.9 or [21.6, 22.8] or [216, 228] or [8.4, 9)	M1	oe their 7.4 must be [7, 8] their 74 must be [70, 80] their 2.9 must be [2.6, 3.2]		
	[21.6, 22.8] cm or [216, 228] mm or [8.4, 9) inches	A1ft	ft their 7.4 or their 2.9 with B0M1 awarded		

Additional guidance is on next page

	Additional Guidance	
	In alternative method 2 the sides do not have to be equal	
	eg	
	7.5, 7.5, 7.6	B1
	= 22.6	M1A0ft
	Cannot access the A mark as there are no units.	
	eg	
	sides measured as 7.6, 7.6, 7.7	В0
	7.6 + 7.6 + 7.7	M1
	$=22.9\mathrm{cm}$	A1ft
7 cont'd	Cannot gain the B mark as 7.7 is out of range	
	eg	
	75, 80, 80	В0
	answer 235 mm	M1A1ft
	80 is out of range for the B mark but in range for the M mark. Method mark implied by correct answer for their values	
	Further work after the correct answer seen eg 7.4 and $22.2 \div 2 = 11.1$ cm	B1M1A0
	Ignore subsequent rounding once correct answer is seen	
	Accept correct units seen with their answer in the working, even if missing from the answer line, provided they are not contradicted.	
	Ignore any measurement of the height for the B mark	

Q	Answer	Mark	Comments		
	56 – 17 or 39	M1			
	13	A1			
	Ado	ditional G	Guidance		
	M1 may be awarded for correct work even if this is seen in multiple attemp		nswer or incorrect answer,		
	Ignore any values for blue or white cu	ubes			
8(a)	eg G B W R 17 13 13 13 With R unambiguously linked with 13 May be seen as a ratio Unless contradicted on the answer line is awarded M1A1				
	17 (+) 13 (+) 13 (+) 13 without 13 lin	ked to red	I	M1A0	
	13 and answer 13 out of 56				
	13 and answer $\frac{13}{56}$				
	13 and answer 56			M1A0	
	Answer $\frac{13}{56}$			M1A0	

Q	Answer	Mark	Comments		
	56 + 24 or 80	M1			
	0.4 × their 80 or 32	M1dep	oe eg 0.4 × 56 + 0.4 × 24	or 9.6 + 22.4	
	15	A1			
	Ado	ditional G	Guidance		
	M1 may be awarded for correct work even if this is seen in multiple attemp		nswer or incorrect answer,		
	15 and answer 15 out of 24			M1M1A1	
	15 and answer $\frac{15}{24}$ or $\frac{3}{8}$				
8(b)	Answer $\frac{15}{24}$				
	80 seen embedded in a fraction				
	Answer $\frac{3}{8}$ with no other creditworthy work				
	Condone 80 × 40%			M1M1	
	40% of 80 is 2nd M0 unless recovered Build up methods for finding 40% of 80 must be completed to be awarded the M mark				
	eg 80 followed by $10\% = 8$ and 4×8	3 = 32		M1M1	
	eg $0.1 \times 80 = 6$ and $4 \times 6 = 24$			M1M1	
	eg 80 followed by $10\% = 6$ and 4×6	S = 24		M1M0	

Q	Answer	Mark	Comments	
	Alternative method 1			
	270 ÷ 3 or 90		oe	
	or			
	270 × 50 or 13 500	M1		
	or			
	270 × 0.5(0) or 135			
	270 ÷ 3 × 50		oe	
	or	M1dep		
	270 ÷ 3 × 0.5(0)			
	45	A1		
	Alternative method 2			
9	Correctly finds units and cost for at least 30 miles	M1	eg 30 miles = 10 units and 10 units cost (£)5	
	Correct method for cost of 270 miles	M1dep		
	45	A1		
	Ac	ditional (Guidance	
	45.00(p)		M1M1A1	
	45.0		M1M1A0	
	Accept 0.33() or 33.()% for $\frac{1}{3}$			
	Further work eg 45 ÷ 2			
	Embedded answer of 45 but not sele	cted	M1M1A0	

Q	Answer	Mark	Comments	
	2 × 8.5(0) or 17(.00)	M1	oe	
	38 – their 17 or 21	M1dep		
	their 21 ÷ 5 or 4.2	M1dep	oe eg 5 × 4.2(0)	
10(a)	4.20	A1	correct money notation SC2 5.90 SC1 5.9	
	Additional Guidance			
	Special case is for using 1 metre of li	nen at £8.	5(0)	
	Allow 4.20(p) for the A mark			
	4.20 ÷ 5 = 84p			M1M1M1 A0

Q	Answer	Mark	Comments	
	14×0.65 or $9.1(0)$ or 15×0.65 or 9.75 or	M1	oe allow in pence	
	10 ÷ 0.65 or 15.3() or 15.4 or $(5-7\times 0.65)\times 2 \ \text{or} \ 0.9(0)$			
	No and 15 with M1 awarded or No and (£)9.75	A1	oe eg No and she can get 1 awarded	more with M1
10(b)	Additional Guidance			
	Yes ticked			max M1A0
	No may be implied if neither box ticked			
	$0.65 \times 14 = 9.1$ she can buy another	No ticked	d	M1A1
	10 ÷ 0.65 = 15.38 No ticked		M1A0	
	$0.65 \times 14 = 9.1$ she can buy more No ticked			M1A0
	She can get 15 not 14 No ticked			M0A0
	The left over change would make up button No ticked	another 6	5p so enough for another	M0A0

Q	Answer	Mark	Comments	
	All 4 points plotted correctly with a straight line joining them	B2	$\pm \frac{1}{2}$ square B1 at least two correct points mark intention for straight line	•
11(a)	Additional Guidance			
	Ignore additional or incorrect points for	for B2 or B1		
	Ignore any line or curve extended ou	tside the r		
	The correct position of the line implies correctly plotted points			

Q	Answer	Mark	Comments		
	Alternative method 1: uses the graph				
	Vertical line from $x = 2.5$ to their straight line	M1	$\pm \frac{1}{2}$ square implied by mark at correct point on graph or on vertical axis		
	their 8.5	A1ft	$\pm \frac{1}{2}$ square		
		7	ft their straight line graph if at least B1 awarded in (a)		
	Alternative method 2: substitutes into the equation				
11(b)	3 × 2.5 + 1	M1	oe		
11(b)	8.5	A1			
	Alternative method 3: uses values from the table				
	$\frac{7+10}{2}$	M1	oe eg $\frac{4+7+10+13}{4}$		
	8.5	A1			
	Additional Guidance				
	Alternative method 1 – must have a line in part (a)				
	Alternative method 1				
	A vertical line from the <i>x</i> -axis does not need to be drawn if the reading from the graph is correct within tolerance for their graph				

Q	Answer	Mark	Comments		
	35679		B2 last digit square and mid even with three of the following constraints met:		
		В3	only one squareonly one evenno repeatsascending order		
			or 97653		
			B1 last digit square with no squares	other	
			or middle digit even with no	other evens	
			or 35679 unordered, not	scoring B2	
	Add	ditional G	Guidance		
	Mark the answer line				
12	1 3 6 7 9 (two squares is only error)			B2	
	3 5 6 7 1 (order is only error)			B2	
	3 3 6 7 9 (repeat is only error)			B2	
	0 3 6 7 9 (two even numbers)			B2	
	3 3 2 3 9 (order wrong and repeats be digit is only square)	ut middle	digit is only even and/or last	B1	
	3 3 2 3 4 (order wrong and two evens	s but last o	digit is only square)	B1	
	1 3 4 5 7 (middle digit is only even)			B1	
	2 2 5 6 4 (last digit is only square)		B1		
	23456			В0	
	1 3 4 8 9			В0	
	Must have 5 single digits				

Q	Answer	Mark	Comments		
	Alternative method 1: find total				
	4 × 10 or 40	M1	oe		
	their 40 – 5 – 8 – 9	M1	oe their 40 must be greater	than 22	
	18	A1			
	Alternative method 2: trial and improvement				
13	One trial evaluated correctly	M1	eg trials 12, $\frac{5+8+9+12}{4}$ =	8.5	
	The correct trial evaluated correctly	M1dep			
	18	A1			
	Additional Guidance				
	Embedded 18 without being selected as answer			M2A0	

Q	Answer	Mark	Comments
14(a)	d+4 or 4+d	B1	

Q	Answer	Mark	Comments		
	$3p$ or $3 \times p$ or $p \times 3$	B1			
14(b)	Additional Guidance				
	Condone $p3$ as this question is testinotation	ng inverse	e operations not expression	B1	

Q	Answer	Mark	Comments		
	3n-1 oe eg $2+(3n-3)$ B1 $3n+c$ where c can be all			nny value	
	Ad	ditional G	Guidance		
	Ignore LHS of formula given eg $T_n =$	3 <i>n</i> – 1		B2	
	Condone $n = 3n - 1$ or n th term = 3	3 <i>n</i> – 1		B2	
	Allow a multiplication sign eg $3 \times n - 1$ or $n \times 3 - 1$				
	Allow other variables eg $3x - 1$				
15	3n + -1			B1	
	3 <i>x</i>			B1	
	n3			B1	
	n3 – 1				
	3nth – 1				
	3nth		В0		
	n3 – 1n			В0	

Q	Answer	Mark	Comments
16	segment	B1	region A
16	sector	B1	region B

Q	Answer	Mark	Comments		
	(5 ₈)	B1			
17	Additional Guidance				
	Condone 'fraction line' between the two numbers for B1 but must have the numbers in a column				
	If signs are in front of 5 and 8 they must be +				

Q	Answer	Mark	Comments	
18(a)	$\frac{1}{4}$ (red) and $\frac{3}{4}$ (blue) for Bag A	B1	oe fractions, decimals or percentages	
	$\frac{3}{5}$ (white) and $\frac{2}{5}$ (green) for both sections for Bag B	B1	oe fractions, decimals or percentages	
	Additional Guidance			
	Percentages must have the % symbol			

Q	Answer	Mark	Comments	
	$\frac{1}{4} \times \frac{3}{5}$	M1	oe fractions, decimals or percentages correct or ft their tree diagram with both probabilities > 0 and < 1	
18(b)	$\frac{3}{20}$ or 0.15 or 15%	A1ft	correct or ft their tree diagram probabilities > 0 and < 1	m with both
	Additional Guidance			
	Further work after correct answer seen			M1A0

Q	Answer	Mark	Comments		
	Alternative method 1				
	sin chosen or used	M1			
	31 × sin 24	M1dep	accept 31 × [0.4, 0.41]		
	[12.6, 12.61]	A1	accept 13 if M2 awarded		
	Alternative method 2				
	cos (90 – 24)	M1			
	31 × cos (90 – 24) M1dep accept 31 × [0.4, 0.41]				
19	[12.6, 12.61]	A1	accept 13 if M2 awarded		
	Ad	ditional G	Guidance		
	Check diagram for working				
	Allow correct use of sine rule to indica	ate sin 24			
	Ignore rounding or truncating after the	e correct a	answer is seen		
	sin 24 × 31			M2	
	Do not accept answers from full sized or scale drawing				
	sin may be indicated by eg circling S in SOH CAH TOA				

Q	Answer	Mark	Comments	
	88(%) or 0.88	M1	oe eg 1 – 0.12	
	2 200 000 ÷ 88 (× 100) or 25 000 (× 100)	M1dep	oe eg $2.2 \times 10^6 \div (100 - 1200)$ or $2200000 \times [1.136, 1.14]$ or 2500000	, , ,
	2.5×10^6 oe standard form eg 2.5 SC1 2.2×10^6 oe standard SC1 any value seen constandard form			
20	Ad	ditional G	Guidance	
	M1 or SC1 may be awarded for correct work with no answer or incorrect answer, even if this is seen amongst multiple attempts			
	M1 may be seen in a trial or incorrect working eg 3000000×0.88 or 88% of 2200000			M1
	2200000 ÷ 88% not recovered			
	2200000 × 1.12 = 2464000			
$2.464 \times 10^6 = 2.5 \times 10^6$				SC1

Q	Answer	Mark	Comments
21(a)	The number of blueberries in the tub	B1	

Q	Answer			Mark	Comments	
21(b)	120	6 40	8 30	B2	B1 40 or 8 in the correct poor $(k =) 120 \times 2$ or $(k =) 24$	
21(3)	Additional Guidance					
	($k=$) 240 or ($k=$) 120 \times 2 may be seen anywhere on the page					
	240 may b	e seen emb	edded in the	formula eg	$y 120 = \frac{240}{2}$	B1

Q	Answer	Mark	Comments		
	The same number of 7s as even numbers	M1	any order M1 may be in a list or on the spinner must be at least one 7		
	5, 5, 6, 7, 7, 8	A1	any order may be in a list or on the spi may be implied	nner	
	<u>2</u> 6	A1ft	oe fraction, decimal or percentage ft M1A0 with completed spinner or li six numbers		
	Ad	ditional G	Guidance		
	Ignore simplification or conversion attempt after correct answer seen Accept 0.33() or 33.()% for $\frac{2}{6}$				
22(a)	A list/spinner with blanks and/or using other numbers may still score M1 eg 5, 5, 7, 10 or 5, 6, 7, 7, 8, 9			M1	
	$\frac{2}{6}$ with no incorrect working				
	eg 5, 6, 7, 8 on spinner with 2 blanks answer $\frac{2}{6}$ (M1A1 is implied)			M1A1A1	
	5, 5, 6, 6, 7, 7 with answer $\frac{2}{6}$			M1A0A1ft	
	5, 5, 5, 6, 7 with answer $\frac{4}{6}$			M1A0A1ft	
	5, 6, 6, 7, 7, 9 with answer $\frac{2}{6}$			M1A0A0ft	
	5, 5, 5, 5, 6 with answer $\frac{5}{6}$			M0A0A0ft	

Q	Answer	Mark	Comments	
	Valid reason B1 eg sum of probabilities is			ot 1
	Ade	ditional G	Guidance	
	Ignore irrelevant statements alongsid	le a corre	ct statement	
	eg the sum of the probabilities is not percentages	1 and the	probabilities are not	B1
	Do not ignore incorrect statements al	ongside a	correct statement	
	eg the sum of the probabilities is 0.11	В0		
	They add up to 1.1	B1		
22(b)	They add up to 110%	B1		
	It is 0.1 too much	B1		
	One of the probabilities is 0.1 too mu	B1		
	It should be something like 0.1, 0.2, 0	B1		
	B should be 0.4	B1		
	They don't add up correctly			В0
	They add up to 0.11			В0
	It's not a fair spinner	В0		

Q	Answer	Mark	Comments	
	C (0, 6)	B1	if answer space is blank, accept (0, 6) written at <i>C</i> on the diagram	
22(-)	D(3, 0)	B1	if answer space is blank, accept (3, 0) written at <i>D</i> on the diagram	
23(a)	Additional Guidance			
	For each part mark the answer space unless blank			
	Allow x and y written above the coordinates but do not allow eg $(0x, 6y)$			

Q	Answer	Mark	Comments	
	5	B1		
	3	B1		
23(b)	Additional Guidance			
	Mark the answer lines only			
	Do not allow eg (0, 5)			

Q	Answer	Mark	Comments			
	$\frac{52}{200}$ or $\frac{26}{100}$ or $\frac{13}{50}$	B1	oe fraction, decimal or percentage eg 0.26 or 26%			
	Valid reason involving the number of trials B1 eg it is from using the larges flips					
	Ade	ditional G	Guidance			
	1st B1 Ignore simplification or conve	rsion atte	mpt after correct answer seen			
	eg $\frac{52}{200} = 0.28$			1st B1		
	52 out of 200 or 52 : 200			1st B0		
	Probability from incorrect working eg	$\frac{10 + 3}{50 + 100}$	$\frac{60 + 40 + 50}{0 + 150 + 200} = \frac{130}{500}$	1st B0		
	Ignore irrelevant statements alongside a correct statement					
	eg Using most flips and they could have done more					
	Do not ignore incorrect statements alongside a correct statement					
24	eg Uses all the flips but they could have used 100 flips					
	It uses all the flips					
	More spins					
	200 is the largest amount of data					
	200 is the highest number					
	200 is the total number of flips			2nd B0		
	200 flips gives 52 heads	2nd B0				
	200 is the final result					
	That is the highest number in the table					
	The highest results are more accurate					
	100 flips is easier to work out					
	He could use any of the results	He could use any of the results				
	B0B1 is possible eg Answer 27% Reason Use the one from most sp					

Q	Answer	Mark	Comments	
	A change in distance for an integer time interval or a change in distance for a non-integer time interval with the corresponding time interval	M1	integer time intervals are [88, 92] [70, 74] [52, 56] [34, 38] [16, 20] may be seen on graph	
M1dep mu	oe eg $\frac{[88,92]}{5}$ must see their change in distance and the corresponding time interval division by 1 may be implied			
	18	A1	SC1 24	
	Additional Guidance			
M1 may be awarded for correct work with no answer or incoreven if this is seen amongst multiple attempts		nswer or incorrect answer,		
	90 × 5	M1M0		
	(1 second) Answer [16, 20] is awarded at least M2			
	18 from incorrect working cannot score A1			
	18 followed by further work eg 18 ÷	5 = 3.6	M1M0	