## CAMBRIDGE INTERNATIONAL EXAMINATIONS Cambridge International General Certificate of Secondary Education

## MARK SCHEME for the October/November 2014 series

## 0580 MATHEMATICS

0580/41

Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2014	0580	41

## Abbreviations

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
CC.	Quantial Case

- SC Special Case
- not from wrong working seen or implied nfww

soi

Qu		Answers	Mark	Part Marks
1 (a)	(i)		2	<b>M1</b> for $72 \div (7 + 2 + 3)$
	(ii)		2	<b>M1</b> for $13.5 \div 3 \times (7 + 2 + 3)$ oe
(	iii)		3	M2 for 8.4[0] ÷ 1.12 oe or M1 for 112[%] associated with [\$]8.4[0] oe
(b)	(i)	$6 \times 0.5 \times 2 \times 2 \times \sin 60$ oe	M2	<b>M1</b> for a correct relevant area inside the hexagon e.g. $0.5 \times 2 \times 2 \sin 60$ oe
		10.38 to 10.39[] [= 10.4]	A1	Must see 10.38 to 10.39[]
	(ii)	4.67 to 4.68	2	<b>M1</b> for 10.4 × figs 45 [figs 467 to 468]
(	iii)	273	4	<ul> <li>M1 for <i>their</i> (b)(ii) × 1250 ÷ 1000</li> <li>A1 FT for <i>their</i> (b)(ii) × 1250 ÷ 1000 evaluated to at least 3 sf</li> <li>M1dep on previous M1 for <i>their</i> mass in tonnes (rounded up) × 45.5[0] if between 6 and 10 or for <i>their</i> mass in tonnes (rounded up) × 47[.00] if between 1 and 5 or for <i>their</i> mass in tonnes (rounded up) × 44[.00] if over 10</li> </ul>

	Qu	Answers	Mark	Part Marks
2	(a)	$[\pm]\sqrt{v^2+2as}$ final answer	2	<b>M1</b> for correct first step, i.e. $u^2 = v^2 + 2as$
	<b>(b)</b> (i	i) $\frac{60}{x} + \frac{45}{x+4}$ 6 oe	M2	<b>B1</b> for either $\frac{60}{x}$ or $\frac{45}{x+4}$ seen
		60(x+4) + 45x = 6x(x+4) or better	M1	Dep on M2
		60x + 240 + 45x = 6x2 + 24x  oe 0 = 2x <sup>2</sup> - 27x - 80	A1	$[6x^2 - 81x - 240 = 0]$ Dep on <b>M3</b> and brackets expanded and with no errors or omissions throughout
	(ii	16 final answer	3	M2 for $(x - 16)(2x + 5) [= 0]$ or M1 for partial factorisation e.g. $x(2x + 5) - 16 (2x + 5)$ or SC1 for $(x + a)(2x + b)[= 0]$ where $ab = -80$ or 2a + b = -27
				or <b>B2</b> for $\frac{27 + or \sqrt{(27)^2 \ 4.2. \ 80}}{2.2}$ or $[]\sqrt{40 + \left(\frac{27}{4}\right)^2} + \frac{27}{4}$
				or <b>B1</b> for $\frac{27 + or \sqrt{q}}{2.2}$ or $\sqrt{(27)^2 \ 4.2. \ 80}$ or $\left(x \ \frac{27}{4}\right)^2$
	(c) (i	0.75 × 20 [=15]	1	
	(ii	i) 150 cao	4	M3 for $90 + T = 1800 \times 2 \div 15$ oe or $T - 110 = (1800 - (90 \times 15) - (20 \times 15 \div 2)) \times 2 \div 15$ oe or $t = (1800 - (90 \times 15) - (20 \times 15 \div 2)) \times 2 \div 15$ oe [t = 40]
				or <b>M2</b> for $\frac{1}{2}(90 + T) \times 15 = 1800$ oe or $\frac{1}{2}(T - 110) \times 15 + 90 \times 15 + \frac{1}{2}(20 \times 15) = 1800$ oe or $1800 - \frac{1}{2} \times 20 \times 15 - 90 \times 15$ oe [300 for area of 'end' triangle]
				or M1 for method for area of triangle or rectangle or trapezium soi

Page 3

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2014	0580	41

	Qu		Answers	Mark	Part Marks
	(d)		10 cao nfww	3	M2 for 22.5 ÷ 2.25 or M1 for 21.5 to 22.5 ÷ 2.25 to 2.75 or B1 for 22.5 or 2.25 seen
3	(a)		Correct reflection (0, 1) (3, 1) (3, 3)	1	
	(b)		Correct rotation (-5, 1) (-7, 1) (-5, 4)	2	SC1 for rotation of 90° anticlockwise about the wrong centre or 90° clockwise about (-4, 0) or for 3 correct points plotted but not joined
	(c)	(i)	Enlargement [scale factor] 2 [centre] (-7, 7)	3	B1 for each
		(ii)	1 : 4 or 3 : 12 or <sup>1</sup> / <sub>4</sub> : 1	2	<b>M1</b> for $1 : 2^2$ oe, e.g. $(3 \times 2)/2 : (6 \times 4)/2$ or <b>SC1</b> for $4 : 1$ or $12 : 3$ or $1 : \frac{1}{4}$
	(d)		$\begin{pmatrix} 4 & 0 \\ 0 & 1 \end{pmatrix}$	2	<b>B1</b> for $\begin{pmatrix} k & 0 \\ 0 & 1 \end{pmatrix}$ , <i>k</i> may be algebraic or numeric but $\neq 0$ or 1 or <b>SC1</b> for $\begin{pmatrix} 1 & 0 \\ 0 & 4 \end{pmatrix}$
	(e)	(i)	Correct shear drawn (0, 1) (-3, -5) (-3, -3)	3	<b>B2</b> for two correct points plotted or if not plotted correctly shown in working or <b>B1</b> for $\begin{pmatrix} 1 & 0 \\ 2 & 1 \end{pmatrix} \begin{pmatrix} 3 \\ 3 \end{pmatrix}$ or $\begin{pmatrix} 1 & 0 \\ 2 & 1 \end{pmatrix} \begin{pmatrix} 3 \\ 1 \end{pmatrix}$ or $\begin{pmatrix} 1 & 0 \\ 2 & 1 \end{pmatrix} \begin{pmatrix} 0 \\ 1 \end{pmatrix}$ or better
		(ii)	Shear y-axis or $x = 0$ invariant [factor] 2	3	B1 for each
	(	iii)	$\left(\begin{array}{rrr}1&0\\2&1\end{array}\right)$ oe	2	<b>B1</b> for [determinant =] 1 shown or stated or $k \begin{pmatrix} 1 & 0 \\ 2 & 1 \end{pmatrix}$ soi, $k \neq 0$

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2014	0580	41

					1
	Qu		Answers	Mark	Part Marks
4	(a)	(i)	11 - x final answer	2	<b>M1</b> for $8x - 4 - 9x + 15$ or <b>B1</b> for final answer $11 - kx$ or $k - x$
	(	(ii)	$6x^2 - xy - 12y^2$ final answer	3	<b>M2</b> for $6x^2 + 8xy - 9xy - 12y^2$ [= 0] or for final answer with <b>one</b> error in a <b>coefficient</b> (includes sign) but otherwise correct
					or <b>M1</b> for any two of $6x^2$ , $8xy$ , $-9xy$ , $-12y^2$
	<b>(b)</b>		$x(x^2 - 5)$ final answer	1	Condone $x(x - \sqrt{5})(x + \sqrt{5})$ as final answer
	(c)		$x \ge 4$ or $4 \le x$ final answer nfww	3	<b>B2</b> for 4 with no/incorrect inequality or equals sign as answer or <b>M2</b> for $8x + 4 \le 15x - 24$ or better or <b>M1</b> for $4(2x + 1) \le 3(5x - 8)$
	(d)	(i)	p = 4.5 oe q = 8.25 oe	3	B2 for one correct answer or for $(x - 4.5)^2 - 8.25$ oe seen or M1 for $(x - 4.5)^2$ oe seen or $x^2 - px - px + p^2$ seen and M1 for $p^2 - q = 12$ or $2p = 9$
	(	(ii)	-8.25 oe	1FT	$\mathbf{FT}$ – their q
	(i	iii)	x = 4.5 oe	1FT	<b>FT</b> $x = their p$
5	(a)		-2, 5.5	2	B1 for each value
	(b)		Correct curve	5	<ul> <li>B5 for correct curve over full domain or</li> <li>B3FT for 9 or 10 points or B2FT for 7 or 8 points or B1FT for 5 or 6 points</li> <li>Point must touch line if exact or be in correct square if not exact (including boundaries) and</li> <li>B1 independent for one branch on each side of the y-axis and not touching or crossing the y-axis</li> <li>SC4 for correct curve with branches joined</li> </ul>
	(c)		$-2.6 \le x \le -2.4$ $0.6 \le x \le 0.7$ $1.8 \le x \le 1.9$	3	<b>B1</b> for each value If <b>B0</b> then <b>SC1</b> for $y = 5$ used

Page 6	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2014	0580	41

	Qu		Answers	Mark	Part Marks
	(d)		y = x + 5  ruled correctly and $-2.2 \le x \le -2.0$ $0.5 \le x \le 0.6$ $2.4 \le x \le 2.6$	4	<b>B1</b> for $y = x + 5$ ruled correctly <b>B1indep</b> for each value
6	(a)		2000 or 1998.75 or 1998.8 or 1999 nfww	4	M1 for midpoints soi (condone 1 error or omission) (500, 1250, 1750, 2250, 3000) and M1 for use of $\sum fx$ with x in correct interval including both boundaries (condone 1 further error or omission) (5000, 37500, 96250, 162000, 99000) and M1 (dep on 2nd M1) for $\sum fx \div 200$
	<b>(b)</b>	(i)	10, 40, 95, 167, 200	2	B1 for 2 correct
		(ii)	Correct curve or ruled polygon	3	<ul> <li>B1FT <i>their</i> (b)(i) for 5 correct heights within 1mm vertically and</li> <li>B1 for 5 points at upper ends of intervals on correct vertical line and</li> <li>B1FT (dep on at least B1) for increasing curve or polygon through 5 points</li> <li>After 0 scored, SC1FT for 4 correct points plotted</li> </ul>
	(	(iii)	68 to 80	2	<b>M1</b> for 120 to 132 seen
	(c)		$\frac{21}{50}$ oe	4	M3 for $\frac{9}{10} \times \frac{2}{5} + \frac{1}{10} \times \frac{3}{5}$ oe or better or M2 for $\frac{9}{10} \times \frac{2}{5}$ or $\frac{1}{10} \times \frac{3}{5}$ or $\frac{18}{50}$ oe or $\frac{3}{50}$ oe or M1 for sight of $\frac{1}{10}$ and $\frac{2}{5}$

Page 7	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2014	0580	41

	Qu	Answers	Mark	Part Marks
7	(a) (i	Any two of with conclusionAngle $ACD$ = angle $ABD$ Angle $CAB$ = angle $CDB$ Angle $AXC$ = angle $DXB$ AND'triangles have equal angles' oeORAll three of withoutconclusionAngle $ACD$ = angle $ABD$ Angle $CAB$ = angle $CDB$ Angle $CAB$ = angle $CDB$ Angle $AXC$ = angle $DXB$	2	<b>B1</b> for two pairs without a conclusion e.g. similar and AA or AAA
	(ii	<b>(a)</b> 10	2	<b>M1</b> for $\frac{DX}{12.5} = \frac{3.2}{4}$ oe
		<b>(b)</b> $4^2 + 3.2^2 - 2 \times 4 \times 3.2\cos 110$	M2	or <b>M1</b> for implicit version
		34.9 to 35	A1	Implied by answer 5.92 or 5.915 to 5.916 after M2
		5.92 or 5.915 to 5.916	<b>B</b> 1	
		(c) 58.7 or 58.73[]	2FT	FT for $\frac{1}{2} \times 12.5 \times their 10 \times sin110$ oe correctly evaluated to 3 or more sig figs M1 for $\frac{1}{2} \times 12.5 \times their 10 \times sin110$ oe or $\frac{1}{2} \times 4 \times 3.2 \times sin110 \times (12.5/4)^2$
				After <b>0</b> scored <b>and</b> 15.6 in <b>(a)(ii)(a)</b> , allow <b>SC1</b> for $\frac{1}{2} \times 4 \times 3.2 \times \sin 110 \times (12.5/3.2)^2$
	(b)	7.62 or 7.623 to 7.624	5	B4 for 37.6[2] or 37.63 or M2 for $[AB =] \frac{30}{\tan 31}$ or $30 \times \tan 59$ oe or M1 for $\tan 31 = \frac{30}{AB}$ or $\tan 59 = \frac{AB}{30}$ oe And M2 for $[BD =]$ their $AB \times \tan 37$ oe or M1 for $\tan 37 = \frac{BD}{their AB}$ oe

Page 8	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2014	0580	41

	Qu	Answers	Mark	Part Marks
8	(a)	$2\mathbf{c} + 3\mathbf{b}$	2	<b>M1</b> for $\overrightarrow{OQ}$ recognised as pos vector.
	(b) (i)	3c - 6a or $3(c - 2a)$	1	
	(ii)	2c - 4a or $2(c - 2a)$	2	M1 for any valid route from P to Q e.g. $(3b \ 2a) \ 6a + their \overrightarrow{OQ}$ or $\overrightarrow{PQ} \ \overrightarrow{PA} + \overrightarrow{AO} + \overrightarrow{OQ}$ or $\overrightarrow{PQ} \ \overrightarrow{PB} + \overrightarrow{BQ}$
	(c)	$PQ = \frac{2}{3}AC$ oe and	2FT	STRICT FT dep on $\overrightarrow{PQ} = k\overrightarrow{AC}$ from (b)(i) and (b)(ii) B1FT for each statement
		<i>PQ</i> is parallel to <i>AC</i>		After <b>0</b> scored and $\overrightarrow{PQ} = k\overrightarrow{AC}$ in <b>(b)(i)</b> and <b>(ii)</b> , allow <b>SC1FT</b> for correct statement, e.g. <i>PQ</i> is not parallel to <i>AC</i>
9	(a)	36, 9, 45	2	B1 for two correct values
		8 <i>n</i> + 4 oe	2	<b>M1</b> for $8n + k$ , for any $k$
		$(n-1)^2$ oe	2	<b>M1</b> for a quadratic expression of form $n^2 [+an + b]$ oe
	<b>(b)</b>	19	2	<b>M1</b> for $(n + 1)(n + 5) = 480$ or better or $20 \times 24$ seen
	(c) (i)	$\frac{1}{3} + p + q = 12$ and no errors seen	1	Accept $p + q = 12 - \frac{1}{3}$ after $\frac{1}{3} [1^3] + p[1^2] + q[1]$ shown
	(ii)	$\frac{1}{3} \times 8 + 4p + 2q = 12 + 21$	2	<b>M1</b> for 12 + 21 seen or 33 seen
	(iii)	$[p =] \frac{7}{2}$ oe $[q =] \frac{49}{6}$ oe	3	M1 for correct multiplication and subtraction or substitution using the correct given equations B1 for $[p =] \frac{7}{2}$ or $[q =] \frac{49}{6}$
				After 0 scored, <b>SC1</b> for 2 values satisfying one of the original correct given equations