



Mark Scheme (Results)

June 2012

GCSE Mathematics (2MB01) Foundation
5MB2F (Non-Calculator) Paper 01

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our qualifications website at www.edexcel.com. For information about our BTEC qualifications, please call 0844 576 0026, or visit our website at www.btec.co.uk.

If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

Ask The Expert can be accessed online at the following link:

<http://www.edexcel.com/Aboutus/contact-us/>

Alternatively, you can speak directly to the subject team at Pearson about Edexcel qualifications. Their contact details can be found on this link:

www.edexcel.com/teachingservices

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for raising achievement through innovation in education. Find out more about how we can help you and your students at:

www.pearson.com/uk

June 2012

Publications Code UG032657

All the material in this publication is copyright

© Pearson Education Ltd 2012

NOTES ON MARKING PRINCIPLES

- 1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- 2 Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- 3 All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- 4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- 5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- 6 Mark schemes will indicate within the table where, and which strands of QWC, are being assessed. The strands are as follows:
 - i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*
Comprehension and meaning is clear by using correct notation and labeling conventions.
 - ii) *select and use a form and style of writing appropriate to purpose and to complex subject matter*
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.
 - iii) *organise information clearly and coherently, using specialist vocabulary when appropriate.*
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect canceling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

10 Probability

Probability answers must be given as fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

12 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

Guidance on the use of codes within this mark scheme

M1 – method mark

A1 – accuracy mark

B1 – Working mark

C1 – communication mark

QWC – quality of written communication

oe – or equivalent

cao – correct answer only

ft – follow through

sc – special case

dep – dependent (on a previous mark or conclusion)

indep – independent

isw – ignore subsequent working

5MB2F_01					
Question		Working	Answer	Mark	Notes
1	(a)		68	1	B1 cao
	(b)		4 000 000	1	B1 cao
	(c)		7 tenths	1	B1 accept $\frac{7}{10}$
2	(a)		Trapezium	1	B1 for trapezium ignore spellings
	(b)		Chord	1	B1 ignore spellings
	(c)(i)		7	2	B1 cao
	(ii)		10		B1 cao
3	(a)		$5p$	1	B1 for $5p$
	(b)		$4rs$	1	B1 for $4rs$
	(c)		$7a + 2b$	2	M1 for $7a$ or $2b$ accept equivalents; ignore signs A1 for $7a + 2b$

5MB2F_01				
Question	Working	Answer	Mark	Notes
4	$3 \times 45p = \text{£}1.35$ $2 \times 75p = \text{£}1.50$ $5 \times \text{£}1.50p = \underline{\text{£}7.50} +$ $\text{£}10.35$ Change = $\text{£}20 - \text{£}10.35$	£9.65	4	M1 for 3×45 or 135 or 2×75 or 5×1.50 or 7.5 or 5×150 or 750 M1 for attempt to total 3 different items M1 (dep on at least M1 already) for attempt to take their total away from £20 with consistent units A1 for £9.65 cao Alternative M1 for 3×45 or 135 or 2×75 or 5×1.50 or 7.5 or 5×150 or 750 M1 for attempt to subtract one item from £20 M1 for attempt to subtract three different items from £20 with consistent units A1 for £9.65 cao SC B2 for £17.30
5	(a)(i) (ii)	Mark // lines Mark perpendicular lines	2	B1 for marking 2 lines parallel B1 for marking two perpendicular lines
	(b)(i) (ii)	11 68	2	B1 for $11 \text{ cm} \pm 2\text{mm}$ B1 for $68 \pm 2^\circ$

5MB2F_01				
Question	Working	Answer	Mark	Notes
6	(a)	22	1	B1 cao
	(b)	42	1	B1 cao
	(c)	Reason given	1	B1 for correct reason – accept as sufficient: 101 is odd Terms of the sequence are even or end in 0, 2, 4, 6, 8 Shows terms 98 and 102 or either 98 or 102 alone with evidence of term to term difference of 4
	(d)	$4n + 2$	2	B2 for $4n + 2$ oe (B1 for a linear expression in $4n$ e.g. $4n + a$ ($a \neq 2$) or $n = 4n+2$) (B0 for $n = 4n$ or $n + 4$)
7	$50 \div 10$ or $\frac{10}{100} \times 50 =$	£5	1	B1

5MB2F_01				
Question	Working	Answer	Mark	Notes
8	<p>(a)</p> <p>(b)</p>	<p>One square correctly added</p> <p>Two squares correctly added</p>	<p>1</p> <p>1</p>	<p>B1 for 1 square shaded to give a shape with one line of symmetry in any of the 3 marked squares</p> <p>B1 for 2 marked squares shaded to give rotational symmetry of order 2</p>
9	$07\ 35 + 1\text{h } 35\ \text{min} + 40\ \text{min}$	$09\ 50$	3	<p>M2 for $7\ 35 + 1\ \text{hr } 35 + 40$ or $710 + 25 + 1\ \text{hr } 35 + 40$</p> <p>(M1 for $1\text{h } 35 + 40$ (=135 mins or 2hr 15 mins oe) Or $1\text{hr } 35 + 25 + 40$ (=160 mins or 2hr 40mins oe) Or $7\ 35 + 1\ \text{hr } 35$ (=9 10) or $7\ 10 + 1\text{hr } 35$ (=8 45) Or $7\ 35 + 40$ (=8 15) or $7\ 10 + 40$ (= 7 50) Accept from addition method using minutes or minutes and hours or by counting on along time line) A1 for 9 50(am)</p>
10	$10 + 8 + 10 + 8 = 36$ $36 \times \text{£}1.50$ or $(10 \times \text{£}1.50 + 8 \times \text{£}1.50) \times 2 =$	54	4	<p>M1 for $10 + 8 + 10 + 8$ or $10 \times \text{£}1.50$ and $8 \times \text{£}1.50$ or $18 \times \text{£}1.50$</p> <p>A1 for 36 or 27 or 15 and 12</p> <p>M1 for “$(10 + 8 + 10 + 8)$” $\times \text{£}1.50$ or $(10 \times \text{£}1.50 + 8 \times \text{£}1.50) \times 2$</p> <p>A1 cao</p>

5MB2F_01				
Question	Working	Answer	Mark	Notes
*11	$360 - (90 + 160 + 30) = 80^\circ$ $180 - (80 + 80)$ Or exterior angle = $180 - 80$ so $x = 100 - 80$	20	5	M1 for $360 - (90 + 160 + 30)$ C1 (dep) for <u>angles</u> at a <u>point</u> add up to <u>360°</u> M1 ft for $180 - (2 \times "80")$ or $180 - "80" = 100$ and $"100" - "80"$ A1 for 20 cao C1 (dep on second M1) for base <u>angles</u> of an <u>isosceles</u> triangle are <u>equal</u> and <u>angles</u> in a <u>triangle</u> add to <u>180°</u> OR for base <u>angles</u> of an <u>isosceles</u> triangle are <u>equal</u> and the <u>exterior angle</u> of a <u>triangle</u> is equal to the sum of the <u>interior opposite angles</u>

5MB2F_01				
Question	Working	Answer	Mark	Notes
12	<p>Using 1000g = 5 × 200g $2.50 \times 5 = 12.50$ or $10.50 \div 5 = 2.10$ $10.50 < 12.50$ or $2.10 < 2.50$</p> <p>Alternative (using cost per n grams) $250 \div \left(\frac{200}{n}\right) = 1.25n$ $1050 \div \left(\frac{1000}{n}\right) = 1.05n$ $1.05n < 1.25n$</p> <p>Alternative method (using 800 = 4 × 200g) $2.50 \times 4 = 10.00$ $10.50 - 10.00 = 0.50$ $0.50 < 2.50$</p> <p>Alternative (using grams per 1p) $200 \div 250 = 0.8g$ $1000 \div 1050 = 0.95\dots g$ $0.95 > 0.8$</p>	1000g packet	3	<p>(Using 1000g = 5 × 200g) M2 for $\pounds 2.50 \times 5 (= \pounds 12.50)$ or $\pounds 10.50 \div 5 (= \pounds 2.10)$ oe (M1 for $1000 \div 200 = 5$ or $5 \times 200 = 1000$ oe) C1 for 1000g packet and 2 correct comparable values</p> <p>Alternative method (using cost per n grams) M2 for $250 \div \left(\frac{200}{n}\right) (= 1.25n)$ and $1050 \div \left(\frac{1000}{n}\right) (= 1.05n)$ oe (M1 for $250 \div (200) (= 1.25)$ or $1050 \div (1000) (= 1.05)$ oe) C1 for 1000g packet and 2 correct comparable values</p> <p>Alternative method (using 800 = 4 × 200g) M1 for $\pounds 2.50 \times 4 (= \pounds 10)$ M1 for identifying the extra 200g costs 50p C1 for 1000g packet and 2 comparable values $\pounds 2.50$ and 50p</p> <p>Alternative method (using grams per 1p) M2 for $200 \div 250 (= 0.8g)$ and $1000 \div 1050 (= 0.95\dots g)$ oe (M1 for $200 \div 250 (= 0.8g)$ or $1000 \div 1050 (= 0.95\dots g)$oe) C1 for 1000g packet and 2 correct comparable values</p> <p>(Throughout, candidates may work in £ or pence)</p>

5MB2F_01													
Question	Working	Answer	Mark	Notes									
13	(a)	$\frac{2}{5} \times \frac{3}{8} = \frac{6}{40}$	$\frac{3}{20}$	2	M1 for multiplying the numerators and the denominators A1 for $\frac{3}{20}$ or 0.15 cao								
	(b)	$\frac{3}{8} + \frac{2}{8} = \frac{5}{8}$ <table border="1" data-bbox="439 552 624 667"> <tr> <td></td> <td>1</td> <td>4</td> </tr> <tr> <td>3</td> <td></td> <td>12</td> </tr> <tr> <td>8</td> <td>8</td> <td>32</td> </tr> </table>		1	4	3		12	8	8	32	$\frac{5}{8}$	2
	1	4											
3		12											
8	8	32											
14	(a)	$5x + 35 + 3x - 6$	$8x + 29$	2	M1 for $5x + 35$ OR $3x - 6$ or $8x$ or 29 A1 for $8x + 29$								
	(b)		$3ab(a + 2b)$	2	B2 for $3ab(a + 2b)$ (B1 for correct partial factorisation $a(3ab + 6b^2)$ or $b(3a^2 + 6ab)$ or $3a(ab + 2b^2)$ or $3b(a^2 + 2ab)$ or $ab(3a + 6b)$ OR $3ab(ma + 2b)$ or $3ab(a + nb)$ where $m \neq 1, n \neq 2$) [B0 for partial factorisation using only an integer e.g. $3(a^2b + 2ab^2)$]								

5MB2F_01																																				
Question	Working	Answer	Mark	Notes																																
15	$\begin{array}{r} 515 \\ \underline{35} \times \\ 2575 \\ 15450 \\ \hline 18025 \end{array}$ $\begin{array}{l} 10 \times 515 = 5150 \\ 10 \times 515 = 5150 \\ 10 \times 515 = 5150 \\ 5 \times 515 = 2575 \\ \hline 18025 \end{array}$ <table border="1" data-bbox="439 528 804 758"> <tr><td></td><td>5</td><td>1</td><td>5</td><td></td></tr> <tr><td>1</td><td>1/5</td><td>0/3</td><td>1/5</td><td>3</td></tr> <tr><td>8</td><td>2/5</td><td>0/5</td><td>2/5</td><td>5</td></tr> <tr><td></td><td>0</td><td>2</td><td>5</td><td></td></tr> </table> <table border="1" data-bbox="439 794 826 912"> <tr><td></td><td>500</td><td>10</td><td>5</td></tr> <tr><td>30</td><td>15 000</td><td>300</td><td>150</td></tr> <tr><td>5</td><td>2500</td><td>50</td><td>25</td></tr> </table> $15\ 000 + 2500 + 300 + 50 + 150 + 25 = 18\ 025$		5	1	5		1	1/5	0/3	1/5	3	8	2/5	0/5	2/5	5		0	2	5			500	10	5	30	15 000	300	150	5	2500	50	25	£180.25	4	<p>M1 for 515×0.35 or 515×35 This may be implied from an incomplete method of multiplication</p> <p>M1 for a complete method with relative place value correct. Condone one multiplication error, addition not necessary</p> <p>Or for a complete grid, condone one multiplication error, addition not necessary</p> <p>Or for sight of a complete partitioning method. Condone one multiplication error final addition not necessary</p> <p>M1 (dep on the previous M1) for addition of appropriate elements of the calculation</p> <p>A1 for £180.25(p) or 18025p (with '£' sign deleted)</p>
	5	1	5																																	
1	1/5	0/3	1/5	3																																
8	2/5	0/5	2/5	5																																
	0	2	5																																	
	500	10	5																																	
30	15 000	300	150																																	
5	2500	50	25																																	

5MB2F_01																																																																																
Question	Working	Answer	Mark	Notes																																																																												
15	$\begin{array}{r} 3307 \\ \underline{35} \times \\ 16535 \\ 99210 \\ \hline 115745 \end{array}$ $\begin{array}{r} 10 \times 3307 = 33070 \\ 10 \times 3307 = 33070 \\ 10 \times 3307 = 33070 \\ 5 \times 3307 = 16535 \\ \hline 115745 \end{array}$ <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td></td><td>3</td><td>3</td><td>0</td><td>7</td><td></td></tr> <tr><td>1</td><td>0/9</td><td>0/9</td><td>0/0</td><td>2/1</td><td>3</td></tr> <tr><td>1</td><td>1/5</td><td>1/5</td><td>0/0</td><td>3/5</td><td>5</td></tr> <tr><td></td><td>5</td><td>7</td><td>4</td><td>5</td><td></td></tr> </table> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td></td><td>3000</td><td>300</td><td>7</td></tr> <tr><td>30</td><td>90 000</td><td>9 000</td><td>210</td></tr> <tr><td>5</td><td>15 000</td><td>1 500</td><td>35</td></tr> </table> $90\,000 + 15\,000 + 9\,000 + 1\,500 + 210 + 35$ $\begin{array}{r} 2792 \\ \underline{35} \times \\ 13960 \\ 83760 \\ \hline 97720 \end{array}$ $\begin{array}{r} 10 \times 2792 = 27920 \\ 10 \times 2792 = 27920 \\ 10 \times 2792 = 27920 \\ 5 \times 2792 = 13960 \\ \hline 97720 \end{array}$ <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td></td><td>2</td><td>7</td><td>9</td><td>2</td><td></td></tr> <tr><td></td><td>0/6</td><td>2/1</td><td>2/7</td><td>0/6</td><td>3</td></tr> <tr><td>9</td><td>1/0</td><td>3/5</td><td>4/5</td><td>1/0</td><td>5</td></tr> <tr><td></td><td>7</td><td>7</td><td>2</td><td>0</td><td></td></tr> </table> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td></td><td>2000</td><td>700</td><td>90</td><td>2</td></tr> <tr><td>30</td><td>60 000</td><td>21 000</td><td>2 700</td><td>60</td></tr> <tr><td>5</td><td>10 000</td><td>3 500</td><td>450</td><td>10</td></tr> </table> $115\,745 - 97\,720 = 18\,025$		3	3	0	7		1	0/9	0/9	0/0	2/1	3	1	1/5	1/5	0/0	3/5	5		5	7	4	5			3000	300	7	30	90 000	9 000	210	5	15 000	1 500	35		2	7	9	2			0/6	2/1	2/7	0/6	3	9	1/0	3/5	4/5	1/0	5		7	7	2	0			2000	700	90	2	30	60 000	21 000	2 700	60	5	10 000	3 500	450	10				<p>OR</p> <p>M1 for $3307 \times 0.35 - 2792 \times 0.35$ or $3307 \times 35 - 2792 \times 35$</p> <p>M1 for a correct method of multiplication of at least one product, using digits 3307 and 35 or 2792 and 35 Condone one multiplication error, addition not necessary</p> <p>M1 (dep on the previous M1) for addition of appropriate elements of the calculation</p> <p>A1 for £180.25 or 18025p (with '£' sign deleted)</p>
	3	3	0	7																																																																												
1	0/9	0/9	0/0	2/1	3																																																																											
1	1/5	1/5	0/0	3/5	5																																																																											
	5	7	4	5																																																																												
	3000	300	7																																																																													
30	90 000	9 000	210																																																																													
5	15 000	1 500	35																																																																													
	2	7	9	2																																																																												
	0/6	2/1	2/7	0/6	3																																																																											
9	1/0	3/5	4/5	1/0	5																																																																											
	7	7	2	0																																																																												
	2000	700	90	2																																																																												
30	60 000	21 000	2 700	60																																																																												
5	10 000	3 500	450	10																																																																												

5MB2F_01																				
Question	Working					Answer	Mark	Notes												
16	Table of values <table border="1"> <tr> <td>x</td> <td>-2</td> <td>-1</td> <td>0</td> <td>1</td> <td>2</td> </tr> <tr> <td>y</td> <td>-7</td> <td>-5</td> <td>-3</td> <td>-1</td> <td>1</td> </tr> </table>					x	-2	-1	0	1	2	y	-7	-5	-3	-1	1	Single line drawn from $(-2, -7)$ to $(2, 1)$	3	<p>(Table of values) M1 for at least 2 correct attempts to find points by substituting values of x. M1 (dep) ft for correctly plotting at least 2 of their points (any points plotted from their table must be plotted correctly) A1 for the correct line from $(-2, -7)$ to $(2, 1)$ OR (No table of values) M2 for at least 2 correct points (and no incorrect points) correctly plotted or for a line segment of the graph of $y = 2x - 3$ drawn (ignore any additional incorrect line segments) [M1 for at least 3 correct points plotted with no more than 2 incorrect points] A1 for the correct line from $(-2, -7)$ to $(2, 1)$ OR (Use of $y = mx + c$) M2 for a single straight line of gradient 2, passing through $(0, -3)$ [M1 for a single straight line of gradient 2 or for a single straight line passing through $(0, -3)$] A1 for the correct line from $(-2, -7)$ to $(2, 1)$</p>
x	-2	-1	0	1	2															
y	-7	-5	-3	-1	1															
	OR Using $y = mx + c$ Gradient 2 intercept -3																			

5MB2F_01				
Question	Working	Answer	Mark	Notes
17	<p>Triangular ends $\frac{1}{2} \times 5 \times 12 = 30$ $\frac{1}{2} \times 5 \times 12 = 30$</p> <p>Base $20 \times 5 = 100$</p> <p>Vertical face $20 \times 12 = 240$</p> <p>Slant face $20 \times 13 = 260$</p> <p>Total area $= 30 + 30 + 100 + 240 + 260$ OR $(5 + 12 + 13) \times 20 + 2 \times \frac{1}{2} \times 5 \times 12$</p>	660	3	<p>M1 for area of one face $\frac{1}{2} \times 5 \times 12 (= 30)$ or $20 \times 5 (= 100)$ or $20 \times 12 (= 240)$ or $20 \times 13 (= 260)$</p> <p>M1 (dep) for adding at least 3 areas found from correct methods (of no more than 5 faces) A1 cao</p> <p>OR</p> <p>M1 for $(5 + 12 + 13) \times 20$ or $\frac{1}{2} \times 5 \times 12 (= 30)$ M1 (dep) for adding “$(5 + 12 + 13) \times 20$” to at least “$1 \times \frac{1}{2} \times 5 \times 12$” A1 cao</p> <p>Note: Sight of $\frac{1}{2} \times 5 \times 12 \times 20$ or 600 (ie a volume calculation) scores no marks</p>

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467

Fax 01623 450481

Email publication.orders@edexcel.com

Order Code UG032657 June 2012

For more information on Edexcel qualifications, please visit
www.edexcel.com/quals

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual



Llywodraeth Cynulliad Cymru
Welsh Assembly Government

