



# Mark Scheme (Results)

November 2013

Pearson Edexcel GCSE  
In Mathematics Modular (2MB01)  
Unit 2: (5MB2F\_01) Foundation  
(Non-Calculator)

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

## **Pearson: helping people progress, everywhere**

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

November 2013

Publications Code UG037479

All the material in this publication is copyright

© Pearson Education Ltd 2013

## NOTES ON MARKING PRINCIPLES

- 1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- 2 Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- 3 All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- 4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- 5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- 6 Mark schemes will indicate within the table where, and which strands of QWC, are being assessed. The strands are as follows:
  - i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*  
Comprehension and meaning is clear by using correct notation and labeling conventions.
  - ii) *select and use a form and style of writing appropriate to purpose and to complex subject matter*  
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.
  - iii) *organise information clearly and coherently, using specialist vocabulary when appropriate.*  
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

**7 With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

**8 Follow through marks**

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

**9 Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect canceling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

**10 Probability**

Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

**11 Linear equations**

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

**12 Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

**13 Range of answers**

Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

**Guidance on the use of codes within this mark scheme**

M1 – method mark  
A1 – accuracy mark  
B1 – Working mark  
C1 – communication mark  
QWC – quality of written communication  
oe – or equivalent  
cao – correct answer only  
ft – follow through  
sc – special case  
dep – dependent (on a previous mark or conclusion)  
indep – independent  
isw – ignore subsequent working

PAPER: 5MB2F_01					
Question		Working	Answer	Mark	Notes
1	(a)		90	1	B1 cao
	(b)		<i>O</i> marked correctly	1	B1
	(c)		Correct arrows	1	B1
2			8	2	M1 for $30 \div 4$ or at least 3 multiples of 4 shown A1 cao SC B1 7 on answer line, no working shown
3	(a)		3 or 5 or 21	1	B1 for 3 or 5 or 21
	(b)		16	1	B1 cao
	(c)		24	1	B1 cao
4	(a)		Squares shaded	1	B1 for any 6 squares shaded
	(b)		$\frac{1}{5}$	2	M1 $\frac{20}{100}$ or equivalent fraction A1 cao
5	(a)		$3p$	1	B1 for $3p$
	(b)		$8t$	1	B1 for $8t$

PAPER: 5MB2F_01				
Question	Working	Answer	Mark	Notes
*6		No with working and (£)1.76 or (£)8.19	4	M1 for method to find the total of the two items eg $3.25 + 2.99 (= 6.24)$ M1 for complete method eg subtract the cost of two items from 8 or add on the cost of a coffee to the two items A1 for (£)1.76 or (£)8.19 C1 (dep on M1) ft for statement shown with correct money notation. OR M1 for subtraction of the cost of an item from 4 or 8 M1 for complete method eg adding the two remainders or subtracting the second value from their running total A1 for (£)1.76 C1 (dep on M1) ft for statement shown with correct money notation.
7	(a)	Warsaw	1	B1 accept -8
	(b)	6	1	B1 accept -6
	(c)	-3	1	B1 cao
8	(a)	40	1	B1 cao
	(b)(i)	55	3	M1 $180 - (40 + 25 + 60)$ or $180 - 125$ or $180 - 40 - 25 - 60$ A1 cao
	(ii)			B1 (indep) Sum of the <u>angles</u> on a straight <u>line</u> is <u>180°</u>

PAPER: 5MB2F_01					
Question		Working	Answer	Mark	Notes
9	(a)	$8 \times 3 + 20$	44	2	M1 for $8 \times 3 + 20$ A1 cao
	(b)		No + reason	2	B2 No + you only pay the £20 once oe OR B1 $6 \times 8 + 20 (=68)$ B1 No + valid comparison
10	(a)		Correct pattern	1	B1
	(b)		12	1	B1 cao
	(c)	20÷2 or Diagram or Table	11	2	M1 for a complete method to find the pattern number from the number of grey tiles A1 cao
11	(a)		0.8 drawn	1	B1 cao
	(b)	$\frac{3}{4} + \frac{3}{4} = 1\frac{1}{2}$ $1.500 - 0.8 = 0.7$ $0.7 \times 1000$ OR $\frac{3}{4} + \frac{3}{4} = 1\frac{1}{2}$ $1\frac{1}{2} \text{ kg} = 1500 \text{ g}$ $0.8 \text{ kg} = 800\text{g}$ $1500 - 800$ OR $0.8\text{kg} = 800\text{g}$ $\frac{3}{4} \text{ kg} = 750\text{g}$ $800 - 750 = 50$ $750 - 50$	700	4	M1 For a complete method to find the weight of two puddings M1 For a complete method to find the difference of 'weight of two puddings' and 0.8kg M1 For a complete method to convert an appropriate weight from kg to g A1 cao OR M1 For a complete method to find the difference between 0.8 kg and $\frac{3}{4}$ kg M1 For a complete method to find the difference between $\frac{3}{4}$ kg and $'0.8 - \frac{3}{4}'$ , M1 For a complete method to convert an appropriate weight from kg to g A1 cao



PAPER: 5MB2F_01					
Question		Working	Answer	Mark	Notes
12	(a)		Correct diagram	1	B1
	(b)		Correct diagram	1	B1 cao
*13			Yes with working	4	<p>M1 <math>9.60 \div 3 (=3.20)</math> or <math>9.60 \times 2 (= 19.20)</math> or <math>9.60 \times \frac{2}{3} (=6.40)</math>  M1 for a fully correct method to find the cost of the two shirts  A1 12.8(0)  C1 (dep on M2) ft statement supported by working  OR  M1 <math>9.60 \div 3 (=3.20)</math> or <math>9.60 \times \frac{2}{3} (=6.40)</math>  M1 <math>13 \div 2</math>  A1 for 6.4(0) and 6.5(0)  C1 (dep on M2) ft statement supported by working</p>
14			290	3	<p>M1 for <math>(180 - 40) \div 2</math>  M1 for <math>360 - '70'</math>  A1 cao</p>
15	(a)		$10c + 15d$	1	B1 cao
	(b)	$x + x + 3 + 2x = 4x + 3$ $2(3x - 2) = 6x - 4$ $6x - 4 - (4x + 3)$	$2x - 7$	4	<p>M1 for <math>x + x + 3 + 2x (= 4x + 3)</math>  M1 for <math>2(3x - 2) (= 6x - 4)</math>  M1 for '6x' - '4x' - '4' <math>\pm</math> '3' oe  A1 cao  OR  M1 for <math>2(3x - 2) (= 6x - 4)</math>  M1 for '6x' - x - x - 2x (=2x) oe  M1 for '-4' <math>\pm</math> 3  A1 cao</p>

PAPER: 5MB2F_01					
Question		Working	Answer	Mark	Notes
16	(a)		Correct diagram	2	B2 (B1 any isometric face correct)
	(b)		6	2	M1 $(1) \times 2 \times 3$ A1 6 OR M1 for $2 \times 4 \times 6 \div (2 \times 2 \times 2)$ A1 6
17			4500	5	M1 for splitting the shape (or show the recognition of the “absent” rectangle) and using a correct method to find the area of one rectangle M1 for a correct method to find the area of a 2 <sup>nd</sup> rectangle M1 for a complete and correct method to find the total area M1 (dep on at least one prevM1) for a correct method to find 90% of their total area A1 cao

### Modifications to the mark scheme for Modified Large Print (MLP) papers.

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:

Angles:  $\pm 5^\circ$

Measurements of length:  $\pm 5$  mm

<b>PAPER:</b>		
<b>Question</b>	<b>Modification</b>	<b>Notes</b>
Q1	Diagram is size $\times 2$ .	Standard mark scheme
Q3	'eight' inserted into 1 <sup>st</sup> line.	Standard mark scheme
Q4	2cm squares.	Standard mark scheme
Q7	Map removed and replaced with a table giving places in alphabetical order	Standard mark scheme
Q9	No picture.	Standard mark scheme
Q10	2cm squares. Shading is dotted. 'grey' changed to 'shaded' throughout.	Standard mark scheme
Q11	Just scale given.	Standard mark scheme
Q13	Just information given with no box.	Standard mark scheme
Q15	MLP only: $x$ changed to $y$ , arrows removed, information written in.	Standard mark scheme ( $x$ changed to $y$ )

PAPER:		
Question	Modification	Notes
Q16	Model for part (a) has no dimensions written on it. Models for part (b) – dimensions of $2 \times 4 \times 6$ given. Wording given below	
Q16a	<p>Look at the model or at the diagram for Question 16(a). They show a cuboid.</p> <p>For the cuboid</p> <ul style="list-style-type: none"> <li>(i) write down the number of faces,</li> <li>(ii) write down the number of edges,</li> <li>(iii) write down the number of vertices.</li> </ul> <p style="text-align: right;">(2 marks)</p>	B2 All answers correct (B1 at least one correct answer given)
Q16b	<p>Look at the two models or at the diagram for Question 16(b). They are NOT accurate.</p> <p>A different box has been made to hold cubes. This box is in the shape of a cuboid.</p> <p>A cube is also shown. Each cube has edges of length 2 cm</p> <p>Work out the largest number of cubes that can fit into the box.</p> <p style="text-align: right;">(2 marks)</p>	Standard Mark Scheme



Pearson Education Limited. Registered company number 872828  
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

